

**THE PACIFIC SALMON COMMISSION  
JOINT NORTHERN BOUNDARY TECHNICAL  
COMMITTEE REPORT**

**U.S./CANADA NORTHERN BOUNDARY AREA  
2010 SALMON FISHERIES MANAGEMENT REPORT  
AND 2011 PRELIMINARY EXPECTATIONS**

**REPORT TCNB (11)-1**

**January 2011**

## TABLE OF CONTENTS

	<u>Page</u>
TABLE OF CONTENTS.....	2
LIST OF TABLES .....	3
LIST OF FIGURES.....	5
LIST OF APPENDICES .....	6
EXECUTIVE SUMMARY.....	12
MANAGEMENT PERFORMANCE .....	14
2011 Forecasts.....	16
INTRODUCTION.....	17
SOUTHERN SOUTHEAST ALASKA.....	17
2010 Salmon Forecast.....	17
Review of the 2010 Fishing Season.....	17
Management Performance Relative to Treaty Requirements.....	22
NORTHERN BRITISH COLUMBIA .....	24
2010 Salmon Forecast.....	24
Review of 2010 Fishing Season - Net and Troll Fisheries.....	25
Management Performance Relative to Treaty Requirements.....	31
2011 Salmon Forecast Northern British Columbia.....	32
TABLES.....	34
FIGURES .....	69
APPENDICES .....	79

**LIST OF TABLES**

Table 1. Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 101 purse seine fishery (preliminary). ..... 35

Table 2. Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 102 purse seine fishery (preliminary). ..... 36

Table 3. Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 103 purse seine fishery (preliminary). ..... 37

Table 4. Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 104 purse seine fishery (preliminary). ..... 38

Table 5. Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 101 drift gillnet fishery (preliminary). ..... 39

Table 6. Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 106 drift gillnet fishery (preliminary). ..... 40

Table 7. Weekly commercial catch and fishing effort by opening in the 2010 Annette Island Reserve purse seine fishery (preliminary). ..... 41

Table 8. Weekly commercial catch and fishing effort by opening in the 2010 Annette Island Reserve gillnet fishery (preliminary). ..... 42

Table 9. Southern Southeast Alaska pink salmon escapement indices by stock group and district for 2010 (in millions). ..... 43

Table 10. Department of Fisheries and Oceans commercial salmon harvest report, Area 1 gillnet weekly hailed catch, 2010. .... 44

Table 11. Department of Fisheries and Oceans commercial salmon harvest report, Area 1 seine weekly hailed catch, 2010 (preliminary). ..... 45

Table 12. Department of Fisheries and Oceans commercial salmon harvest report, Area 1 troll weekly hailed catch 2010 (preliminary). ..... 46

Table 13. Department of Fisheries and Oceans commercial salmon harvest report, Area 3 (1-4) gillnet weekly hailed catch, 2010 (preliminary). ..... 47

Table 14. Department of Fisheries and Oceans commercial salmon harvest report, Area 3 (7-17) gillnet weekly hailed catch, 2010 (preliminary). ..... 48

Table 15. Department of Fisheries and Oceans commercial salmon harvest report, total Area 3 weekly gillnet hailed catch 2010 (preliminary). ..... 49

Table 16. Department of Fisheries and Oceans commercial salmon harvest report, Area 3 Entrance (sub-areas 3-1 to 3-4) weekly seine hailed catch, 2010 (preliminary). ..... 50

Table 17. Department of Fisheries and Oceans commercial salmon harvest report, Area 3 Inside (sub-areas 7 to 17) purse seine hailed catch, 2010 (preliminary). ..... 51

Table 18. Department of Fisheries and Oceans commercial salmon harvest report, total Area 3 purse seine hailed catch. 2010 (preliminary). ..... 52

Table 19. Department of Fisheries and Oceans commercial salmon harvest report, Area 3 troll hailed catch, 2010 (preliminary). ..... 53

Table 20. Department of Fisheries and Oceans commercial salmon harvest report, Area 4 gillnet hauled catch, 2010 (preliminary). .....	54
Table 21. Department of Fisheries and Oceans commercial salmon harvest report, Area 4 purse seine hauled catch, 2010 (preliminary).....	55
Table 22. Department of Fisheries and Oceans commercial salmon harvest report, Area 4 troll hauled catch, 2010 (preliminary).....	56
Table 23. Department of Fisheries and Oceans commercial salmon harvest report, Area 5 gillnet hauled catch, 2010 (preliminary). .....	57
Table 24. Department of Fisheries and Oceans commercial salmon harvest report, Area 5 seine hauled catch, 2010 (preliminary). .....	58
Table 25. Department of Fisheries and Oceans commercial salmon harvest report, Area 5 troll hauled catch, 2010 (preliminary).....	59
Table 26. Preliminary annual allowable harvest (AAH) calculations for Canadian Area 3(1-4) net fishery, 2010 <sup>1</sup> .....	60
Table 27. Preliminary annual allowable harvest (AAH) calculations for Canadian Area 1 troll fishery, 2010 <sup>1</sup> .....	61
Table 28. Department of Fisheries and Oceans, 2010 escapements to Areas 3, 4, and 5 (preliminary). .....	62
Table 29. Department of Fisheries and Oceans, 2011 salmon forecast, Areas 1, 3, 4, and 5.....	63
Table 30. Annual effort data for Canadian Areas 1, 3, 4, and 5. ....	64
Table 31. Annual escapement data for Canadian Area 1 (2010 is preliminary). .....	65
Table 32. Annual escapement data for Canadian Area 3 (2010 is preliminary). .....	66
Table 33. Annual escapement data for Canadian Area 4 (2010 is preliminary). .....	67
Table 34. Annual escapement data for Canadian Area 5 (2010 is preliminary). .....	68

**LIST OF FIGURES**

Figure 1. Alaska Department of Fish and Game Southern Southeast Alaska regulatory districts..... 70

Figure 2. Canadian Department of Fisheries and Oceans Statistical Areas 1-10, Northern British Columbia. .... 71

Figure 3. Canadian Department of Fisheries and Oceans Statistical Area 1 management sub-areas. .... 72

Figure 4. Canadian Department of Fisheries and Oceans Statistical Area 3 management sub-areas. .... 74

Figure 5. Canadian Department of Fisheries and Oceans Statistical Area 4 management sub-areas. .... 76

Figure 6. Canadian Department of Fisheries and Oceans Statistical Area 5 management sub-areas. .... 78

## LIST OF APPENDICES

Appendix 1. Alaska District 101 commercial purse seine pink salmon catch, 1971-2010. ....	80
Appendix 2. Alaska District 101 commercial purse seine chum salmon catch, 1971-2010. ....	81
Appendix 3. Alaska District 101 commercial purse seine sockeye salmon catch, 1971-2010. ....	83
Appendix 4. Alaska District 101 commercial purse seine Chinook salmon catch, 1971-2010. ....	84
Appendix 5. Alaska District 101 commercial purse seine coho salmon catch, 1971-2010. ....	85
Appendix 6. Alaska District 101 commercial purse seine boats fishing, 1971-2010. ....	87
Appendix 7. Alaska District 101 hours open to commercial purse seine fishing, 1971-2010. ....	88
Appendix 8. Alaska District 102 commercial purse seine pink salmon catch, 1971-2010. ....	89
Appendix 9. Alaska District 102 commercial purse seine chum salmon catch, 1971-2010. ....	90
Appendix 10. Alaska District 102 commercial purse seine sockeye salmon catch, 1971-2010. ....	91
Appendix 11. Alaska District 102 commercial purse seine Chinook salmon catch, 1971-2010. ....	92
Appendix 12. Alaska District 102 commercial purse seine coho salmon catch, 1971-2010. ....	93
Appendix 13. Alaska District 102 commercial purse seine boats fishing, 1971-2010. ....	94
Appendix 14. Alaska District 102 hours open to commercial purse seine fishing, 1971-2010. ....	95
Appendix 15. Alaska District 103 commercial purse seine pink salmon catch, 1971-2010. ....	96
Appendix 16. Alaska District 103 commercial purse seine chum salmon catch, 1971-2010. ....	97
Appendix 17. Alaska District 103 commercial purse seine sockeye salmon catch, 1971-2010. ....	98
Appendix 18. Alaska District 103 commercial purse seine Chinook salmon catch, 1971-2010. ....	99
Appendix 19. Alaska District 103 commercial purse seine coho salmon catch, 1971-2010. ....	100
Appendix 20. Alaska District 103 commercial purse seine boats fishing, 1971-2010. ..	101
Appendix 21. Alaska District 103 hours open to commercial purse seine fishing, 1971-2010. ....	102
Appendix 22. Alaska District 104 commercial purse seine pink salmon catch, 1971-2010. ....	103
Appendix 23. Alaska District 104 commercial purse seine chum salmon catch, 1971-2010. ....	104

Appendix 24. Alaska District 104 commercial purse seine sockeye salmon catch, 1971-2010.....	105
Appendix 25. Alaska District 104 commercial purse seine Chinook salmon catch, 1971-2010.....	106
Appendix 26. Alaska District 104 commercial purse seine coho salmon catch, 1971-2010.....	107
Appendix 27. Alaska District 104 commercial purse seine boats fishing, 1971-2010..	108
Appendix 28. Alaska District 104 hours open to commercial purse seine fishing, 1971-2010.....	109
Appendix 29. Alaska District 101 (Tree Point) commercial gillnet pink salmon catch, 1971-2010.....	110
Appendix 30. Alaska District 101 (Tree Point) commercial gillnet chum salmon catch, 1971-2010.....	111
Appendix 31. Alaska District 101 (Tree Point) commercial gillnet sockeye salmon catch, 1971-2010.....	112
Appendix 32. Alaska District 101 (Tree Point) commercial gillnet Chinook salmon catch, 1971-2010.....	113
Appendix 33. Alaska District 101 (Tree Point) commercial gillnet coho salmon catch, 1971-2010.....	114
Appendix 34. Alaska District 101 (Tree Point) commercial gillnet boats fishing, 1971-2010.....	115
Appendix 35. Alaska District 101 (Tree Point) hours open to commercial gillnet fishing, 1971-2010.....	116
Appendix 36. Alaska District 106 commercial gillnet pink salmon catch, 1971-2010.....	117
Appendix 37. Alaska District 106 commercial gillnet chum salmon catch, 1971-2010.....	118
Appendix 38. Alaska District 106 commercial gillnet sockeye salmon catch, 1971-2010.....	119
Appendix 39. Alaska District 106 commercial gillnet Chinook salmon catch, 1971-2010.....	120
Appendix 40. Alaska District 106 commercial gillnet coho salmon catch, 1971-2010.....	121
Appendix 41. Alaska District 106 commercial gillnet boats fishing, 1971-2010.....	122
Appendix 42. Alaska District 106 hours open to commercial gillnet fishing, 1971-2010.....	123
Appendix 43. Annette Island Reserve commercial purse seine pink salmon catch, 1971-2010.....	124
Appendix 44. Annette Island Reserve commercial purse seine chum salmon catch, 1971-2010.....	125
Appendix 45. Annette Island Reserve commercial purse seine sockeye salmon catch, 1971-2010.....	126
Appendix 46. Annette Island Reserve commercial purse seine Chinook salmon catch, 1971-2010.....	127

Appendix 47. Annette Island Reserve commercial purse seine coho salmon catch, 1971-2010. ....	128
Appendix 48. Annette Island Reserve hours open to commercial purse seine fishing, 1971-2010. ....	129
Appendix 49. Annette Island Reserve commercial gillnet pink salmon catch, 1971-2010. ....	130
Appendix 50. Annette Island Reserve commercial gillnet chum salmon catch, 1971-2010. ....	131
Appendix 51. Annette Island Reserve commercial gillnet sockeye salmon catch, 1971-2010. ....	132
Appendix 52. Annette Island Reserve commercial gillnet Chinook salmon catch, 1971-2010. ....	133
Appendix 53. Annette Island Reserve commercial gillnet coho salmon catch, 1971-2010. ....	134
Appendix 54. Annette Island Reserve hours open to commercial gillnet fishing, 1971-2010. ....	135
Appendix 55. Annette Island Reserve trap pink salmon catch, 1971-1993. ....	136
Appendix 56. Annette Island Reserve trap chum salmon catch, 1971-1993. ....	137
Appendix 57. Annette Island Reserve trap sockeye salmon catch, 1971-1993. ....	138
Appendix 58. Annette Island Reserve trap Chinook salmon catch, 1971-1993. ....	139
Appendix 59. Annette Island Reserve trap coho salmon catch, 1971-1993. ....	140
Appendix 60. Southern Southeast Alaska pink salmon spawning escapement index, by district and year, 1971-2010. ....	141
Appendix 61. Sockeye salmon escapement to Hugh Smith and McDonald Lakes in Southeast Alaska, 1981-2010. ....	142
Appendix 62. Peak escapement counts of live chum in Portland Canal, U.S. systems, 1971-2010. ....	143
Appendix 63. Preliminary release data for coded wire tag marked salmon in Southeast Alaska, 2010. ....	144
Appendix 64. Northern British Columbia total Area 1 commercial gillnet sockeye salmon catch, 1970-2010. ....	145
Appendix 65. Northern British Columbia total Area 1 commercial seine sockeye salmon catch, 1970-2010. ....	146
Appendix 66. Northern British Columbia total Area 1 commercial gillnet pink salmon catch, 1970-2010. ....	147
Appendix 67. Northern British Columbia total Area 1 commercial seine pink salmon catch, 1970-2010. ....	148
Appendix 68. Northern British Columbia total Area 1 commercial seine chum salmon catch, 1970-2010. ....	149
Appendix 69. Northern British Columbia total Area 1 commercial seine chum salmon catch, 1970-2010. ....	150
Appendix 70. Northern British Columbia total Area 1 commercial gillnet Chinook salmon catch, 1970-2010. ....	151
Appendix 71. Northern British Columbia total Area 1 commercial seine Chinook salmon catch, 1970-2010. ....	152

Appendix 72. Northern British Columbia total Area 1 commercial gillnet coho salmon catch, 1970-2010. ....	153
Appendix 73. Northern British Columbia total Area 1 commercial seine coho salmon catch, 1970-2010. ....	154
Appendix 74. Department of Fisheries and Oceans commercial effort by gillnet and seine, Areas 1,3,4,5, 1970-2010. ....	155
Appendix 75. Department of Fisheries and Oceans commercial salmon harvest, troll annual catch, Area 1, 1970-2010. ....	156
Appendix 76. Northern British Columbia total Area 3(1-4) commercial gillnet sockeye salmon catch, 1970-2010. ....	157
Appendix 77. Northern British Columbia total Area 3(1-4) commercial seine sockeye salmon catch, 1970-2010. ....	158
Appendix 78. Northern British Columbia total Area 3(1-4) commercial gillnet pink salmon catch, 1970-2010. ....	159
Appendix 79. Northern British Columbia total Area 3(1-4) commercial seine pink salmon catch, 1970-2010. ....	160
Appendix 80. Northern British Columbia total Area 3(1-4) commercial gillnet chum salmon catch, 1970-2010. ....	161
Appendix 81. Northern British Columbia total Area 3(1-4) commercial seine chum salmon catch, 1970-2010. ....	162
Appendix 82. Northern British Columbia total Area 3(7-17) commercial gillnet sockeye salmon catch, 1970-2010. ....	163
Appendix 83. Northern British Columbia total Area 3(7-17) commercial seine sockeye salmon catch, 1970-2010. ....	164
Appendix 84. Northern British Columbia total Area 3(7-17) commercial gillnet pink salmon catch, 1970-2010. ....	165
Appendix 85. Northern British Columbia total Area 3(7-17) commercial seine pink salmon catch, 1970-2010. ....	166
Appendix 86. Northern British Columbia total Area 3(7-17) commercial gillnet chum salmon catch, 1970-2010. ....	167
Appendix 87. Northern British Columbia total Area 3(7-17) commercial seine chum salmon catch, 1970-2010. ....	168
Appendix 88. Northern British Columbia total Area 3 commercial gillnet sockeye salmon catch, 1970-2010. ....	169
Appendix 89. Northern British Columbia total Area 3 commercial seine sockeye salmon catch, 1970-2010. ....	170
Appendix 90. Northern British Columbia total Area 3 commercial gillnet pink salmon catch, 1970-2010. ....	171
Appendix 91. Northern British Columbia total Area 3 commercial seine pink salmon catch, 1970-2010. ....	172
Appendix 92. Northern British Columbia total Area 3 commercial gillnet chum salmon catch, 1970-2010. ....	173
Appendix 93. Northern British Columbia total Area 3 commercial seine chum salmon catch, 1970-2010. ....	174

Appendix 94. Northern British Columbia total Area 3 commercial gillnet chinook salmon catch, 1970-2010. ....	175
Appendix 95. Northern British Columbia total Area 3 commercial seine chinook salmon catch, 1970-2010. ....	176
Appendix 96. Northern British Columbia total Area 3 commercial gillnet coho salmon catch, 1970-2010. ....	177
Appendix 97. Northern British Columbia total Area 3 commercial seine coho salmon catch, 1970-2010. ....	178
Appendix 98. Department of Fisheries and Oceans commercial salmon effort by gillnet and seine, Areas 3 (1-4) and 3(7-17) 1970-2010. ....	179
Appendix 99. Department of Fisheries and Oceans commercial salmon harvest, troll annual catch, Area 3, 1970-2010. ....	180
Appendix 100. Northern British Columbia total Area 4 commercial gillnet sockeye salmon catch, 1970-2010. ....	181
Appendix 101. Northern British Columbia total Area 4 commercial seine sockeye salmon catch, 1970-2010. ....	182
Appendix 102. Northern British Columbia total Area 4 commercial gillnet pink salmon catch, 1970-2010. ....	183
Appendix 103. Northern British Columbia total Area 4 commercial seine pink salmon catch, 1970-2010. ....	184
Appendix 104. Northern British Columbia total Area 4 commercial gillnet chum salmon catch, 1970-2010. ....	185
Appendix 105. Northern British Columbia total Area 4 commercial seine chum salmon catch, 1970-2010. ....	186
Appendix 106. Northern British Columbia total Area 4 commercial gillnet Chinook salmon catch, 1970-2010. ....	187
Appendix 107. Northern British Columbia total Area 4 commercial seine Chinook salmon catch, 1970-2010. ....	188
Appendix 108. Northern British Columbia total Area 4 commercial gillnet coho salmon catch, 1970-2010. ....	189
Appendix 109. Northern British Columbia total Area 3 commercial seine coho salmon catch, 1970-2010. ....	190
Appendix 110. Department of Fisheries and Oceans commercial salmon harvest, troll annual catch and effort, Area 4, 1970-2010. ....	191
Appendix 112. Northern British Columbia total Area 5 commercial gillnet sockeye salmon catch, 1970-2010. ....	192
Appendix 113. Northern British Columbia total Area 5 commercial seine sockeye salmon catch, 1970-2010. ....	193
Appendix 114. Northern British Columbia total Area 5 commercial gillnet pink salmon catch, 1970-2010. ....	194
Appendix 115. Northern British Columbia total Area 5 commercial seine pink salmon catch, 1970-2010. ....	195
Appendix 116. Northern British Columbia total Area 5 commercial gillnet chum salmon catch, 1970-2010. ....	196

Appendix 117. Northern British Columbia total Area 5 commercial seine chum salmon catch, 1970-2010. ....	197
Appendix 118. Northern British Columbia total Area 5 commercial gillnet Chinook salmon catch, 1970-2010. ....	198
Appendix 119. Northern British Columbia total Area 5 commercial seine Chinook salmon catch, 1970-2010. ....	199
Appendix 120. Northern British Columbia total Area 5 commercial gillnet coho salmon catch, 1970-2010. ....	200
Appendix 121. Northern British Columbia total Area 5 commercial seine coho salmon catch, 1970-2010. ....	201
Appendix 122. Department of Fisheries and Oceans commercial salmon harvest, troll annual catch, Area 5, 1970-2010. ....	202

## EXECUTIVE SUMMARY

This report reviews:

- 1) catch, effort, and management actions in the 2010 Northern Boundary Area troll and net fisheries of southern Southeast Alaska Districts 101 to 108 and northern British Columbia Areas 1, 3, 4, and 5;
- 2) management performance relative to Treaty requirements for pink salmon;
- 3) preliminary expectations and fishing plans for 2011.

### *2010 Fisheries*

The southern Southeast Alaska pink salmon harvest was 13.7 million (Districts 1-8, all harvest code, all gear), which was below the 10-year average of 23.2 million. For all of Southeast Alaska and Yakutat the pink salmon harvest was 24.2 million, which was greater than the preseason forecast of 19 million. The total 2010 Southeast Alaska pink salmon escapement index of 11.2 million index fish was ranked as the 16<sup>th</sup> highest since 1960, but was below the recent 10-year average of 15.2 million. Biological escapement goals are in place for three sub-regions in Southeast Alaska and pink salmon escapement goals were reached for all three sub-regions in 2010.

Sockeye salmon catches in Alaska boundary area gillnet and purse seine fisheries, including treaty fisheries, were below average.

Canadians--Returns of North Coast sockeye stocks were poorer than anticipated in 2010. The preliminary Nass sockeye Total Return to Canada (TRTC) estimate of 377,000 was below the pre-season return estimate of 648,000. Meanwhile, the Skeena total return estimate of 964,000 was just under the 25% probability run size for the pre-season sibling model of 975,627, and slightly higher than the 90% probability run size for the pre-season 5-yr average model of 864,286. Chum escapements were similar to sockeye, with generally low returns to all north coast areas. Pink returns for the north coast aggregate were variable though the aggregate and similar to pre-season return estimates. Specifically, surpluses were identified within Area 1, with below average returns as anticipated to Area 3 and 4.

North coast marine and in-river commercial sockeye management considerations include: managing in accordance to the Nisga'a Treaty, the Pacific Salmon Treaty, allocation issues, aggregate Skeena sockeye abundance, wild Skeena sockeye stocks of concern and the abundance of non-target Skeena salmon species and steelhead. In area 3, a First Nation in-river economic opportunity was identified with 3000 sockeye being allocated to in-river fishing sites through gillnet and seine licence transfers. In area 4, neither the in-river economic opportunity fishery nor the pilot quota sockeye salmon seine demonstration fishery occurred in 2010 due to poor sockeye returns. Due to the anticipated weak return of the Skeena sockeye aggregate in 2010 a limited area 3 fishery occurred with its outside area

initially closed. Later in the season low escapements past the Skeena River Tyee Test Fishery resulted in only two Area 4 gillnet sockeye fishing opportunities and no Area 4 seine fishing opportunities.

In Canadian Area 1 there no longer are commercial net interception fisheries on passing salmon stocks in Area 1. However, terminal pink surpluses were identified in-season and targeted by seine in select locations. Four days of fishing yielded 8 boats days and 188,000 pinks harvested.

Area 3 commercial net fisheries were implemented in response to Treaty obligations, current trends in salmon species abundance, in-season return estimates and concerns for non-target species. Commercial gillnet fisheries targeting Nass-bound sockeye were restricted to non-retention/non-possession of steelhead and coho and sub-area/time specific non-retention/non-possession of chinook and chum. Management measures put in place to protect weak Nass (and Skeena) sockeye returns meant Area 3 gillnets fished 9.0 equivalent fishing days (total hours open divided by 24 hours) for a total of 1,517 boat days of effort. The Area 3 seine fleet was managed according to Nass and Skeena sockeye and pink salmon abundance, along with concerns for non-target species. Chinook, chum, coho, and steelhead were managed with a non-retention/non-possession restriction. In addition, brail and sort and operational live box restrictions were associated with this fishery, along with openings being restricted to daylight hours. Area 3 seines fished 3.0 equivalent fishing days for a total of 26 boat days of effort. On August 26<sup>th</sup> the Area 3 Seine and Gillnet fisheries were closed for the balance of the season. However, shortly after the Seine and Gillnet openings on July 26<sup>th</sup> no sockeye or pink surpluses were identified.

The final sockeye escapement estimate to the Nass was 229,136 and is comparable to its escapement target of 225,000. The Meziadin River escapement of 159,120 was slightly below the 2000-09 decadal average (163,686) and close to its desired escapement target (160,000). The final pink escapement estimate to the Nass of 258,960 was below its aggregate target of 375,500. Nass area chum escapement of 11,559 did not meet its escapement target.

Area 3 Gillnet catch: Sockeye – 63,347, Pink – 16,378, Chum – 15,358, Chinook – 692

Area 3 Seine catch: Sockeye – 2,660, Pink – 26,977

Nass Sockeye escapement estimate – 229,136

Nass Pink escapement estimate – 258,960

Nass Area Chum escapement estimate – 11,559

Area 4 gill nets fished for a total of 3 openings (1 Chinook and 2 sockeye openings) with a total of 366 (24-hour) boat days. Total sockeye catch was recorded at 62,798 sockeye compared to the 2000-2009 average of 600,318.

Area 4 did not open to seines due low escapement figures of sockeye and pinks past the Skeena River Tyee test fishery.

The preliminary Skeena sockeye escapement estimate of 690,820 is below the spawning target of 900,000. The Skeena aggregate pink escapement estimate of 310,304 was significantly below the target escapement of 2,097,800, while the chum escapement estimate of 1,155 was well below the escapement target for the Skeena River.

Area 4 Gillnet catch: Sockeye -62,798, Pink -15,116, Chinook -1,061

Area 4 Seine catch: Did not open

Skeena Sockeye escapement estimate – 690,820

Skeena Pink escapement estimate – 310,304

Skeena Chum escapement estimate – 1,155

Area 5 is largely managed as an extension of the Area 4 fishery with a potential late fishery on local pink stocks. As the forecasted surplus of Skeena sockeye and local pinks was for a below average return, few net fishing days were anticipated. In-season stock assessment confirmed poor returns which resulted in few salmon being caught during two gillnet fishing opportunities and one seine opening.

Area 5 Gillnet catch: Sockeye -2385

Area 5 Sockeye escapement estimate – Unknown

Area 5 Pink escapement estimate – 49,882

Area 5 Chum escapement estimate – 1,475

The Area 1 pink-directed troll fishery was open from 0001–21 July along the A-B line strip. In addition, pink salmon were open to retention on June 15 in conjunction with the Chinook ITQ Demonstration fishery and remained open to retention along northern half of Dixon Entrance until 30 September. Troll effort in Area 1 primarily focused on abundant coho and attaining Chinook quotas with little effort being directed on pink salmon due to lower market value. The preliminary estimated Areas 1/101 troll pink catch was 19,948 pieces.

## **MANAGEMENT PERFORMANCE**

Pacific Salmon Treaty based harvest sharing agreements were renewed in 2008 for the Northern Boundary area fisheries – Alaska District 104 purse seine, Alaska District 101 drift gillnet, Canadian Area 3 net, and Canadian Area 1 troll. The agreements are “abundance based” where the allowable harvest is a percentage of the Annual Allowable Harvest (AAH). The AAH is the total return of applicable stocks minus the lesser of: 1) the actual escapement, or 2) the escapement goal. Catches over or under the AAH are summed over the period of the agreement to allow for annual variation.

The run size of Alaskan pink salmon returning to Districts 101-103 determines the allowable harvests of these stocks in Canada’s Area 3 (1-4) net and Area 1 troll fisheries.

In Alaska's District 104 purse seine fishery, the Nass and Skeena sockeye run size determines the AAH of these stocks prior to Statistical Week 31. In the District 104 purse seine fishery the agreement specifies a harvest, from the beginning of the season through Statistical Week 30, of 2.45% of the combined AAH of both the Nass and Skeena River runs. The fishery opens the first Sunday in July; in 2010 the initial opening was July 4 (Week 28). The 2010 pre-Week 31 fishing plan for District 104 was based on returns of local Alaskan stocks as well as the Canadian Department of Fisheries and Oceans (DFO) preseason forecast returns of about 865,000 Nass River sockeye salmon and about 665,000 Skeena River sockeye salmon. The preseason forecasts result in a total projected return of 1.5 million Nass and Skeena sockeye which, minus an escapement goal of 1.1 million, would result in an AAH of about 0.4 million. Using this forecast, the 2010 pre-Week 31 AAH was approximately 9,800 Nass and Skeena sockeye salmon.

In Alaska's District 101 gillnet fishery, the AAH is based solely on the run size of Nass River sockeye salmon. The AAH is calculated as the total run of Nass sockeye salmon minus either the escapement requirement of 200,000 or the actual in-river escapement, whichever is less. In the District 101 (Tree Point) drift gillnet fishery, the agreement specifies a harvest of 13.8 percent of the AAH of the Nass River sockeye run. The return of Nass sockeye was forecast at 865,000 in 2010 which, minus an escapement goal of 200,000, would result in an AAH of about 665,000. Using this forecast the 2010 allowable harvest in the District 101 gillnet fishery was about 92,000 Nass River sockeye salmon

The District 101 drift gillnet fishery opens by regulation on the third Sunday in June which was June 20 (week 26) in 2010. During the early weeks of the fishery, management is based on the run strength of Alaska wild stock chum and sockeye salmon and on the strength of the Nass River sockeye salmon. Beginning in the third week of July, when pink salmon stocks begin to enter the fishery in large numbers, management emphasis shifts by regulation to that species. By regulation, the District 101 Pink Salmon Management Plan sets gillnet fishing time in this district in relation to the District 101 purse seine fishing time when both fleets are concurrently harvesting the same pink salmon stocks.

For the year 2010, Canada was to manage the 3-1 to 3-4 net fishery to achieve an annual catch share of 2.49 percent of the AAH of Alaskan Districts 101, 102 and 103 pink salmon. With a Total Return of approximately 23.62 million pinks, the Alaskan Districts 101, 102 and 103 AAH was 12.87 million pinks. The resulting Area 3-1 to 3-4 Canadian commercial net total allowable catch of this AAH was approximately 320,403 pinks of Alaskan Districts 101, 102 and 103 origin, (Table 26).

In the Canadian northern boundary area, pink salmon returns were anticipated to be below average for both Area 3 and Area 4, based on brood year return strength. Returns comparable to expectations for both areas in conjunction with poor sockeye returns resulted in few fishing opportunities. The 2010 Canadian pink salmon catch in Sub-areas 3-1 to 3-4 was 30,686 and a preliminary estimate of the Alaska stock component of this catch is estimated to be 18,022 or 0.14 % of the AAH, well below the allotted 2.49 % of the AAH of 320,403 pieces, (Table 26).

In addition, Canada was to manage the Area 1 troll fishery to achieve an annual catch share of 2.57 percent of the annual allowable harvest (AAH) of Alaskan Districts 101, 102 and 103 pink salmon. With a Total Return of approximately 23.62 million pinks, the Alaskan Districts 101, 102 and 103 AAH was 12.87 million pinks. The resulting Area 1 Canadian commercial troll total allowable catch of this AAH was approximately 330,697 pinks of Alaskan Districts 101, 102 and 103 origin, (Table 27).

The Canadian commercial troll fishery in Area 1 was open in the northern portion of the Area from July 1 to September 30, with the directed pink fishery along the A-B line strip being open for that time period. Pink salmon directed effort was very minimal and the fishery harvested a total of 19,948 pink salmon, with an estimated 14,835, or 74.4 %, being of Alaskan origin. This equates to 0.12 % of the Alaskan District 101, 102 and 103 pink AAH, well below the annex agreement for 2.57 percent of the Alaskan Districts 101, 102 and 103 pink salmon AAH, (Table 27).

Pink escapements in 2010 were 258,960 to Area 3 and 310,304 to Area 4, (Table 28).

### ***2011 Forecasts***

The Southeast Alaska pink salmon harvest in 2011 is predicted to be in the excellent, with a point estimate of 55 million fish (80% confidence interval 43-67 million fish). The forecast of 55 million pink salmon is well above the recent 10-year average harvest of 40 million fish. There are two primary reasons to expect that the harvest in 2011 will be excellent: 1) the parent year escapement in 2009 of 12.7 million ranked 14th since 1960 and was 76% of the prior 10-year average of 16.6 million 2) the NOAA Auke Bay Lab's 2010 peak June–July juvenile pink salmon CPUE statistic from upper Chatham and Icy straits in northern Southeast Alaska ranked in the top third out of the 13 previous years that NOAA has collected that information, which indicates good freshwater and early marine survival for pink salmon set to return in 2011. Formal forecasts are not made for species other than pink salmon in Southeast Alaska.

The 2011 Nass sockeye Total Return to Canada (TRTC) is estimated to be 434 thousand potentially providing a harvestable surplus of 250 thousand. For the Skeena, the sibling model forecast predicts a 50% probability of approximately 1.7 million sockeye returning to the Skeena in 2010, with a 25% probability of the return exceeding 2.4 million and a 75% probability the return will exceed 1.1 million. Pink returns of 2.9 million to the Nass and 7.6 million to the Skeena area should yield large harvestable surpluses during directed Pink fisheries in 2011, (Table 29).

## INTRODUCTION

This report reviews the 2010 Boundary Area pink, chum, coho, and sockeye salmon gillnet and purse seine fisheries of southern Southeast (SSE) Alaska and Northern British Columbia and outlines preliminary expectations and fishing plans for 2011. The document is submitted to the Pacific Salmon Commission as required in Article IV of the Pacific Salmon Treaty. Weekly catch and effort data is provided by opening, district or area, gear, and species (sockeye, pink, chum, coho, and Chinook salmon) for Northern Boundary Area fisheries for 2010. Sub-area catch data is also presented for all salmon species for Canadian Area 3. Maps showing the statistical fishing districts or areas for southern Southeast Alaska and Northern British Columbia are provided in Figures 1 to 6.

## SOUTHERN SOUTHEAST ALASKA

### *2010 Salmon Forecast*

The 2010 pink salmon harvest in Southeast Alaska was expected to be weak to average range, with a point estimate of 19 million fish, with a forecast range of 11-32 million fish. Formal forecasts were not made for sub-regions or for species other than pink salmon in Southeast Alaska.

### *Review of the 2010 Fishing Season*

Commercial fisheries harvested 18.9 million salmon in southern Southeast Alaska in 2010. This total includes Traditional, Hatchery Terminal Harvest Area, and Annette Island Reserve fisheries; purse seine, drift gillnet, and troll gear; in Districts 101 through 108, 150, and 152. The harvest was comprised of 13.7 million (73%) pink salmon, 3.74 million (20%) chum, 1.0 million coho (5%), 347,000 (1.8%) sockeye, and 90,000 (0.5%) Chinook salmon. The 2010 catches are compared to the 1985-2009 average.

### **Districts 101, 102, and 103 Purse Seine Fisheries**

The management of the southern Southeast Alaska inside purse seine fishery was based on inseason pink salmon returns to Districts 101 through 107. Exceptions to this management scheme were: 1) an early season opening in lower District 102 to target Southern Southeast Regional Aquaculture Association's (SSRAA) Kendrick Bay summer chum salmon; and 2) District 102 fisheries directed on fall chum salmon. There was a purse seine Chinook salmon non-retention period in 2010 until Week 32.

#### *District 101 Purse Seine Fishery*

The Alaska District 101 purse seine fishery opened July 4, 2010 for the first of 14 fishing periods (Table 1). In the initial week (statistical week 28), 24 boats fished a 15-hour opening catching below average (1985-2009) numbers of pink, chum, sockeye, and coho salmon. In week 29 the catches of chum and coho salmon were above average. Weeks 31-34, catches of pink salmon were above average and the fishery was open for two periods a

week with up to 113 boats. Week 35 and 36 there each had only one opening. Beginning with the second opening in week 32 (August 5) the fishery was open for 39-hour periods through the rest of the season. Catches of sockeye salmon remained below average for the entire season. Catches of chum salmon were below average week 30-33 and above average the rest of the season. The number of boats fishing varied significantly from opening to opening. Pink salmon catches peaked in early August with a catch of 1.9 million in week 32. Coho catches were well above average throughout most of the season. The fishery for pinks closed the end of August due to declining pink salmon catches.

A total of 147 purse seine vessels fished in District 101 in 2010, 98% of the average of 151. The fishery was open for a total of 378 hours which was 80% of the average of 473.

The 2010 District 101 purse seine seasonal pink salmon catch of 6.3 million was 107% of the average catch of 5.9 million.

The District 101 purse seine sockeye salmon catch of 54,000 was 51% of the average catch of 106,000.

The District 101 purse seine chum salmon catch of 405,000 was 127% of the average catch of 318,000.

The District 101 purse seine coho salmon catch of 54,000 was 145% of the average catch of 39,000.

The Chinook catch of 148 was 26% of the average catch of 580. There was a purse seine Chinook salmon non-retention period in 2010 until Week 32.

#### *District 102 Purse Seine*

Limited portions of District 102 near Kendrick Bay were opened in Weeks 26 and 27 to access returns of SSRAA enhanced summer chum salmon from Kendrick Bay. The fishery was open for 87 hours in 26 and 111 hours in Week 27. Nine seine vessels fished the first opening and thirty five fished the second with catches for both weeks totaling about 58,277 chum salmon (Table 2).

The traditional seine fishery in District 102 targeting local stocks of pink salmon opened Sunday July 4 (Week 28). During the traditional fishing period there were 14 openings ranging from 15 to 87 hours in duration. The number of boats fishing the district varied significantly from week to week. A total of 102 purse seine vessels fished District 102 at some time during the season, 67% of the average of 155 vessels. The district was open to fishing a total of 684 hours, 72% of the average of 967 hours.

Catches of pink were below the treaty average for the entire season. The purse seine catch of 2 million pink salmon was 48% of the average catch of 4.2 million. The sockeye catch of 37 thousand was 88% of the average catch while the coho catch of 44 thousand was 91% of the

average catch. Catches of chum salmon were above average early in the season when Kendrick Bay fish were targeted but dropped to below average in early July and remained below average until the end of the season with the exception of Week 36.

#### *District 103 Purse Seine*

The 2010 District 103 purse seine fishery initially opened July 22 (Week 30; Table 3). The open hours of fishing were with either 15 hours or 39 hours. The fishery closed on August 29, there was no directed fall chum salmon fishery in 2010. A total of 74 purse seine vessels fished in District 103, 58% of the average of 129 vessels. The district was open for a total of 348 hours, 89% of the average of 390 hours.

The District 103 purse seine pink salmon catch of 1.3 million was 33% of the average catch of 4.1 million. In the initial openings, with only a confidentially number of boats fishing, the catches of all species were below the average catch. The 2010 sockeye catch of 4,300 was 18% of average catch. Coho catch of 17,000 was 44% of the average catch. Chum salmon catch of 62,000 was 52% of the treaty average.

#### *District 104 Purse Seine Fishery*

The 2010 pre-Week 31 fishing plan was based on the DFO preseason forecast total returns of about 865,000 Nass River sockeye and 665,000 Skeena River sockeye salmon. The preseason forecasts resulted in a total projected return of about 1.5 million which, minus an escapement goal of 1.1 million, would result in a combined AAH of about 0.4 million. Using this forecast, the 2010 pre-Week 31 allowable catch (2.45% of the AAH) was about 9,800 Nass and Skeena sockeye salmon. The actual AAH will be calculated post-season after stock specific catch and escapement estimates are calculated.

In the 2010, Weeks 28-30 treaty period, 4,617 sockeye were harvested in the following: a 10-hour opening in Week 28; two 15-hour openings in Week 29; and one 15-hour opening in Week 30 (Table 4). Sockeye catch is the lowest in District 104 since the treaty was signed in 1985. A total of 21 purse seine vessels, the second lowest since 1985, fished in the district during the treaty period. In past years 60% to 80% of treaty-period sockeye have been of Nass and Skeena origin. Thus, we would anticipate that between 2,770 and 3,700 Nass and Skeena sockeye may have been harvested in the District 104 purse seine fishery during the treaty period. The final number of Nass and Skeena sockeye harvested, and the actual catch by stock, will not be available until catch, escapement, and stock composition estimates are finalized for the year. Catches in the initial July 4 opening are confidential due to less than three boats fishing.

There were a total of 14 open fishing periods in the 2010 District 104 purse seine fishery. In the post treaty period, beginning July 25 the first three openings were 15 hours, starting August 5 the openings were 39 hours. The number of purse seine vessels fishing in the district was 43, 25% of the average vessels of 169.

The catch of 990,000 pink salmon in the 2010 District 104 purse seine fishery was 11% of the average catch. The total season sockeye catch of 18,000 was 3% of the average catch of 555,000. The catch of 15,000 coho was 12% of the average catch of 128,000. The catch of 57,000 chum was 17% of the average catch of 339,000. The catch of 244 Chinook salmon was 3% of the average catch of 7,200. There was a purse seine Chinook salmon non-retention period in 2010 until Week 32.

#### *Districts 105, 106, and 107 Purse Seine Fisheries*

For the 2010 season, the combined Districts 105, 106, and 107 purse seine fisheries harvested 688,000 pink salmon, 48,000 chum, 2,400 coho, 2,200 sockeye, and 12 Chinook salmon.

#### **District 101 Tree Point Drift Gillnet Fishery**

The PST agreement calls for abundance based management of the District 101 (Tree Point) drift gillnet fishery. The agreement specifies a harvest of 13.8 percent of the AAH of the Nass River sockeye run. For the 2010 season, DFO forecast a total return of 865,000 Nass River sockeye salmon. The AAH is calculated as the total run of Nass sockeye salmon minus either the escapement requirement of 200,000 or the actual inriver escapement, whichever is less.

The District 101 drift gillnet fishery opens by regulation on the third Sunday in June. During the early weeks of the fishery, management is based on the run strength of Alaska wild stock chum and sockeye salmon and on the strength of the Nass River sockeye salmon. Beginning in the third week of July, when pink salmon stocks begin to enter the fishery in large numbers, management emphasis shifts by regulation to that species. By regulation, the District 101 Pink Salmon Management Plan (PSMP) sets gillnet fishing time in this district in relation to the District 101 purse seine fishing time when both fleets are concurrently harvesting the same pink salmon stocks. The final number of Nass River sockeye harvested in the District 1 drift gillnet fishery will not be available until catch, escapement, and stock composition estimates are finalized for the 2009 season.

The District 101 drift gillnet fishery opened Sunday June 20 (Week 26) in 2010. The number of hours fished was above average. The number of boats fishing annually, while still about half (58 %) the 1985-2009 average of 117, rose from 65 in 2008 to 68 in 2010.

A total of 62,651 sockeye salmon was harvested in 2010 (Table 5). The sockeye harvest was 47% the 1985-2009 average of 134,652 and the second lowest since the treaty was signed in 1985. The cumulative sockeye harvest prior to the initiation of the PSMP in Week 30 was 29,200 fish, or about 47% of the season's total sockeye harvest. The final number of Nass River sockeye harvested in the District 1 drift gillnet fishery will not be available until catch, escapement, and stock composition estimates are finalized for the 2010 season.

The pink salmon catch of 570,000 was 109% of the average of 524,000. Pink salmon catches were above the average Week 26 and 31-36. The chum catch of 325,000 was 107% of the average of 304,000. Chum salmon catches were above average through mid-July but then fell to below average for the remainder of the season. Coho catches were well above average most of the season; the catch of 88,000 was 196% of the average. The Chinook salmon catch of 1,420 was 97% of the average of 1,490.

Beginning on August 30 (Week 36) the District 101 gillnet fishery was managed on the strength of fall chum and wild-stock coho salmon returns. Approximately 63,000 coho and 29,000 chum were caught in the fall fishery. Catches of fall coho salmon were above average and coho catches were below average.

**District 106 Drift Gillnet Fishery**

The 2010 harvest in the District 106 commercial gillnet fishery included 1,221 Chinook, 112,500 sockeye, 225,200 coho, 309,600 pink, and 97,900 chum salmon. District 106 catches of coho salmon were above average while catches of pink, chum, sockeye, and Chinook salmon were below average.

**Annette Island Reserve Fisheries**

In 2010 the Annette Island purse seine fishery harvested approximately 858,200 pink salmon, 71,500 chum, 5,000 sockeye, 10,800 coho, and 112 Chinook salmon. The Annette Island gillnet fishery harvested approximately 469,000 pink salmon, 242,000 chum, 9,800 sockeye, 74,100 coho, and 700 Chinook salmon.

**Pink, Sockeye, and Chum Salmon Escapements**

The total 2010 Southeast Alaska pink salmon escapement index of 11.2 million index fish ranked 16<sup>th</sup> since 1960, but was below the recent 10-year average of 15.2 million. Biological escapement goals are in place for three sub-regions in Southeast Alaska and escapement goals were reached for all three sub-regions in 2010. On a finer scale, escapements met management targets for 11 of 15 districts in the region and for 38 of the 46 pink salmon stock groups in Southeast Alaska. The Southern Southeast sub-region includes all of the area from Sumner Strait south to Dixon Entrance (Districts 1–8). The pink salmon harvest of 13.7 million in the Southern Southeast sub-region was only 57% of the recent 10-year average, but the escapement index value of 5.9 million was well within the escapement goal range of 3.0 to 8.0 million index fish.

2010 Southeast Alaska pink salmon escapement indices and biological escapement goals by sub-region (in millions). The total is slightly larger than the sum of all three sub-regions due to rounding of numbers.

Sub-region	2010 Pink Salmon Index	Biological Escapement Goal <sup>1</sup>	
		Lower Bound	Upper Bound

Southern Southeast	5.9	3.0	8.0
Northern Southeast Inside	3.2	2.5	6.0
Northern Southeast Outside	2.0	0.75	2.50
<b>Total</b>	<b>11.2</b>		

<sup>1</sup> Pink salmon escapement goals were recently adjusted as a result of updates and changes to the pink salmon escapement index.

Sockeye salmon runs throughout Southeast Alaska were generally strong in 2010. Escapement targets were met for 12 of the 13 sockeye salmon systems in Southeast Alaska with formal escapement goals. The Hugh Smith Lake adult sockeye salmon escapement was 15,600, which fell within the optimal escapement goal range of 8,000 to 18,000 adult sockeye salmon. McDonald Lake sockeye salmon were listed as a “stock of management concern” at the 2009 Board of Fisheries meeting and a new sustainable escapement goal of 55,000 to 120,000 sockeye salmon was adopted. Based on the expanded peak foot survey count, the escapement of sockeye salmon into McDonald Lake was estimated to be 72,500 fish in 2010, which was within the sustainable escapement goal range. Escapements at McDonald Lake have been below the revised escapement goal in five of the past seven years.

Escapement survey information for chum salmon index streams indicated that escapements of summer-run chum salmon through much of Southeast Alaska were relatively poor in 2010. In southern Southeast Alaska, runs are broken into summer and fall runs. The Southern Southeast chum salmon stock group is composed of an aggregate of 13 summer-run chum salmon streams on the inner islands and mainland of southern Southeast Alaska, from Sumner Strait south to Dixon entrance, with a sustainable escapement goal of 68,000 index spawners (based on the aggregate peak survey to all 13 streams). The index of 47,000 in 2010 was approximately 60% of the recent 10-year average and well below the escapement goal.

Fall chum salmon runs on Prince of Wales Island appeared to be relatively strong overall and the escapement goal was easily met in Cholmondeley Sound—the one area with a formal escapement goal for fall chum salmon in southern Southeast Alaska. Fall chum salmon runs are monitored in Cholmondeley Sound through aerial surveys at Disappearance and Lagoon creeks. The escapement index of 76,000 was well above the sustainable escapement goal range of 30,000 to 48,000 index spawners (based on the aggregate peak survey to both streams).

### *Management Performance Relative to Treaty Requirements*

#### **District 104 Purse Seine Fishery**

The 2008 revision of the Pacific Salmon Treaty Agreement calls for the implementation of abundance based management in the District 104 purse seine fishery. The agreement allows the District 104 purse seine fishery to harvest 2.45 percent of the AAH of Nass

and Skeena sockeye prior to Statistical Week 31. The AAH is calculated as the total run of Nass and Skeena sockeye salmon minus either the escapement requirement of 1.1 million or the actual in-river escapement, whichever is less.

As background, this 2.45% AAH value was based on the weighted-average percent of the Nass and Skeena sockeye AAH that would have been harvested in this fishery, during the 1985-1996 period, if the annual pre-Week 31 harvest had been exactly 120,000 sockeye salmon. Catches from 1997 were not included in the baseline calculation due to unusually high levels of sockeye abundance in the fishery. The Alaska Department of Fish and Game's (ADF&G) management intent is to harvest Nass and Skeena sockeye salmon at the allowable AAH percentage. The Treaty recognizes that overages and underages will occur and provides an overage/underage provision intended to hold the Parties accountable for their catch shares but permit a reasonable degree of management flexibility.

The final targeted number of Nass/Skeena sockeye in 2010 will not be available until catch, escapement, and stock composition estimates are finalized for the year.

#### **District 101 Tree Point Drift Gillnet Fishery**

The 2008 revision of the Pacific Salmon Treaty Agreement calls for abundance based management of the District 101 drift gillnet fishery. The agreement allows the District 101 gillnet fishery to harvest 13.8 percent of the AAH) of Nass River sockeye run. The AAH is calculated as the total run of Nass sockeye salmon minus either the escapement requirement of 200 thousand, or the actual in-river escapement, whichever is less.

As background, this 13.8% AAH value was based on the weighted-average percent of the Nass sockeye run that was harvested in this fishery during years 1985-1997. The ADF&G management intent is to harvest Nass sockeye salmon at the allowable AAH percentage. The Treaty recognizes that overages and underages will occur and provides an overage/underage provision intended to hold the Parties accountable for their harvest shares while permitting a reasonable degree of management flexibility.

The final targeted number of Nass sockeye will not be available until catch, escapement, and stock composition estimates are finalized for the year.

## NORTHERN BRITISH COLUMBIA

### 2010 Salmon Forecast

#### Area 1 Expectations

- Sockeye* There are no commercially significant local sockeye stocks in Area 1.
- Pink* Moderate escapements to Masset Inlet and Naden Harbour streams in 2008 resulting in few available surpluses
- Chum* Poor with no directed surpluses anticipated
- Fishing Plan* To identify and harvest surpluses found in-season

#### Area 3 Expectations

- Sockeye* A total return to Canada of 648,000 expected to provide a limited Area 3 net catch of Nass River sockeye.
- Pink* A below average Nass pink return of 229,769 not expected to yield a directed fishery
- Chum* Poor with no surplus
- Fishing Plan* To manage the Area 3 fisheries to area 3 sockeye and pink abundances, in-season Skeena sockeye stock strength, and coho and chum conservation concerns.

#### Area 4 Expectations

- Sockeye* A total return to Canada of 664,450 expected to provide no fishing opportunities.
- Pink* A below average Skeena pink return 236,255 expected to provide no fishing opportunities.
- Chum* Poor with no surplus
- Fishing Plan* To manage the area 4 fisheries in response to wild Skeena sockeye and chum conservation concerns.

## **Area 5 Expectations**

*Pink* Poor with no surplus

*Chum* Poor with no surplus

*Fishing Plan* To manage the Area 5 fisheries in response to local in-season pink and sockeye abundance, Skeena wild sockeye conservation concerns, and below average returns of Skeena pink salmon.

### ***Review of 2010 Fishing Season - Net and Troll Fisheries***

#### **Area 1**

In Canadian Area 1 there no longer are commercial net interception fisheries on passing salmon stocks in Area 1, (Figure 3). However, terminal pink surpluses were identified in-season and targeted by seine in select locations. There were no terminal gillnet fisheries in Area 1 in 2010, (Table 10). Four days of fishing yielded 8 boats days and 188,000 pinks harvested, (Table 11).

The Area 1 troll fishery was managed considering domestic Chinook, coho and chum stocks of concern, and the PST Chinook ceiling. The Individual Transferable Quota (ITQ) system governed the harvest of all Chinook. Directed fisheries were conducted for all species except chum and sockeye and area and time restrictions were associated with each opening.

The preliminary catch estimate for the Area 1 portion (includes Area 101) of the 2010 troll fishery is 90,740 coho, 21,384 pink and 66,351 Chinook (Table 12).

For historic records, appendices 64 to 73 provide the weekly area net catches from 1970 to 2010 starting with sockeye gillnet and seine catches, then pink, chum, chinook, and coho. Appendix 74 provides historic effort data by gillnet and seine. Appendix 75 provides historic catch and effort data for troll.

See Table 28 and 31 for Area 1 Escapements.

#### **Area 3**

Management units (sub-areas) of Statistical Area 3 are outlined in Figure 4. In recent years, the Area 3 sockeye gillnet fishery has started mid-June to assess stock strength of passing Nass-bound sockeye, with the first exploratory fishery of 2010 taking place on 15

June. Since 1994, in-season escapement estimates have been provided by the Nisga'a fishwheel operations conducted in the lower Nass River approximately five miles upstream from the old Nass test fishery site. In 2010, fishwheel operations commenced 1 June and closed for the season 22 September. Water levels for operating the fishwheels were below average for most of the 2010 season and resulted in lower catchability of salmon during June and July when compared to other years. In addition to the fishwheel estimates, catches in local Native food and commercial fisheries, and Canadian and Alaskan commercial fisheries are utilised in determining Nass sockeye run strength and resulting Area 3 fishing plans. The 2010 Nass River fishwheel operation, along with the Nisga'a Fisheries Program, continue to be an example of quality stock assessment and effective fisheries co-management.

In general, the Area 3 net fishery is managed for Nass sockeye salmon until mid-July after which the outer Area 3 fishery is managed based on Nass and Skeena pink and Skeena sockeye stock abundance. The inside Area 3 (Sub-areas 3-7 to 17) net fishery is managed for Nass sockeye, pink and chum abundance from mid-July to late August or early September. In 2010, all Area 3 gillnet fisheries operated with a non-retention/non-possession restriction for coho and steelhead. In response to additional salmon conservation concerns, sub-area/time specific non-retention/non-possession of chum and chinook while gillnet fishing was also implemented. For each of the three seine openings there was also non-retention/non possession of coho, chum, chinook, and steelhead.

The 2010 Area 3 gillnet fishery began 15 June (Week 25) with one 16-hour opening in portions of 3-7 and 3-12 to assess Nass River sockeye run strength. A less than average gillnet fleet size of 150 vessels (100 boat days effort) participated with 3,499 sockeye, 43 chum, and 199 chinook being harvested, (Tables 13 to 15). The sockeye catch and resulting CPUEs was below normal for this time of year, corresponding with a below average early Nass River sockeye escapement estimate as determined by the Nisga'a fishwheels. During this opening harvesters were requested to release all live chinook and chum, and chum was non-retention non-possession in sub-area 3-12.

An additional 16-hour opening was permitted on 21 June (Week 26) with 168 vessels (112 boat-days of effort) delivering 5,092 sockeye, 268 chum and 168 Chinook.

During Week 27, two 16-hour fishing periods were permitted to assess the incoming sockeye run. The delivered sockeye catch for the week increased to 22,215 with fishing effort increasing to 288 boat-days. Sockeye escapement past the Nass River fishwheels, along with the weaker than average catch figures, gave indications that the sockeye return to the Nass, at that time, was below average.

In Week 28, a comparable sockeye catch of 22,874 pieces was harvested with fishing effort peaking for the season at 304 boat-days. On July 12<sup>th</sup>, Nass sockeye escapement was slightly below average and the in-season TRTC estimate was forecasting a return of 460,000 (lower than the pre-season forecast of 648,000).

During Week 29, two 16-hour openings resulted in a delivered catch of 9,666 sockeye for 114 boat-days of effort. As of July 17<sup>th</sup>, the resulting CPUE, coupled with continued below average fishwheel escapement estimates, projected a Canadian returning stock further reduced to 452,000 sockeye. Starting in this week, the area 3 fishing boundaries were extended to include 3-2, a portion of 3-3, and 3-4, impacts on Skeena River sockeye returns were considered minimal, and the optional retention of 3-7 chum was removed to reflect non-retention/non-possession for all of Area 3. Seine openings to intercept Area 3 sockeye and pink stocks commenced this week with two openings yielding an effort of 12 boat days delivering 954 sockeye and 3,488 pink, (Table 16 to 19)

Week 30 was closed to gillnet and seine fishing due to a downgraded run size and indications that the total allowable catch may have been caught.

Week 31 became the final week of the 2010 area 3 net fishing season with a single 16-hour opening scheduled for both gillnets and seines on July 26<sup>th</sup>. Gillnets harvested 2,302 sockeye and 3,749 pinks with an effort of 11 boat days. Seines harvested 1,706 sockeye and 23,489 pinks with an effort of 5 boat days.

Total gillnet fishing effort was 929 boat days, well below the 1990-1999 average effort of 2,836 boat days and the 2000-2009 decadal average effort of 2,189 boat days. The total Area 3 seine effort of 17 boat days is also well below the 1990-1999 average of 1,203 boat days and the 2000-2009 average of 383 boat days. For gillnets there was a total of 9.0 days fishing, while seines fished for 3 days, well below the 1990-1999 averages of 28 and 14 days fishing, respectively, and the 2000-2009 averages of 18 and 17 days, respectively. The gillnet and seine sockeye delivered catches of 63,347 and 2,660 were much lower than the pre-season expected harvest levels. The catch of pink salmon by gillnets (16,378) and seines (26,977) were very low as anticipated.

The end of season preliminary TRTC estimates were substantially lower than the pre-season estimates for sockeye (377,000 vs. 648,000), Chinook (28,000 vs. 33,000), and chum (14,000 vs. 60,000), and much higher for coho (170,000 vs. 115,000) and pink (284,000 vs. 149,000).

The final sockeye escapement estimate to the Nass was 229,136 and is comparable to its escapement target of 225,000. The Meziadin River escapement of 159,120 was slightly below the 2000-09 decadal average (163,686) and close to its desired escapement target (160,000). The final pink escapement estimate to the Nass of 258,960 was comparable to expectations (229,769) and below its aggregate target of 375,500. Meanwhile, the Nass area chum escapement of 11,559 did not meet its escapement target.

Sufficient coho abundance and escapements allowed for portions of Areas 3 and 103 to open for Troll on August 9th and remain open until September 30th. A total of 370 boat days were utilized with a catch of 14,304 coho and 2,022 pink salmon.

In area 3, a First Nation in-river economic opportunity was identified with 3000 sockeye being allocated to in-river fishing sites through gillnet and seine licence transfers. As it is only the second year of this pilot program only the 39 Area C gillnet licences were utilised to achieve this pre-season cap of 3000 pieces.

For historic records, appendices 76 to 97 provide the weekly sub-area net catches from 1970 to 2010 starting with sockeye gillnet and seine catches, then pink, chum, chinook, and coho. Appendix 74 provides historic effort data by gillnet and seine. Appendix 99 provides historic catch and effort data for troll. See Table 28 and 32 for Area 3 Escapements.

#### **Area 4**

The preseason 2010 sockeye management plan was developed around an abundance-based management scheme in an attempt to reduce the exploitation of less productive Skeena sockeye while allowing variable harvest opportunities based on aggregate sockeye abundance. As has been the case in recent years, the intent was to reduce the aggregate-stock exploitation rate on Skeena sockeye in North Coastal marine net fisheries relative to the 1982-2002 base period. In addition, management measures were in place to address concerns for Skeena coho, steelhead and wild sockeye and chum stocks. The pre-season forecast for Skeena sockeye was below average and no harvestable surplus was anticipated. The pre-season forecast was 663,450, (between 316,000 and 1,400,000) and to conduct commercial fisheries the escapement should achieve 900,000 for spawning purposes and 150,000 for food, social, and ceremonial purposes. In addition to the poor sockeye forecast, the anticipated Skeena pink salmon return was also expected to be very low with no harvestable surplus. In-season abundance indicators included the Tyee test fishery, various in-river fish counting facilities, harvest rate and CPUE models, native food fish catches and commercial catches in Area 4 and other fishing areas in Northern BC and Southern Southeast Alaska. The Tyee test fishery operated from 25 May to 14 September. The earlier than normal start to the test fishery was to assess the early-timed Chinook return. No environmental conditions precluded effective operation of the test fishery in 2010.

Area 4 gillnet and seine fisheries regulations mirror concerns for stocks of concern, including wild sockeye, upper Skeena coho and weak chum stocks. If the inseason predicted escapement exceeded 1,050,000 both net fleets were to operate with a non-retention/non-possession restriction for coho, chum, and steelhead while Chinook retention remains restricted for the seine fleet. Further management actions include mandatory operational revival boxes, daylight-only fisheries and time and area fishing restrictions.

The Skeena First Nations inland demonstration sockeye fishery was scheduled to continue in 2010 to provide economic benefit to up-river First Nations through the harvest and sale of Skeena sockeye. To protect non-target species, this fishery uses beach

seining and dip-netting as the only allowable fishing methods. In addition, to minimize impacts on wild sockeye stocks, time and area closures are an integral component of the in-river management regime. Sockeye allocations are acquired through the transfer of commercial gillnet and seine licences from the marine fishery and weekly allocations are based on average catch per licence from Area 4 gillnet and seine marine commercial fisheries occurring in previous weeks. With the poor return of Skeena sockeye in 2010 no marine or in-river commercial sockeye fisheries took place in the Skeena area.

With stock assessment information indicating a harvestable surplus of Chinook entering the Skeena River, the Area 4 Chinook-directed gillnet fishery took place with 1 opening of 30 hours commencing on June 24<sup>th</sup>. 68 Boat Days of effort yielded a catch of 769 pieces.

Early in-season Skeena sockeye forecasts led to an Area 4 gillnet fishery on July 12<sup>th</sup> (Week 29) in which an effort of 129 boat-days harvested 15,382 sockeye, 81 Pink, and 176 Chinook. During week 30 in-season Skeena sockeye stock assessments yielded abundances too low to conduct commercial fishing. For week 31, an increase in sockeye escapement led to a second and final 16 hour gillnet sockeye fishery on July 26<sup>th</sup> in which an effort of 169 boat-days harvested 47,416 sockeye, 15,035 pink, and 116 Chinook, (Table 20). However, Area 4 did not open for the area 4 sockeye seine Individual Transferable Quota (ITQ) demonstration fishery or the pink salmon directed seine fishery due to continued low sockeye and pink escapements, (Table 21).

The Skeena sockeye net escapement estimate of 964,000 was just above its spawning target of 900,000 and slightly below the 2000 to 2009 average of 1,010,328. Estimated escapements of wild Skeena sockeye were variable. Wild Babine, Morice/Nanika, Swan/Stephens, Sustus/Johanson escapements were low, while escapements to Alastair, Gitanyow, Slamgeesh/Damshilgwit were higher than their recent ten-year average. The aggregate Area 4 pink escapement estimate of 310,304 was higher than the past five even-year escapements (266,509) but lower than its previous ten even-year escapements (730,682). Meanwhile, the Skeena chum escapement estimate of 1,155 is well below target. Table 28 and 33 provides spawning escapements for Area 4 from 1970 to 2010.

Troll harvest areas were adjusted in 2010 and included Sub-areas 104-1, 104-4 and 104-5 which opened from July 22<sup>nd</sup> until September 30<sup>th</sup>. A total effort of 127 boat days harvested 14,406 coho and 955 pinks,(Table 22).

For historic records, appendices 100 to 109 provide the weekly net catches from 1970 to 2010 starting with sockeye gillnet and seine catches, then pink, chum, chinook, and coho. Appendix 74 provides historic effort data by gillnet and seine. Appendix 110 provides historic catch and effort data for troll. See Table 28 and 33 for Area 4 Escapements.

## Area 5

Management of the Area 5 fishery during July is based on Skeena sockeye abundance. From late July to early August, the fishery targets Skeena pink stocks which use Area 5 as a migration route. In mid to late August, fisheries are managed for harvest of local pink stocks.

Pre-season expectations were for limited gillnet and seine opportunities. In-season, gillnet fishing opened on July 12th and again on July 26th in conjunction with Area 4. An effort of 14 boat-days harvested 2,385 sockeye and 294 pinks. One 16-hour seine opening also occurred on July 26<sup>th</sup> in which 191 sockeye and 384 pink were harvested. Tables 23 and 24 provide weekly Area 5 net fleet catch for 2010 and Table 30 provides historic Area 5 effort by gear type.

For Troll fishing, portions of Subareas 105-1 and 105-2 were opened on July 22<sup>nd</sup> with the Rockfish Protection Area closure in Subarea 105-1 in effect. A total of 26 boat days were reported in Subarea 105-1 with 639 coho and 7 pinks harvested, (Table 25).

For historic records, appendices 112 to 121 provide the weekly net catches from 1970 to 2010 starting with sockeye gillnet and seine catches, then pink, chum, chinook, and coho. Appendix 74 provides historic effort data by gillnet and seine. Appendix 122 provides historic catch and effort data for troll. See Table 28 and 34 for Area 5 Escapements.

## *Management Performance Relative to Treaty Requirements*

### **Areas 3 (1-4) Pink Net Catch (Preliminary)**

For the year 2010, Canada was to manage the 3-1 to 3-4 net fishery to achieve an annual catch share of 2.49 percent of the annual allowable harvest (AAH) of Alaskan Districts 101, 102 and 103 pink salmon. With a Total Return of approximately 23.62 million pinks, the Alaskan Districts 101, 102 and 103 AAH was 12.87 million pinks. The resulting Area 3-1 to 3-4 Canadian commercial net total allowable catch of this AAH was approximately 320,403 pinks of Alaskan Districts 101, 102 and 103 origin, (Table 26).

In the Canadian northern boundary area, pink salmon returns were anticipated to be below average for both Area 3 and Area 4, based on brood year return strength. Returns to Area 3 and 4 streams were as anticipated in 2010. The 2010 Canadian pink salmon catch in Sub-areas 3-1 to 3-4 was 30,686 and a preliminary estimate of the Alaska stock component of this catch is estimated to be 18,022, or 0.14 % of the AAH, well below the allotted 2.49 % of the AAH of 320,403 pieces, (Table 26).

### **Area 1 Pink Troll Fishery (Preliminary)**

For the year 2010, Canada was to manage the Area 1 troll fishery to achieve an annual catch share of 2.57 percent of the annual allowable harvest (AAH) of Alaskan Districts 101, 102 and 103 pink salmon. With a Total Return of approximately 23.62 million pinks, the Alaskan Districts 101, 102 and 103 AAH was 12.87 million pinks. The resulting Area 1 Canadian commercial troll total allowable catch of this AAH was approximately 330,697 pinks of Alaskan Districts 101, 102 and 103 origin, (Table 27).

The Canadian commercial troll fishery in Area 1 was open in the northern portion of the Area from July 1 to September 30, with the directed pink fishery along the A-B line strip being open for that time period. Pink salmon directed effort was very minimal and the fishery harvested a total of 19,948 pink salmon, with an estimated 14,835, or 74.4 %, being of Alaskan origin. This equates to 0.12 % of the Alaskan District 101, 102 and 103 pink AAH, well below the annex agreement for 2.57 percent of the Alaskan Districts 101, 102 and 103 pink salmon AAH, (Table 27).

The pattern of total Area 1 weekly pink troll catch in 2010 is illustrated in Table 12.

## ***2011 Salmon Forecast Northern British Columbia***

Expectations and fishing plans for 2011 are still preliminary. Specific opening dates and fishing patterns are determined through consultations with industry and since this process has not yet been completed it is too early to provide details. A summary of the forecasts for Areas 1, 3, 4 and 5 is provided in Table 29.

### **Area 1 Expectations**

***Sockeye*** There are no significant local sockeye stocks in Area 1 and no fisheries on passing stocks.

***Pink*** Poor with no surplus

***Chum*** Fishing opportunities will be dependent on surpluses identified in-season

### **Area 3 Expectations**

***Sockeye*** A below average Nass sockeye total return to Canada of 434,000 is expected to provide a harvestable surplus of 250 thousand.

***Pink*** A Nass pink return of 2.9 million in addition to an above average Area 4 return (7.6 million) is expected to yield a large harvestable surplus

***Chum*** Area 3 chum stocks remain below target levels. No targeted fishing is anticipated.

### **Area 4 Expectations**

***Sockeye*** The sibling model forecast predicts a 50% probability of approximately 1.7 million sockeye returning to the Skeena in 2011, with a 25% probability of the return exceeding 2.4 million and a 75% probability the return will exceed 1.1 million.

***Pink*** The Skeena pink forecast for 2011 is 7.6 million

***Chum*** Skeena chum escapements are depressed and there will be no chum retention in Area 4.

### **Area 5 Expectations**

***Sockeye*** Modest sockeye interception is anticipated in 2011.

***Pink*** Local Area 5 and passing Skeena pink returns in 2011 are expected to produce a modest harvestable surplus

***Chum*** Local chum stocks are depressed, and no surplus is anticipated.

***Fishing Plans*** Area 5 fishing patterns will be based largely on the in-season abundance estimates of local and Skeena sockeye and pink salmon returns.

## TABLES

**Table 1.** Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 101 purse seine fishery (preliminary).

Week	Openings	Closures	Effort			Catch					Total
			Boats	Hours	Boat hours	Chinook	Sockeye	Coho	Pink	Chum	
28	July 4, 2010	July 4, 2010	24	15	360	0	1,653	572	35,462	15,905	53,592
29	July 11, 2010	July 11, 2010	39	15	585	0	2,151	898	115,475	22,284	140,808
29B	July 15, 2010	July 15, 2010	43	15	645	0	3,140	4,085	104,820	24,276	136,321
30B	July 22, 2010	July 22, 2010	81	15	1,215	0	5,948	2,146	256,701	43,921	308,716
31	July 25, 2010	July 25, 2010	92	15	1,380	0	9,010	3,177	551,369	52,466	616,022
31B	July 29, 2010	July 29, 2010	113	15	1,695	0	4,025	2,133	618,969	22,140	647,267
32	August 1, 2010	August 1, 2010	104	15	1,560	1	5,864	2,659	693,580	21,023	723,127
32B	August 5, 2010	August 6, 2010	98	39	3,822	24	9,181	4,173	1,223,852	22,086	1,259,316
33	August 9, 2010	August 10, 2010	71	39	2,769	40	5,055	3,429	667,184	15,911	691,619
33B	August 13, 2010	August 14, 2010	56	39	2,184	25	2,325	4,835	625,945	17,460	650,590
34	August 17, 2010	August 18, 2010	48	39	1,872	22	2,017	5,273	595,799	32,676	635,787
34B	August 21, 2010	August 22, 2010	76	39	2,964	20	2,148	11,660	528,618	43,297	585,743
35	August 25, 2010	August 26, 2010	56	39	2,184	13	1,206	10,302	247,294	51,057	309,872
36	August 29, 2010	August 30, 2010	24	39	936	3	375	4,571	52,480	20,145	77,574
Season Total			147	378	24,171	148	54,098	59,913	6,317,548	404,647	6,836,354

**Table 2.** Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 102 purse seine fishery (preliminary).

Week	Openings	Closures	Effort			Catch					Total
			Boats	Hours	Boat hours	Chinook	Sockeye	Coho	Pink	Chum	
26	June 20, 2010	June 23, 2010	9	87	783	0	180	423	912	1,307	2,822
27	June 27, 2010	July 1, 2010	35	111	3,885	0	3,989	4,722	13,926	56,970	79,607
28	July 4, 2010	July 4, 2010	17	15	255	0	2,065	1,042	4,493	31,990	39,590
28B	July 5, 2010	July 8, 2010	48	87	4,176	0	5,143	2,193	15,096	88,820	111,252
29	July 11, 2010	July 11, 2010	21	15	315	0	1,201	593	7,197	28,161	37,152
29B	July 15, 2010	July 15, 2010	23	15	345	0	1,532	732	2,691	31,031	35,986
30B	July 22, 2010	July 22, 2010	21	15	315	0	3,441	888	27,337	17,972	49,638
31	July 25, 2010	July 25, 2010	11	15	165	0	1,802	809	16,860	11,519	30,990
32	August 1, 2010	August 1, 2010	10	15	150	0	2,069	657	80,398	4,687	87,811
32B	August 5, 2010	August 6, 2010	15	39	585	8	3,521	1,556	254,562	8,059	267,706
33	August 9, 2010	August 10, 2010	22	39	858	10	2,938	2,957	224,748	11,117	241,770
33B	August 13, 2010	August 14, 2010	21	39	819	4	2,019	2,387	397,811	12,557	414,778
34	August 17, 2010	August 18, 2010	40	39	1,560	12	2,401	4,282	463,675	17,786	488,156
34B	August 21, 2010	August 22, 2010	23	39	897	1	1,241	3,236	200,618	14,158	219,254
35	August 25, 2010	August 26, 2010	24	39	936	0	1,724	5,944	171,514	34,321	213,503
36	August 29, 2010	August 30, 2010	32	39	1,248	3	1,377	9,631	121,132	43,395	175,538
37	September 9, 2010	September 9, 2010	13	12	156	1	56	1,093	1,967	9,798	12,915
38	September 15, 2010	September 15, 2010	11	12	132	0	10	633	124	3,488	4,255
40	September 26, 2010	September 26, 2010	9	12	108	0	1	20	2	4,180	4,203
Season Total			103	684	17,688	39	36,710	43,798	2,005,063	431,316	2,516,926

**Table 3.** Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 103 purse seine fishery (preliminary).

Week	Openings	Closures	Effort			Catch					Total
			Boats	Hours	Boat hours	Chinook	Sockeye	Coho	Pink	Chum	
30B	July 22, 2010	July 22, 2010	0	15	0						0
31	July 25, 2010	July 25, 2010	0	15	0						0
31B	July 29, 2010	July 29, 2010				Confidential Information -- less than three boats fishing					
32	August 1, 2010	August 1, 2010				Confidential Information -- less than three boats fishing					
32B	August 5, 2010	August 6, 2010	5	39	195	0	473	1,599	81,257	2,248	85,577
33	August 9, 2010	August 10, 2010	17	39	663	20	1,049	1,461	167,856	6,995	177,381
33B	August 13, 2010	August 14, 2010	21	39	819	4	833	2,932	226,832	12,867	243,468
34	August 17, 2010	August 18, 2010	30	39	1,170	4	720	2,825	309,398	13,269	326,216
34B	August 21, 2010	August 21, 2010	29	15	435	4	381	1,493	313,988	5,651	321,517
34C	August 21, 2010	August 22, 2010	20	39	780	0	305	1,240	87,452	7,039	96,036
35	August 25, 2010	August 25, 2010	14	15	210	8	209	835	58,777	4,155	63,984
35B	August 25, 2010	August 26, 2010	26	39	1,014	4	169	993	75,589	7,055	83,810
36	August 29, 2010	August 30, 2010	7	39	273	3	90	168	7,960	2,439	10,660
Season Total			74	363	5,589	47	4,296	13,762	1,335,314	62,091	1,415,510

**Table 4.** Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 104 purse seine fishery (preliminary).

Week	Openings	Closures	Effort			Catch					Total
			Boats	Hours	Boat hours	Chinook	Sockeye	Coho	Pink	Chum	
28 & 29	7/4/2010 & 7/11/2010	7/4/2010 & 7/11/2010	14	25	350	0	2,014	550	7,604	4,752	14,920
29B	July 15, 2010	July 15, 2010	5	15	75	0	1,112	429	2,493	1,603	5,637
30B	July 22, 2010	July 22, 2010	12	15	180	0	1,491	1,505	11,121	3,406	17,523
31	July 25, 2010	July 25, 2010	11	15	165	0	1,500	920	15,269	2,611	20,300
31B	July 29, 2010	July 29, 2010	11	15	165	0	1,510	949	38,693	2,834	43,986
32	August 1, 2010	August 1, 2010	9	15	135	0	1,039	1,243	53,012	3,198	58,492
32B	August 5, 2010	August 6, 2010	11	39	429	112	2,136	898	100,608	4,716	108,470
33	August 9, 2010	August 10, 2010	14	39	546	7	2,117	1,338	202,135	8,598	214,195
33B	August 13, 2010	August 14, 2010	22	39	858	9	1,300	991	241,869	7,918	252,087
34	August 17, 2010	August 18, 2010	15	39	585	3	811	817	147,224	5,209	154,064
34B	August 21, 2010	August 22, 2010	16	39	624	40	1,055	1,544	108,166	6,336	117,141
35	August 25, 2010	August 26, 2010	15	39	585	41	1,313	2,907	53,155	4,623	62,039
36	August 29, 2010	August 30, 2010	6	39	234	32	453	854	5,710	715	7,764
Weeks 28-30			21	55	1,155	0	4,617	2,484	21,218	9,761	38,080
Weeks 31-36			34	318	3,626	244	13,234	12,461	965,841	46,758	1,038,538
Season Total			43	373	4,781	244	17,851	14,945	987,059	56,519	1,076,618

**Table 5.** Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 101 drift gillnet fishery (preliminary).

Week	Openings	Closures	Effort			Catch					
			Boats	Hours	Boat hours	Chinook	Sockeye	Coho	Pink	Chum	Total
26	June 20, 2010	June 24, 2010	53	96	5,087	540	4,610	1,364	10,343	26,634	43,491
27	June 27, 2010	July 1, 2010	53	96	5,087	365	11,751	1,675	9,759	50,316	73,866
28	July 4, 2010	July 8, 2010	50	96	4,799	243	8,756	1,294	26,675	84,400	121,368
29	July 11, 2010	July 15, 2010	46	96	4,415	89	4,051	942	23,241	39,065	67,388
30	July 18, 2010	July 20, 2010	47	48	2,255	29	4,723	854	34,256	31,242	71,104
31	July 25, 2010	July 29, 2010	46	96	4,415	36	7,911	2,598	92,637	32,703	135,885
32	August 1, 2010	August 6, 2010	47	120	5,639	43	9,373	4,152	101,909	11,570	127,047
33	August 8, 2010	August 13, 2010	44	120	5,279	16	7,014	3,153	92,945	6,055	109,183
34	August 15, 2010	August 20, 2010	34	120	4,079	14	2,489	3,083	99,957	6,257	111,800
35	August 22, 2010	August 27, 2010	34	120	4,079	9	1,280	5,324	55,370	7,828	69,811
36	August 29, 2010	September 2, 2010	40	96	3,839	12	463	9,705	19,125	11,975	41,280
37	September 5, 2010	September 9, 2010	43	96	4,127	7	196	18,773	3,094	11,092	33,162
38	September 12, 2010	September 16, 2010	40	96	3,839	14	30	24,135	193	4,741	29,113
39	September 19, 2010	September 23, 2010	33	96	3,167	11	4	9,971	6	1,105	11,097
40	September 26, 2010	September 28, 2010	4	48	192	0	0	840	0	77	917
Season Total			73	1,440	60,302	1,428	62,651	87,863	569,510	325,060	1,046,512

**Table 6.** Weekly commercial catch and fishing effort by opening in the 2010 Alaska District 106 drift gillnet fishery (preliminary).

Week	Openings	Closures	Effort			Catch						
			Boats	Hours	Boat hours	Chinook	Sockeye	Coho	Pink	Chum	Total	
25	June 14, 2010	June 16, 2010	73	47.98	3,503	244	2,220	6,395	95	351	9,305	
26	June 21, 2010	June 24, 2010	65	71.98	4,679	120	6,566	13,927	310	3,414	24,337	
27	June 27, 2010	June 30, 2010	88	71.98	6,334	280	11,193	22,210	1,779	7,530	42,992	
28	July 4, 2010	July 7, 2010	48	71.98	3,455	145	17,713	13,285	3,234	9,816	44,193	
29	July 11, 2010	July 13, 2010	55	47.98	2,639	135	15,348	8,810	2,848	10,335	37,476	
30	July 18, 2010	July 20, 2010	58	47.98	2,783	51	16,454	6,017	9,055	13,496	45,073	
31	July 25, 2010	July 27, 2010	64	47.98	3,071	94	16,528	6,620	24,979	10,184	58,405	
32	August 1, 2010	August 3, 2010	78	47.98	3,742	40	9,105	9,338	55,448	7,272	81,203	
33	August 8, 2010	August 11, 2010	105	71.98	7,558	4	9,199	12,152	69,987	5,835	97,177	
34	August 15, 2010	August 18, 2010	88	71.98	6,334	48	5,472	12,225	91,283	6,233	115,261	
35	August 22, 2010	August 25, 2010	80	71.98	5,758	11	1,666	10,877	34,921	3,858	51,333	
36	August 29, 2010	September 1, 2010	85	71.98	6,118	12	605	19,935	11,089	7,088	38,729	
37	September 5, 2010	September 8, 2010	103	71.98	7,414	22	317	32,304	3,683	8,611	44,937	
38	September 12, 2010	September 15, 2010	97	71.98	6,982	4	35	32,711	339	2,898	35,987	
39	September 19, 2010	September 21, 2010	69	47.98	3,311	6	7	12,870	516	847	14,246	
40	September 26, 2010	September 29, 2010	16	71.98	1,152	3	0	3,362	0	68	3,433	
41	October 3, 2010	October 6, 2010	13	71.98	936	2	0	2,115	0	109	2,226	
42	October 10, 2010	October 12, 2010	Confidential Information -- less than three boats fishing									
Season Total			180	1,080	75,768	0	1,221	112,428	225,153	309,566	97,945	746,313

**Table 7.** Weekly commercial catch and fishing effort by opening in the 2010 Annette Island Reserve purse seine fishery (preliminary).

Week	Openings	Closures	Effort		Catch					
			Boats	Hours	Chinook	Sockeye	Coho	Pink	Chum	Total
27	June 27, 2010	June 28, 2010	1	39	46	314	184	5,009	2,790	8,343
27B	July 2, 2010	July 2, 2010	1	15	18	364	126	17,208	5,120	22,836
28	July 5, 2010	July 5, 2010	1	15	13	237	95	7,815	2,170	10,330
28B	July 7, 2010	July 7, 2010	1	15	5	300	47	11,897	3,952	16,201
28C	July 9, 2010	July 9, 2010	1	15	6	203	21	9,431	3,456	13,117
29	July 12, 2010	July 12, 2010	1	15	9	307	141	8,269	5,036	13,762
29B	July 14, 2010	July 14, 2010	1	15	0	70	25	3,391	1,011	4,497
29C	July 16, 2010	July 16, 2010	1	15	1	170	83	5,054	7,184	12,492
30	July 19, 2010	July 19, 2010	1	15	0	268	72	9,787	4,116	14,243
30B	July 21, 2010	July 21, 2010	1	15	6	336	54	14,010	2,682	17,088
31	July 25, 2010	July 25, 2010	1	15	3	284	98	23,420	5,137	28,942
31B	July 27, 2010	July 27, 2010	1	15	0	152	35	15,884	1,165	17,236
31C	July 30, 2010	July 30, 2010	1	15	0	287	78	43,156	851	44,372
31D	July 31, 2010	July 31, 2010	0	15	0	0	0	0	0	0
32	August 2, 2010	August 2, 2010	1	15	2	131	50	28,270	515	28,968
32B	August 4, 2010	August 4, 2010	1	15	0	305	127	73,999	924	75,355
32C	August 6, 2010	August 6, 2010	1	15	0	210	142	71,591	782	72,725
33	August 8, 2010	August 8, 2010	1	15	0	106	135	41,379	724	42,344
33B	August 10, 2010	August 10, 2010	1	15	0	169	122	29,606	455	30,352
33C	August 12, 2010	August 13, 2010	1	39	0	239	176	124,614	2,038	127,067
34	August 16, 2010	August 17, 2010	1	39	3	302	1,027	249,178	8,962	259,472
34B	August 19, 2010	August 20, 2010	0	39	0	0	0	0	0	0
35	August 23, 2010	August 24, 2010	1	39	0	155	1,350	40,001	4,007	45,513
35B	August 26, 2010	August 27, 2010	1	39	0	35	682	17,574	3,136	21,427
36	August 29, 2010	August 30, 2010	1	39	0	3	1,953	7,662	4,468	14,086
37	September 10, 2010	September 10, 2010	1	14	0	0	1,404	0	293	1,697
38	September 12, 2010	September 12, 2010	1	13	0	0	1,722	0	439	2,161
38B	September 14, 2010	September 14, 2010	1	13	0	0	61	0	12	73
39	September 19, 2010	September 19, 2010	1	13	0	0	439	0	74	513
39B	September 21, 2010	September 21, 2010	1	13	0	0	374	0	15	389
40	September 27, 2010	September 27, 2010	0	13	0	0	0	0	0	0
40B	September 29, 2010	September 29, 2010	1	13	0	0	809	0	10	819
41	October 3, 2010	October 3, 2010	0	13	0	0	0	0	0	0
<b>Season Total</b>				<b>648</b>	<b>112</b>	<b>4,947</b>	<b>11,632</b>	<b>858,205</b>	<b>71,524</b>	<b>946,420</b>

All landing under Annette Island fisheries are placed under one Commercial Fisheries Entry Commission license, therefore it is shown as one boat. For 2010, approximately 12 seine boats fished in Annette Island area..

**Table 8.** Weekly commercial catch and fishing effort by opening in the 2010 Annette Island Reserve gillnet fishery (preliminary).

Week	Openings	Closures	Effort		Catch					
			Boats	Hours	Chinook	Sockeye	Coho	Pink	Chum	Total
23	May 30, 2010	June 2, 2010	1	72	1	0	0	0	0	1
24	June 6, 2010	June 9, 2010	1	72	10	9	4	1	39	63
25	June 13, 2010	June 16, 2010	1	72	54	38	9	17	50	168
26	June 20, 2010	June 23, 2010	1	72	67	248	108	1,175	1,699	3,297
27	June 27, 2010	July 2, 2010	1	120	181	2,303	726	12,106	25,316	40,632
28	July 4, 2010	July 9, 2010	1	120	188	1,439	381	14,691	36,690	53,389
29	July 11, 2010	July 16, 2010	1	120	96	1,307	285	9,123	35,906	46,717
30	July 18, 2010	July 22, 2010	1	96	49	1,366	215	23,452	39,578	64,660
31	July 25, 2010	July 30, 2010	1	120	23	1,538	527	61,126	19,590	82,804
31B	July 27, 2010	July 28, 2010	0	38	0	0	0	0	0	0
32	August 1, 2010	August 6, 2010	1	120	12	877	647	75,953	5,644	83,133
33	August 8, 2010	August 13, 2010	1	120	5	461	399	79,529	4,630	85,024
34	August 15, 2010	August 27, 2010	1	288	4	208	1,383	171,750	30,950	204,295
35	August 22, 2010	August 26, 2010	0	96	0	0	0	0	0	0
36	August 29, 2010	September 2, 2010	1	96	0	29	5,602	20,062	14,538	40,231
37	September 5, 2010	September 10, 2010	1	120	0	0	12,992	0	16,069	29,061
38	September 12, 2010	September 16, 2010	1	96	0	0	16,523	0	7,979	24,502
39	September 19, 2010	September 23, 2010	1	96	2	0	15,419	0	2,307	17,728
40	September 26, 2010	September 30, 2010	1	96	0	0	17,206	0	1,082	18,288
41	October 3, 2010	October 6, 2010	1	72	0	0	1,683	0	27	1,710
Season Total				2,102	692	9,823	74,109	468,985	242,094	795,703

All landing under Annette Island fisheries are placed under one Commercial Fisheries Entry Commission license, therefore it is shown as one boat. For 2010, approximately 40 gillnet boats fished in Annette Island area. information is based solely on data given to the department by Annette Island salmon processors and is not confirmed by ADFG managers as complete.

**Table 9.** Southern Southeast Alaska pink salmon escapement indices by stock group and district for 2010 (in millions).

Stock group	District	Total pink salmon index 2010	Management target		Met minimum escapement target	Recent 10-year average
			lower	upper		
E Behm	101	1.63	0.67	1.77		1.83
Portland	101	0.26	0.10	0.28		0.30
W Behm	101	0.47	0.25	0.66		0.59
Kasaan	102	0.60	0.24	0.64		0.92
Moira	102	0.11	0.05	0.13		0.12
E Dall	103	0.23	0.13	0.36		0.33
Hetta	103	0.48	0.30	0.79		0.72
Klawock	103	0.68	0.42	1.11		1.24
Sea Otter Sound	103	0.18	0.10	0.28		0.24
Affleck Canal	105	0.21	0.14	0.38		0.34
Shiple Bay	105	0.14	0.11	0.28		0.26
Burnett	106	0.13	0.05	0.14		0.15
Ratz Harbor	106	0.12	0.04	0.12		0.14
Totem Bay	106	0.09	0.05	0.13		0.11
Whale Pass	106	0.09	0.07	0.18		0.15
Anan	107	0.34	0.21	0.57		0.48
Union Bay	107	0.12	0.05	0.12	+	0.12
Stikine	108	0.06	0.02	0.06		0.06
Total	101	2.35	1.02	2.71		2.71
Total	102	0.71	0.29	0.77		1.05
Total	103	1.58	0.95	2.54		2.62
Total	105	0.35	0.25	0.66		0.74
Total	106	0.43	0.21	0.57		0.69
Total	107	0.46	0.26	0.69		0.64
Total	108	0.06	0.02	0.06		0.07
Southern Southeast Alaska Total		5.94	3.00	8.00		8.5 million

**Table 10.** Department of Fisheries and Oceans commercial salmon harvest report, Area 1 gillnet weekly hailed catch, 2010 (Preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
<b>FISHERY DID NOT OPEN</b>			-	-	-	-	-	-	-	-	-
<b>TOTAL</b>			-	-	-	-	-	-	-	-	-

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 11.** Department of Fisheries and Oceans commercial salmon harvest report, Area 1 seine weekly hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
35	84	Aug.28	CLOSED	CLOSED	120,000	CLOSED	CLOSED	120,000	3	41	2
36	91	Sept.4	CLOSED	CLOSED	68,000	CLOSED	CLOSED	68,000	5	43	2
<b>Totals</b>			<b>CLOSED</b>	<b>CLOSED</b>	<b>188,000</b>	<b>CLOSED</b>	<b>CLOSED</b>	<b>188,000</b>	<b>8</b>	<b>84</b>	<b>4</b>

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 12.** Department of Fisheries and Oceans commercial salmon harvest report, Area 1 troll weekly hailed catch 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook***	Total	Boat Days	Hours Open	Days Fishing
25	63	Jun.19	CLOSED	0	878	CLOSED	14,725	15,603	371	120	5
26	64	Jun.26	CLOSED	0	1,408	CLOSED	9,255	10,663	404	168	7
27	71	Jul.03	CLOSED	996	2,235	CLOSED	11,220	14,451	497	168	7
28	72	Jul.10	CLOSED	2,979	2,134	CLOSED	11,644	16,758	407	168	7
29	73	Jul.17	CLOSED	2,297	1,391	CLOSED	5,609	9,297	333	168	7
30	74	Jul.24	CLOSED	32,294	866	CLOSED	4,462	37,622	327	168	7
31	75	Jul.31	CLOSED	22,650	4,114	CLOSED	4,669	31,433	338	168	7
32	81	Aug.07	CLOSED	13,382	3,837	CLOSED	3,430	20,649	222	168	7
33	82	Aug.14	CLOSED	7,249	1,727	CLOSED	706	9,681	115	168	7
34	83	Aug.21	CLOSED	4,136	1,771	CLOSED	391	6,298	112	168	7
35	84	Aug.28	CLOSED	2,886	987	CLOSED	149	4,021	79	168	7
36	91	Sept.04	CLOSED	785	32	CLOSED	15	833	26	168	7
37	92	Sept.11	CLOSED	663	3	CLOSED	49	715	19	168	7
38	93	Sept.18	CLOSED	366	0	CLOSED	21	386	16	168	7
39	94	Sept.25	CLOSED	57	0	CLOSED	8	65	3	168	7
40	101	Oct.02	CLOSED	0	0	CLOSED	0	0	0	120	5
<b>Totals</b>			-	90,740	21,384	-	66,351	178,475	3,269	2,592	108

2010 Non-Chinook Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

\*\*\* Chinook Area Hail Catch pro-rated with validated Chinook landings.

**Table 13.** Department of Fisheries and Oceans commercial salmon harvest report, Area 3 (1-4) gillnet weekly hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
29	73	Jul. 17	2,409	CLOSED	10,023	CLOSED	2	11,796	47	32	2
30	74	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
31	75	Jul. 31	0	CLOSED	0	CLOSED	CLOSED	0	0	16	1
<b>Totals</b>			<b>2,409</b>	<b>0</b>	<b>10,023</b>	<b>0</b>	<b>2</b>	<b>11,796</b>	<b>47</b>	<b>48</b>	<b>3</b>

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 14.** Department of Fisheries and Oceans commercial salmon harvest report, Area 3 (7-17) gillnet weekly hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
25	63	Jun. 19	3,499	CLOSED	3	43	199	3,545	100	16	1
26	64	Jun. 26	5,092	CLOSED	44	268	168	5,404	112	16	1
27	71	Jul. 03	22,215	CLOSED	213	2,800	215	25,227	288	32	2
28	72	Jul. 10	22,874	CLOSED	4,999	12,277	110	40,150	304	32	2
29	73	Jul. 17	7,257	CLOSED	11,119	CLOSED	CLOSED	18,377	67	32	2
30	74	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	0
31	75	Jul. 31	2,302	CLOSED	3,749	CLOSED	CLOSED	6,051	11	16	1
Totals			63,240	0	16,378	15,388	692	92,704	871	128	9

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 15.** Department of Fisheries and Oceans commercial salmon harvest report, total Area 3 weekly gillnet hauled catch 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
25	63	Jun. 19	3,499	CLOSED	3	43	199	3,744	100	16	1
26	64	Jun. 26	5,092	CLOSED	44	268	168	5,572	112	16	1
27	71	Jul. 03	22,215	CLOSED	213	2,800	215	25,442	288	32	2
28	72	Jul. 10	22,874	CLOSED	4,999	12,277	110	40,260	304	32	2
29	73	Jul. 17	9,666	CLOSED	11,119	CLOSED	CLOSED	20,786	114	32	2
30	74	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
31	75	Jul. 31	2,302	CLOSED	3,749	CLOSED	CLOSED	6,051	11	16	1
Totals			63,347	0	16,378	15,388	692	101,856	929	144	9

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 16.** Department of Fisheries and Oceans commercial salmon harvest report, Area 3 Entrance (sub-areas 3-1 to 3-4) weekly seine hauled catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
73	29	Jul. 17	284	CLOSED	1,532	CLOSED	CLOSED	1,816	5	32	2
74	30	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
75	31	Jul. 31	1,243	CLOSED	20,624	CLOSED	CLOSED	21,867	4	16	1
<b>Totals</b>			<b>1,527</b>	<b>0</b>	<b>22,156</b>	<b>0</b>	<b>0</b>	<b>23,683</b>	<b>9</b>	<b>48</b>	<b>3</b>

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 17.** Department of Fisheries and Oceans commercial salmon harvest report, Area 3 Inside (sub-areas 7 to 17) purse seine hauled catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
29	73	Jul. 17	670	CLOSED	1,956	CLOSED	CLOSED	2,626	7	32	2
30	74	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
31	75	Jul. 31	463	CLOSED	2,865	CLOSED	CLOSED	3,328	1	16	1
<b>Totals</b>			<b>1,133</b>	<b>0</b>	<b>4,821</b>	<b>0</b>	<b>0</b>	<b>5,954</b>	<b>8</b>	<b>48</b>	<b>3</b>

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 18.** Department of Fisheries and Oceans commercial salmon harvest report, total Area 3 purse seine hailed catch. 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
29	73	Jul. 17	954	CLOSED	3,488	CLOSED	CLOSED	4,442	12	32	2
30	74	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	0	CLOSED	CLOSED	CLOSED
31	75	Jul. 31	1,706	CLOSED	23,489	CLOSED	CLOSED	25,195	5	16	1
Totals			2,660	0	26,977	0	0	29,637	17	48	3

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 19.** Department of Fisheries and Oceans commercial salmon harvest report, Area 3 troll hauled catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
30	74	Jul.24	CLOSED	0	0	CLOSED	CLOSED	0	0	72	3
31	75	Jul.31	CLOSED	0	0	CLOSED	CLOSED	0	0	168	7
32	81	Aug.07	CLOSED	198	201	CLOSED	CLOSED	399	-	168	7
33	82	Aug.14	CLOSED	2,621	1,369	CLOSED	CLOSED	3,990	68	168	7
34	83	Aug.21	CLOSED	767	254	CLOSED	CLOSED	1,021	39	168	7
35	84	Aug.28	CLOSED	2,752	170	CLOSED	CLOSED	2,922	63	168	7
36	91	Sept.04	CLOSED	2,008	22	CLOSED	CLOSED	2,030	54	168	7
37	92	Sept.11	CLOSED	3,760	6	CLOSED	CLOSED	3,766	75	168	7
38	93	Sept.18	CLOSED	1,766	0	CLOSED	CLOSED	1,766	54	168	7
39	94	Sept.25	CLOSED	371	0	CLOSED	CLOSED	371	17	168	7
40	101	Oct.02	CLOSED	60	0	CLOSED	CLOSED	60	-	120	5
<b>Totals</b>			-	14,304	2,022	-	-	16,326	370	1,704	71

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 20.** Department of Fisheries and Oceans commercial salmon harvest report, Area 4 gillnet hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
26	64	Jun. 26	CLOSED	CLOSED	CLOSED	CLOSED	769	769	68	30	2
27	71	Jul. 31	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
28	72	Jul. 10	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
29	73	Jul. 17	15,382	CLOSED	81	CLOSED	176	15,639	129	16	1
30	74	Jul. 24	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED	CLOSED
31	75	Jul. 31	47,416	CLOSED	15,035	CLOSED	116	62,567	169	16	1
Totals			62,798	0	15,116	0	1,061	78,975	366	62	4

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 21.** Department of Fisheries and Oceans commercial salmon harvest report, Area 4 purse seine hauled catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days*	Hours Open	Days Fishing**
<b>FISHERY DID NOT OPEN</b>			-	-	-	-	-	-	-	-	-
<b>TOTAL</b>			-	-	-	-	-	-	-	-	-

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 22.** Department of Fisheries and Oceans commercial salmon harvest report, Area 4 troll hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
30	74	Jul.24	CLOSED	324	0	CLOSED	CLOSED	324	2	72	3
31	75	Jul.31	CLOSED	4,447	167	CLOSED	CLOSED	4,615	21	168	7
32	81	Aug.07	CLOSED	2,160	184	CLOSED	CLOSED	2,344	17	168	7
33	82	Aug.14	CLOSED	4,407	372	CLOSED	CLOSED	4,778	37	168	7
34	83	Aug.21	CLOSED	2,340	200	CLOSED	CLOSED	2,540	33	168	7
35	84	Aug.28	CLOSED	429	31	CLOSED	CLOSED	459	8	168	7
36	91	Sept.04	CLOSED	167	1	CLOSED	CLOSED	169	4	168	7
37	92	Sept.11	CLOSED	133	0	CLOSED	CLOSED	133	5	168	7
38	93	Sept.18	CLOSED	0	0	CLOSED	CLOSED	0	0	168	7
39	94	Sept.25	CLOSED	0	0	CLOSED	CLOSED	0	0	168	7
40	101	Oct.02	CLOSED	0	0	CLOSED	CLOSED	0	0	120	5
<b>Totals</b>			-	14,406	955	-	-	15,361	127	1,704	71

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 23.** Department of Fisheries and Oceans commercial salmon harvest report, Area 5 gillnet hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
29	73	Jul.17	1,944	CLOSED	216	CLOSED	CLOSED	2,160	12	16	1
31	75	Jul.31	441	CLOSED	78	CLOSED	CLOSED	519	2	16	1
<b>Total</b>			2,385	0	294	0	0	2,679	14	32	2

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 24.** Department of Fisheries and Oceans commercial salmon harvest report, Area 5 seine hauled catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
31	75	Jul.31	191	CLOSED	384	CLOSED	CLOSED	575	-	16	-
<b>Total</b>			191	0	384	0	0	575	-	16	-

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 25.** Department of Fisheries and Oceans commercial salmon harvest report, Area 5 troll hailed catch, 2010 (preliminary).

Julian Week	Stat Week	Ending Date	Sockeye	Coho	Pink	Chum	Chinook	Total	Boat Days	Hours Open	Days Fishing
30	74	Jul.24	CLOSED	48	2	CLOSED	CLOSED	50	-	72	3
31	75	Jul.31	CLOSED	13	0	CLOSED	CLOSED	13	-	168	7
32	81	Aug.07	CLOSED	0	0	CLOSED	CLOSED	0	-	168	7
33	82	Aug.14	CLOSED	137	0	CLOSED	CLOSED	137	5	168	7
34	83	Aug.21	CLOSED	342	5	CLOSED	CLOSED	347	11	168	7
35	84	Aug.28	CLOSED	92	0	CLOSED	CLOSED	92	7	168	7
36	91	Sept.04	CLOSED	7	0	CLOSED	CLOSED	7	-	168	7
37	92	Sept.11	CLOSED	0	0	CLOSED	CLOSED	0	-	168	7
38	93	Sept.18	CLOSED	0	0	CLOSED	CLOSED	0	-	168	7
39	94	Sept.25	CLOSED	0	0	CLOSED	CLOSED	0	-	168	7
40	101	Oct.02	CLOSED	0	0	CLOSED	CLOSED	0	-	120	5
<b>Totals</b>			-	639	7	-	-	646	23	1,704	71

2010 Catch figures are based on Fisheries Management In-Season Hail Estimates

\* Boat Days are represented in 24-hour format.

\*\* Days Fishing are the sum of the daily fishery openings independent of hours open.

**Table 26.** Preliminary annual allowable harvest (AAH) calculations for Canadian Area 3(1-4) net fishery, 2010<sup>1</sup>.

	Year											
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>Annual Allowable Harvest (AAH) of Alaska District 101, 102, and 103 Pink Salmon:</b>												
Total Run [ Sum of AK catch of AK, BC catch of AK, and Dist 101-103 esc index x 2.5 ]	53,011,083	22,935,854	62,126,912	43,056,270	42,771,456	34,999,070	43,651,072	11,524,695	52,342,831	25,728,121	38,891,939	23,617,583
Actual Escapement [ Dist 101-103 index x 2.5 ]	19,900,203	11,936,450	21,903,643	20,178,163	20,047,003	16,769,261	17,519,566	8,532,450	23,578,584	13,669,062	16,095,463	12,113,776
Escapement Requirement [ Dist 101-103 escapement goal ]	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000
Annual Allowable Harvest (AAH)	42,261,083	12,185,854	51,376,912	32,306,270	32,021,456	24,249,070	32,901,072	2,992,245	41,592,831	14,978,121	28,141,939	12,867,583
<b>Actual Number and %AAH of Alaska Pink Salmon Harvested in Canadian Area 3(1-4) Net Fishery:</b>												
Total Pink Harvest in Area 3(1-4) Net	2,224,180	89,980	1,155,691	1,163,645	924,183	559,034	894,890	143,733	1,740,271	12,082	432,861	30,686
Actual Number of Alaskan Pink Harvested	1,276,329	67,465	911,959	766,390	668,100	448,730	690,317	112,342	1,421,812	10,580	276,270	18,022
Actual %AAH	3.02%	0.55%	1.78%	2.37%	2.09%	1.85%	2.10%	3.75%	3.42%	0.07%	0.98%	0.14%
<b>Overage/Underage Based on the 2.49% AAH Stipulated in the Treaty:</b>												
Allowable % AAH	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%	2.49%
Allowable Harvest	1,052,301	303,428	1,279,285	804,426	797,334	603,802	819,237	74,507	1,035,661	372,955	700,734	320,403
Overage [Positive]/Underage (Negative)	224,028	(235,963)	(367,326)	(38,036)	(129,234)	(155,072)	(128,920)	37,836	386,150	(362,375)	(424,464)	(302,381)
Cumulative Overage/Underage	224,028	(11,934)	(379,260)	(417,296)	(546,530)	(701,602)	(830,522)	(792,687)	(406,536)	(768,912)	(1,193,376)	(1,495,756)

**Table 27.** Preliminary annual allowable harvest (AAH) calculations for Canadian Area 1 troll fishery, 2010<sup>1</sup>.

	Year											
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
<b>Annual Allowable Harvest (AAH) of Alaska District 101, 102, and 103 Pink Salmon:</b>												
Total Run	53,011,083	22,935,854	62,126,912	43,056,270	42,771,456	34,999,070	43,651,072	11,524,695	52,342,831	25,728,121	38,891,939	23,617,583
Actual Escapement	19,900,203	11,936,450	21,903,643	20,178,163	20,047,003	16,769,261	17,519,566	8,532,450	23,578,584	13,669,062	16,095,463	12,113,776
Escapement Requirement	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000	10,750,000
Annual Allowable Harvest (AAH)	42,261,083	12,185,854	51,376,912	32,306,270	32,021,456	24,249,070	32,901,072	2,992,245	41,592,831	14,978,121	28,141,939	12,867,583
<b>Actual Number and %AAH of Alaska Pink Salmon Harvested in Canadian Area 1 Troll</b>												
<b>Fishery:</b>												
Total Pink Harvest in Area 1 Troll	31,013	73,358	132,709	22,918	74,160	22,198	27,768	34,854	61,276	23,243	61,522	19,948
Actual Number of Alaskan Pink Harvested	25,125	56,042	116,490	17,723	61,284	19,499	23,098	30,134	55,418	21,171	50,392	14,835
Actual %AAH	0.06%	0.46%	0.23%	0.05%	0.19%	0.08%	0.07%	1.01%	0.13%	0.14%	0.18%	0.12%
<b>Overage/Underage Based on the 2.57% AAH Stipulated in the Treaty:</b>												
Allowable %AAH	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%	2.57%
Allowable Harvest	1,086,110	313,176	1,320,387	830,271	822,951	623,201	845,558	76,901	1,068,936	384,938	723,248	330,697
Overage (Positive)/Underage (Negative)	-1,060,984	-257,134	-1,203,896	-812,548	-761,668	-603,702	-822,460	-46,767	-1,013,518	-363,766	-672,855	-315,862
Cumulative Overage/Underage	-1,060,984	-1,318,119	-2,522,015	-3,334,563	-4,096,231	-4,699,933	-5,522,393	-5,569,160	-6,582,678	-6,946,444	-7,619,300	-7,935,162

<sup>1</sup> Canadian and Alaskan pink salmon catch data for 1999-2006 were reviewed and updated, which changed the preliminary AAH calculations reported in the 2006 NBTC Annual Report.

**Table 28.** Department of Fisheries and Oceans, 2010 escapements to Areas 3, 4, and 5 (preliminary).

<b>Area</b>	<b>Sockeye</b>	<b>Coho</b>	<b>Pink</b>	<b>Chum</b>	<b>Chinook</b>
3	163,383	9,407	258,960	11,111	-
4	659,900	32,039	310,304	1,155	43,313
5	UNK	UNK	49,882	1,475	UNK
<b>Total</b>	823,283	41,446	619,146	13,741	43,313

**Table 29.** Department of Fisheries and Oceans, 2011 salmon forecast, Areas 1, 3, 4, and 5.

**2011 COMMERCIAL NET SOCKEYE AND PINK FORECAST**

		<b>FORECAST RETURNS TO CANADA</b>	<b>TARGET ESCAPEMENT</b>
<b>AREA 1</b>	Sockeye	UNK	UNK
	Pink	UNK	UNK
<b>AREA 3</b>	Sockeye	434,000	225,000
	Pink	2,159,672	592,614
<b>AREA 4</b>	Sockeye	1,500,000	900,000
	Pink	7,621,032	2,097,800
<b>AREA 5</b>	Sockeye	UNK	50,500
	Pink	497,981	254,500

**Table 30.** Annual effort data for Canadian Areas 1, 3, 4, and 5.

YEAR	GEAR	AREA 1		AREA 3		AREA 4		AREA 5	
		BOAT DAYS	DAYS* FISHING	BOAT DAYS	DAYS FISHING	BOAT DAYS	DAYS FISHING	BOAT DAYS	DAYS FISHING
1980	GN	0	0	2980	20	5726	13	852	15
	SN	0	0	912	20	6	2	158	15
1981	GN	0	0	2127	26	13170	26	552	11
	SN	0	0	1189	26	401	8	49	11
1982	GN	0	0	3155	34	8799	18	548	17
	SN	0	0	1649	34	827	6	197	17
1983	GN	6	12	2377	22	4699	15	501	14
	SN	108	12	2157	22	0	0	55	14
1984	GN	18	27	2929	23	7705	22	435	15
	SN	543	27	1580	20	761	6	355	14
1985	GN	74	24	813	21	12504	26	169	16
	SN	241	24	1099	17	819	9	241	12
1986	GN	345	27	1125	25	6095	21	529	23
	SN	328	35	1221	24	94	8	389	22
1987	GN	39	13	1015	19	5803	17	192	13
	SN	156	13	1780	18	215	7	269	12
1988	GN	56	18	727	18	14141	23	305	17
	SN	190	16	888	15	273	4	229	15
1989	GN	20	11	1525	26	8638	28	428	22
	SN	78	11	1059	18	70	18	87	17
1990	GN	12	17	977	26	8583	32	282	21
	SN	215	17	556	15	60	20	296	15
1991	GN	16	13	1813	36	10931	25	375	24
	SN	64	5	2958	18	178	7	228	18
1992	GN	68	21	2527	31	12110	25	368	24
	SN	239	16	1016	18	197	10	128	17
1993	GN	26	15	3692	43	10909	22	183	22
	SN	15	15	1816	16	329	12	71	13
1994	GN	82	16	3443	23	8130	20	430	12
	SN	164	7	698	9	0	0	5	1
1995	GN	270	29	4305	31	12062	19	434	22
	SN	322	7	2536	15	484	9	154	13
1996	GN	19	18	4433	36	13487	25	507	26
	SN	79	15	1117	20	975	14	347	19
1997	GN	536	23	2759	23	9558	21	269	20
	SN	313	8	809	15	172	11	25	13
1998	GN	5	11	1197	16	1041	6	47	3
	SN	12	2	204	9	0	0	4	0
1999	GN	1	5	3300	17	238	3	0	0
	SN	0	0	1001	15	26	2	6	2
2000	GN	15	4	2321	17	5150	19	164	3
	SN	0	0	282	12	544	9	54	11
2001	GN	2	1	1031	11	5380	19	86	12
	SN	0	0	244	13	393	9	57	11
2002	GN	2	2	2882	19	3559	13	43	11
	SN	7	2	294	15	218	15	64	15
2003	GN	0	0	3417	17	2484	8	27	5
	SN	0	0	210	15	118	9	32	11
2004	GN	0	3	3241	13	1581	6	78	5
	SN	0	0	448	13	218	13	28	7
2005	GN	0	0	2645	16	198	2	0	0
	SN	0	0	291	18	0	0	19	6
2006	GN	7	5	3487	15	6376	17	71	13
	SN	0	0	236	7	682	16	3	6
2007	GN	0	0	1694	9	1796	7	11	2
	SN	0	0	478	15	85	9	82	15
2008	GN	0	0	595	7	2213	9	18	7
	SN	0	0	61	3	274	14	10	1
2009	GN	0	0	1517	8	187	2	0	0
	SN	0	0	115	10	33	4	15	5
2010	GN	0	0	1394	9	581	3	21	2
	SN	10	4	26	3	0	0	2	1
<b>AVG 99-08</b>	GN	59	16	1646	25	8790	23	376	18
	SN	192	16	1495	20	330	8	235	16
	<b>TOTAL</b>	<b>251</b>	<b>32</b>	<b>3140</b>	<b>45</b>	<b>9120</b>	<b>31</b>	<b>611</b>	<b>34</b>
<b>AVG 90-99</b>	GN	104	16	2979	27	8362	18	278	16
	SN	121	7	1244	15	291	7	102	11
	<b>TOTAL</b>	<b>225</b>	<b>23</b>	<b>4223</b>	<b>42</b>	<b>8652</b>	<b>26</b>	<b>380</b>	<b>26</b>
<b>AVG 80-89</b>	GN	1	1	2190	12	2436	9	36	6
	SN	2	1	240	11	202	9	31	8
	<b>TOTAL</b>	<b>3</b>	<b>2</b>	<b>2431</b>	<b>24</b>	<b>2638</b>	<b>18</b>	<b>67</b>	<b>14</b>

\*DAYS FISHING: REPRESENTS HOURS FISHING AS A PORTION OF A 24-HOUR DAY.

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Table 31.** Annual escapement data for Canadian Area 1 (2010 is preliminary).

<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>	<b>CHINOOK</b>
1970	26,500	24,050	432,650	24,800	800
1971	16,500	14,335	6,050	44,500	500
1972	17,500	26,150	329,900	8,600	1,000
1973	38,000	58,350	4,000	50,000	900
1974	39,000	97,100	201,400	41,800	1,000
1975	16,500	47,000	3,950	53,050	1,500
1976	40,900	153,500	285,050	53,500	700
1977	36,750	55,400	4,900	60,300	800
1978	20,300	61,250	217,500	56,200	600
1979	20,650	34,750	3,250	32,450	400
1980	33,200	17,140	290,795	14,768	600
1981	23,000	18,000	3,650	26,100	750
1982	28,500	35,250	362,000	70,800	1,400
1983	19,500	20,600	2,130	35,225	600
1984	18,500	28,850	1,213,900	52,775	300
1985	43,200	23,700	1,875	63,800	1,500
1986	13,500	32,900	838,500	82,500	500
1987	9,100	32,650	4,500	51,100	2,000
1988	23,600	28,900	566,100	29,950	2,200
1989	11,200	16,550	1,300	18,975	2,800
1990	200	10,270	1,389,560	4,700	2,000
1991	4,400	11,350	600	1,000	1,900
1992	12,100	8,200	994,800	6,300	2,000
1993	500	2,500	350	50,060	1,000
1994	8,700	UNK	647,000	32,150	2,000
1995	7,100	UNK	1,000	19,855	1,500
1996	19,300	UNK	2,924,000	6,725	3,000
1997	12,000	UNK	UNK	31,050	2,500
1998	14,000	38,400	747,200	32,100	3,000
1999	15,550	28,000	2,700	33,000	3,200
2000	19,200	22,600	465,000	13,520	3,600
2001	3,900	6,674	1	3,804	UNK
2002	9,850	13,474	939,003	7,000	3,500
2003	7,500	2,538	UNK	34,081	4,000
2004	10,000	719	177,500	4,000	UNK
2005	5,000	1,500	UNK	1,650	5,000
2006	27,200	UNK	250,250	18,300	5,000
2007	8,500	UNK	UNK	1,950	5,000
2008	9,100	UNK	607,750	600	5,000
2009	7,500	UNK	UNK	35,520	UNK
2010*	18,025	UNK	1,135,000	200	UNK
<b>AVG 70-79</b>	27,260	57,189	148,865	42,520	820
<b>AVG 80-89</b>	22,330	25,454	328,475	44,599	1,265
<b>AVG 90-99</b>	9,385	16,453	745,246	21,694	2,210
<b>AVG 00-09</b>	10,775	7,918	406,584	12,043	4,443

\*Preliminary

**Table 32.** Annual escapement data for Canadian Area 3 (2010 is preliminary).

<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>
1970	115,503	43,300	224,750	35,400
1971	247,524	44,325	136,525	28,825
1972	178,716	20,850	244,250	81,125
1973	284,682	9,400	70,786	66,025
1974	193,703	16,435	84,915	121,570
1975	70,874	15,410	141,758	30,550
1976	143,405	32,700	158,175	64,650
1977	400,371	35,605	229,155	57,775
1978	147,718	33,100	401,445	75,970
1979	212,944	18,655	50,625	42,313
1980	155,515	22,405	130,777	54,794
1981	255,818	34,429	204,425	16,508
1982	306,070	31,055	427,135	29,476
1983	185,150	36,360	738,205	45,115
1984	182,450	67,650	531,035	67,425
1985	361,208	44,539	508,855	48,971
1986	187,261	34,910	375,245	34,900
1987	184,242	31,652	371,866	31,387
1988	136,760	10,551	185,065	47,050
1989	112,609	20,690	641,270	33,770
1990	155,472	38,510	154,968	30,980
1991	269,850	16,777	388,100	23,835
1992	645,964	16,118	196,808	15,684
1993	440,740	7,510	314,102	79,951
1994	179,262	15,329	155,356	33,199
1995	237,991	13,967	349,017	40,451
1996	219,825	11,613	344,860	22,990
1997	237,312	3,989	216,527	20,302
1998	193,810	9,781	151,940	138,490
1999	197,550	13,216	464,775	33,467
2000	138,042	17,339	322,990	20,718
2001	117,692	26,366	826,632	30,472
2002	338,879	30,224	598,264	17,813
2003	199,458	18,254	841,856	40,002
2004	141,913	15,062	542,500	54,033
2005	146,813	19,418	944,415	30,855
2006	149,598	15,644	129,050	43,975
2007	113,637	9,181	589,059	17,225
2008	155,860	12,383	58,676	14,593
2009	179,652	17,262	640,955	20,680
2010	163,383	9,407	258,960	11,111
<b>AVG 70-79</b>	199,544	26,978	174,238	60,420
<b>AVG 80-89</b>	206,708	33,424	411,388	40,940
<b>AVG 90-99</b>	277,778	14,681	273,645	43,935
<b>AVG 00-09</b>	168,154	18,113	549,440	29,037

2008-2010 is Preliminary

**Table 33.** Annual escapement data for Canadian Area 4 (2010 is preliminary).

<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>	<b>CHINOOK</b>
1970	678,652	84,725	971,800	10,890	21,150
1971	821,850	75,795	1,173,381	5,232	18,500
1972	697,237	57,514	1,765,154	36,920	20,651
1973	820,196	41,292	1,260,186	25,476	40,341
1974	723,898	38,798	367,605	14,102	31,576
1975	822,633	22,119	1,767,907	10,375	20,319
1976	575,590	32,891	693,850	11,071	13,053
1977	951,805	37,634	976,527	10,927	29,018
1978	424,075	49,963	724,597	8,153	22,676
1979	1,166,236	24,494	515,563	5,705	18,488
1980	542,164	31,587	745,367	25,007	23,400
1981	1,424,509	26,692	1,187,835	9,385	24,524
1982	1,140,737	24,521	739,247	4,626	16,990
1983	893,724	24,978	2,610,074	1,667	23,602
1984	1,055,215	50,409	1,037,698	29,764	35,864
1985	2,174,806	19,974	2,042,150	12,198	52,407
1986	716,312	54,587	2,323,944	12,780	59,719
1987	1,324,128	32,739	3,180,414	7,652	60,948
1988	1,417,543	11,293	828,090	108,921	68,307
1989	1,137,994	44,126	4,675,527	20,331	57,192
1990	989,566	76,662	2,611,520	6,343	55,541
1991	1,232,568	52,544	4,797,937	4,680	52,792
1992	1,550,109	34,703	821,950	11,290	67,118
1993	1,629,426	23,192	663,888	10,052	68,286
1994	1,026,816	33,830	242,285	7,967	22,611
1995	1,720,292	16,293	1,641,489	7,928	34,390
1996	1,727,147	14,759	2,025,648	8,404	73,684
1997	985,097	6,333	484,476	22,250	42,539
1998	521,417	39,044	272,871	14,664	46,774
1999	624,366	71,787	1,095,352	2,650	43,775
2000	1,394,177	29,922	260,481	4,650	51,804
2001	1,508,045	74,254	1,017,612	8,620	81,504
2002	610,851	46,129	232,451	3,060	44,771
2003	1,211,762	50,484	1,517,355	1,782	56,758
2004	923,187	32,303	653,350	2,020	39,552
2005	704,559	77,732	1,213,770	2,335	29,496
2006	1,172,699	50,332	116,367	685	36,682
2007	1,042,717	26,792	632,243	474	37,054
2008	867,676	33,145	69,898	510	34,615
2009	667,603	88,215	2,515,312	1,330	36,476
2010*	659,900	32,039	310,304	1,155	43,313
<b>AVG 70-79</b>	<b>768,217</b>	<b>46,523</b>	<b>1,021,657</b>	<b>13,885</b>	<b>23,577</b>
<b>AVG 80-89</b>	<b>1,182,713</b>	<b>32,091</b>	<b>1,937,035</b>	<b>23,233</b>	<b>42,295</b>
<b>AVG 90-99</b>	<b>1,200,680</b>	<b>36,915</b>	<b>1,465,742</b>	<b>9,623</b>	<b>50,751</b>
<b>AVG 00-09</b>	<b>1,010,328</b>	<b>50,931</b>	<b>822,884</b>	<b>2,547</b>	<b>44,871</b>


\*Preliminary

**Table 34.** Annual escapement data for Canadian Area 5 (2010 is preliminary).


<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>
1970	23,750	10,600	139,850	12,250
1971	55,225	9,975	80,761	25,625
1972	24,400	21,820	280,725	17,725
1973	32,425	18,000	56,375	18,975
1974	43,925	18,450	337,075	34,025
1975	50,000	33,000	170,375	10,075
1976	19,050	21,475	348,450	19,625
1977	11,400	25,410	110,275	32,170
1978	28,650	18,650	264,850	13,775
1979	16,000	17,275	43,000	13,950
1980	16,800	11,525	225,825	9,350
1981	16,000	18,025	121,850	3,120
1982	19,450	2,620	70,300	7,370
1983	12,450	4,300	81,025	4,596
1984	17,150	8,175	162,450	6,830
1985	37,250	4,350	177,075	11,765
1986	25,000	22,289	313,900	16,450
1987	26,550	6,000	127,950	10,175
1988	33,400	7,775	162,000	12,750
1989	21,900	1,000	178,500	4,750
1990	5,676	5,006	202,244	3,607
1991	32,035	2,981	70,160	4,113
1992	22,895	3,982	41,161	731
1993	33,150	1,925	39,475	1,795
1994	6,800	800	44,725	870
1995	8,700	UNK	90,900	3,880
1996	24,100	UNK	270,100	3,200
1997	28,400	500	68,750	2,260
1998	10,450	900	161,250	9,250
1999	23,500	1,150	313,450	900
2000	22,600	800	278,150	1,070
2001	21,500	323	395,650	3,080
2002	9,700	1,400	409,810	4,965
2003	42,850	1,010	233,825	4,110
2004	18,200	355	88,330	2,670
2005	14,000	770	277,400	2,600
2006	22,600	285	31,880	2,575
2007	14,150	215	114,700	1,125
2008	2,900	650	29,080	2,226
2009	35	544	164,350	3,998
2010*	UNK	UNK	49,882	1,475
<b>AVG 70-79</b>	30,483	19,466	183,174	19,820
<b>AVG 80-89</b>	22,595	8,606	162,088	8,716
<b>AVG 90-99</b>	19,571	2,156	130,222	3,061
<b>AVG 00-09</b>	16,854	635	202,318	2,842

\*Preliminary


## FIGURES




**Figure 1.** Alaska Department of Fish and Game Southern Southeast Alaska regulatory districts.



**Figure 2.** Canadian Department of Fisheries and Oceans Statistical Areas 1-10, Northern British Columbia.



**Figure 3.** Canadian Department of Fisheries and Oceans Statistical Area 1 management sub-areas.



**Figure 4.** Canadian Department of Fisheries and Oceans Statistical Area 3 management sub-areas.





**Figure 5.** Canadian Department of Fisheries and Oceans Statistical Area 4 management sub-areas.





**Figure 6.** Canadian Department of Fisheries and Oceans Statistical Area 5 management sub-areas.

## **APPENDICES**

**Appendix 1. Alaska District 101 commercial purse seine pink salmon catch, 1971-2010.**

	Statistical Week												Total
	27	28	29	30	31	32	33	34	35	36	37	38	
1970		170,422	324,506	192,639	111,125	96,075	171,510	311,266	156,738	50,211			1,584,492
1971							62,606	228,675	211,671	198,777	81,778	50,436	833,943
1972		203,551	316,922	610,783	506,230	298,770	337,519	336,864	224,995	*	32,063	*	3,001,762
1973				111,602	200,376	226,845	24,647						563,470
1974			118,180	42,953	99,310	237,081	137,562	156,701	110,075	41,215			943,077
1975						142,029	127,342	26,921	29,265				325,557
1976									122,535	*	72,055	*	287,374
1977				161,520	1,169,317	1,043,490	554,163	150,230	24,844	12,695			3,116,259
1978	*	175,434	525,492	837,570	1,722,875	865,993	740,151	692,103	271,410	*			5,860,747
1979						100,246	100,317	40,880					241,443
1980				112,273	127,536	908,609	1,308,091	854,403	391,267	151,323			3,853,502
1981					335,867	673,988	156,833	*		*			1,199,826
1982		26,971	100,604	96,857	23,135	157,493	679,962	759,252	852,760	993,838	248,493		3,939,365
1983			72,480	619,346	1,355,088	693,208	1,023,984	*	509,906	*			5,248,926
1984		107,868	517,738	524,768	1,114,651	1,503,193	1,177,403	443,052	319,014		30		5,707,717
1985			116,932	278,888	796,584	1,601,090	1,518,985	1,963,978	687,094	125,907	3,680	915	7,094,053
1986		70,729	210,412	1,193,069	1,545,348	1,711,419	1,720,309	1,404,557	1,376,660	357,004		527	9,590,034
1987			56,723	238,691	120,352	248,118	208,024						871,908
1988		18,351	147,456	123,560	141,050	334,140	602,171	128,448					1,495,176
1989	1,849	23,897	576,919	1,553,196	3,247,267	3,152,919	2,037,844	1,189,447	842,721				12,626,059
1990	3,471	9,914	65,150	239,264	407,443	797,115	958,664	440,798	294,799				3,216,618
1991		24,838	524,110	957,690	1,158,491	806,701	500,676	222,887	96,088				4,291,481
1992		330,365	433,338	325,160	680,614	1,319,140	578,162	547,342	681,043	54,385			4,949,549
1993		93,011	135,994	381,975	843,302	810,129	1,320,363	1,439,911	985,729	654,656			6,665,070
1994		105,109	199,224	81,567	155,696	344,234	519,076	340,516	76,316	18,796			1,840,534
1995	30,232	56,585	110,593	609,123	1,051,796	3,372,112	3,966,696	1,221,967	914,339	221,917			11,555,360
1996		560,450	1,607,694	1,945,855	3,343,562	4,564,891	2,086,342	927,457	634,697	122,091			15,793,039
1997		52,119	62,990	335,963	423,259	68,981	205,630	107,847	61,464				1,318,253
1998		19,459	128,363	627,761	1,012,283	1,792,947	1,093,874	703,874	219,255	42,380			5,640,196
1999		36,783	119,347	607,267	1,102,204	1,344,128	755,785	1,011,847	982,461	505,333			6,465,155
2000		63,334	102,321	302,560	694,019	421,335	804,562	527,192	242,996				3,158,319
2001	52,437	233,727	811,422	1,625,980	1,837,121	1,469,865	1,170,802	1,275,342	827,233	40,194			9,344,123
2002	14,808	*	131,673	320,737	1,225,255	2,343,254	1,456,651	1,925,643	525,141	*			7,977,806
2003	73,229	*	520,670	872,184	1,075,178	1,584,073	1,185,245	900,890	135,808	*			6,644,012
2004		82,527	239,153	757,260	1,471,211	2,433,778	1,262,021	929,425	338,415	28,509			7,542,299
2005		279,754	406,424	774,063	738,800	1,309,625	681,542	763,281	439,325	163,153			5,555,967
2006	16,584	82,197	93,087	107,229	166,012	98,162	17,121	4,627					585,019
2007	3,472	28,319	65,321	326,189	557,799	830,619	570,825	153,663	23,254				2,559,461
2008		8,695	36,086	31,713	108,709	265,061	1,319,063	916,102	324,511	37,035			3,046,975
2009		49,659	759,127	695,284	1,487,501	2,445,237	1,119,107	648,877	583,203				7,787,995
2010		35,462	220,295	256,701	1,170,338	1,927,432	1,293,129	877,355	494,356	52,480			6,327,548
<b>Average</b>													
<b>70-79</b>	*	183,136	321,275	326,178	634,872	376,316	250,646	242,955	143,942	79,476	61,965	16,812	1,675,812
<b>80-89</b>	1,849	49,563	224,908	526,739	880,688	1,098,418	1,043,361	845,195	711,346	295,418	84,068	721	5,162,657
<b>90-99</b>	16,852	128,863	338,680	611,163	1,017,865	1,522,038	1,198,527	696,445	494,619	231,365			6,173,526
<b>00-09</b>	32,106	112,915	316,528	581,320	936,161	1,320,101	958,694	804,504	382,210	49,889			5,420,198
<b>85-09</b>	24,510	110,033	306,421	612,489	1,015,634	1,418,763	1,106,382	820,663	513,298	160,120	3,680	721	5,904,578

\* Confidential information – less than 3 boats fishing.

**Appendix 2.** Alaska District 101 commercial purse seine chum salmon catch, 1971-2010.

	Statistical Week												Total	
	27	28	29	30	31	32	33	34	35	36	37	38		
1970		2,446	8,090	7,588	5,695	4,072	11,975	19,192	18,486	9,574				87,118
1971							1,589	11,179	9,856	17,767	7,104	8,466		55,961
1972		6,372	17,845	26,907	24,451	14,309	14,679	20,318	26,139	*	25,934	*		210,052
1973				5,352	6,450	7,820	1,132							20,754
1974			8,282	2,640	5,914	14,338	9,619	13,762	31,130	23,063				108,748
1975						2,243	2,946	1,018	4,118					10,325
1976								4,708	*	10,182	*			20,052
1977				2,933	8,884	9,006	8,608	2,648	3,567	4,935				40,581
1978	*	8,706	14,392	10,531	12,169	9,729	9,284	17,715	11,746	*				99,349
1979						2,603	3,205	3,947						9,755
1980				21,325	8,109	27,137	31,905	*	30,480	*				178,278
1981					5,484	9,864	12,077	679		188				28,292
1982		3,416	8,934	6,849	939	3,318	9,243	*	18,716	*	12,777			114,081
1983			1,801	4,479	5,090	3,022	2,821	5,768	11,298	6,622				40,901
1984		6,265	25,483	19,442	35,649	49,001	52,854	40,087	87,695		97,739			414,215
1985			10,732	9,138	13,967	30,354	14,361	62,109	52,705	20,907	21,402	32,645		268,320
1986		11,970	16,283	15,503	39,174	24,286	27,991	45,008	50,233	44,823		20,666		295,937
1987			2,971	7,292	4,958	7,222	15,322							37,765
1988		21,077	40,850	20,542	23,442	29,857	33,151	6,311						175,230
1989	6,976	5,444	30,478	15,669	26,751	32,755	32,231	35,275	17,201					202,780
1990	2,803	1,329	5,663	13,036	8,618	12,931	7,750	9,438	14,457					76,025
1991		3,473	12,810	19,365	13,223	10,529	2,759	1,972	1,001					65,132
1992		25,851	27,404	22,763	36,921	45,974	11,647	16,240	46,748	17,866				251,414
1993		18,069	20,232	52,368	70,695	61,203	46,793	29,137	48,066	47,074				393,637
1994		31,114	32,932	15,042	8,905	8,527	14,815	8,041	2,782	2,220				124,378
1995	7,072	15,549	16,230	46,834	45,171	55,351	55,174	22,533	22,698	24,860				311,472
1996		29,020	205,687	245,902	144,028	136,179	24,155	14,797	17,046	6,012				822,826
1997		12,014	11,524	71,204	80,120	31,033	34,299	6,409	15,973					262,576
1998		16,431	38,281	71,471	556,217	148,202	73,206	51,486	57,859	22,302				1,035,455
1999		17,225	29,048	94,668	259,752	113,253	50,466	23,788	20,183	8,791				617,174
2000		36,558	69,381	178,328	182,689	83,615	31,391	36,792	16,068					634,822
2001	9,716	42,521	53,420	77,226	168,146	37,045	11,750	24,374	24,660	885				449,743
2002	2,686	*	10,438	14,231	39,865	39,309	22,615	30,912	16,277	*				180,570
2003	2,612	*	57,824	66,577	65,828	64,728	25,922	18,916	4,679	*				331,395
2004		15,997	39,202	81,782	129,843	165,353	36,509	41,569	45,799	15,553				571,607
2005		36,949	25,600	29,162	29,389	25,573	11,437	16,631	14,372	8,594				197,707
2006	12,149	53,662	52,262	32,414	35,487	12,069	1,449	477						199,969
2007	2,447	10,651	10,813	55,090	42,229	31,502	14,987	3,926	2,239					173,884
2008		4,029	4,027	1,892	8,239	3,578	12,315	15,828	17,825	4,488				72,221
2009		5,315	33,106	31,123	36,034	28,528	13,408	10,173	19,073					176,760
2010		15,905	46,560	43,921	74,606	43,109	33,371	55,983	71,047	20,145				404,647
Average														
70-79	*	5,841	12,152	9,325	10,594	8,015	7,004	11,222	13,719	13,824	14,407	3,404		66,270
80-89	6,976	9,634	17,192	13,360	16,356	21,682	23,196	27,824	38,333	21,096	43,973	26,656		175,580
90-99	4,938	17,008	39,981	65,265	122,365	62,318	32,106	18,384	24,681	18,446				396,009
00-09	5,922	23,331	35,607	56,783	73,775	49,130	18,178	19,960	17,888	5,074				298,868
85-09	5,808	19,212	34,288	51,545	82,788	49,558	25,036	22,173	23,997	15,020	21,402	26,656		317,152

\* Confidential information – less than 3 boats fishing.

**Appendix 3. Alaska District 101 commercial purse seine sockeye salmon catch, 1971-2010.**

	Statistical Week												Total
	27	28	29	30	31	32	33	34	35	36	37	38	
1970		2,153	10,674	6,433	3,920	2,382	3,185	1,373	100	18			30,238
1971							1,041	4,309	1,688	274	32	7	7,351
1972		3,380	5,574	8,613	13,611	8,412	2,587	1,639	1,530	*	50	*	45,656
1973				5,996	5,586	1,515	96						13,193
1974			5,885	4,053	4,617	3,717	1,432	1,250	476	75			21,505
1975						270	174	86	132				662
1976								76	*	*	40	*	141
1977				3,566	19,330	11,160	8,242	1,266	947	622			45,133
1978	*	8,618	20,389	9,482	16,951	5,614	4,588	1,883	871	*			68,977
1979						3,303	1,607	845					5,755
1980				5,481	4,650	13,146	7,868	7,345	1,016	449			39,955
1981					5,099	16,437	1,548	*		*			23,786
1982		6,282	20,750	7,981	4,089	6,611	14,282	6,852	2,109	1,339	132		70,427
1983			4,721	7,845	11,416	8,472	6,793	*	3,089	*			47,639
1984		1,782	10,876	7,405	16,430	22,564	18,114	2,479	2,312		0		81,962
1985			7,963	14,554	16,588	31,897	19,678	23,433	4,136	1,219	1	0	119,469
1986		7,675	4,207	8,887	18,410	18,390	8,271	4,864	2,901	1,218		0	74,823
1987			3,963	11,019	5,785	13,319	9,218						43,304
1988		908	3,762	2,864	5,729	12,454	4,758	664					31,139
1989	1,957	3,880	13,332	35,051	31,204	16,296	11,619	3,408	1,111				117,858
1990	340	215	1,380	10,131	8,137	13,214	17,384	3,480	3,026				57,307
1991		4,323	9,165	17,401	16,615	8,566	2,993	1,051	306				60,420
1992		11,799	12,223	15,339	23,478	26,136	12,927	6,044	3,840	233			112,019
1993		3,584	7,308	33,407	92,952	89,166	56,249	31,295	13,911	2,610			330,482
1994		2,038	5,768	2,261	6,105	13,637	21,564	5,820	757	141			58,091
1995	514	1,217	6,194	11,242	45,011	64,851	63,296	18,074	6,001	1,578			217,978
1996		2,498	64,172	122,523	114,879	122,394	9,919	3,125	3,551	770			443,831
1997		1,904	3,410	36,325	42,769	2,573	6,621	3,040	9,568				106,210
1998		1,453	1,668	10,439	24,346	18,647	8,946	3,164	1,224	514			70,401
1999		940	2,814	8,910	29,039	31,222	7,422	3,550	2,616	1,081			87,594
2000		1,431	2,740	18,115	56,555	36,823	6,583	3,419	1,444				127,110
2001	818	5,283	14,235	53,777	56,580	21,709	1,808	1,948	1,463	62			157,683
2002	1,875	*	3,273	4,749	4,683	3,805	1,702	1,034	583	*			25,689
2003	309	*	7,786	14,035	11,969	18,322	11,997	6,647	527	*			74,650
2004		4,845	6,687	12,506	19,638	48,690	18,280	8,466	3,920	1,904			124,936
2005		3,614	7,543	10,286	13,196	12,530	7,403	13,217	9,678	3,553			81,020
2006	807	2,912	5,672	8,619	9,989	8,994	2,318	3,105					42,416
2007	200	1,298	916	7,092	7,070	6,360	4,469	1,486	324				29,215
2008		110	759	220	598	518	2,827	1,209	690	31			6,962
2009		1,070	8,994	8,737	7,394	9,098	5,510	3,146	1,953				45,902
2010		1,653	5,291	5,948	13,035	15,045	7,380	3,239	2,140	375			54,106
<b>Average</b>													
70-79	*	4,717	10,631	6,357	10,669	4,547	2,550	1,581	728	205	41	3	23,861
80-89	1,957	4,105	8,697	11,232	11,940	15,959	10,215	5,976	2,382	916	44	0	65,036
90-99	427	2,997	11,410	26,798	40,333	39,041	20,732	7,864	4,480	990			154,433
00-09	802	2,756	5,861	13,814	18,767	16,685	6,290	4,368	2,287	932			71,558
85-09	853	3,043	8,237	19,140	26,749	25,984	12,950	6,445	3,342	997	1		105,860

\* Confidential information – less than 3 boats fishing.

**Appendix 4.** Alaska District 101 commercial purse seine Chinook salmon catch, 1971-2010.

	Statistical Week												Total
	27	28	29	30	31	32	33	34	35	36	37	38	
1970		71	157	51	26	24	37	9	36	2			413
1971							25	62	7	20	2	1	117
1972		785	525	945	423	551	116	279	72	*	13	*	3,723
1973				55	59	157	24						295
1974			60	27	129	130	75	33	16	2			472
1975						3	7	1	11				22
1976									2	*	14	*	17
1977				3	46	24	32	4	7	7			123
1978	*	187	489	302	556	73	51	76	45	*			1,793
1979						47	78	28					153
1980				35	28	79	57	70	14	6			289
1981					18	82	53	*		*			317
1982		378	550	226	42	144	235	177	116	46	3		1,917
1983			40	93	127	49	27	*	18	*			379
1984		86	219	190	212	300	275	174	52		0		1,508
1985			291	347	238	186	1	0	0	0	0	0	1,063
1986		37	0	6	848	635	9	0	0	0		0	1,535
1987			0	0	0	47	40						87
1988		0	0	0	0	0	107	7					114
1989	2	0	0	4	150	115	9	1	11				292
1990	0	0	0	0	0	83	100	0	7				190
1991		27	0	0	76	14	14	6	0				137
1992		2	1	0	0	78	75	0	0	0			156
1993		0	0	0	0	41	273	45	36	4			399
1994		2	0	0	0	57	1	0	0	0			60
1995	0	0	0	0	0	0	0	0	0	0			0
1996		0	0	0	0	0	0	0	0	0			0
1997		0	0	0	0	6	7	4	7				24
1998		0	0	0	6	20	39	19	3	1			88
1999		0	0	1	0	31	37	17	7	5			98
2000		0	12	0	0	2	50	9	3				76
2001	0	1	0	3	0	104	11	9	6	0			134
2002	0	*	0	240	868	148	39	36	7	*			1,338
2003	0	*	511	487	141	115	77	16	5	*			1,484
2004		229	397	536	308	511	116	0	0	0			2,097
2005		432	266	209	216	204	48	38	13	2			1,428
2006	245	243	209	234	410	161	31	1					1,534
2007	263	205	176	278	96	55	0	0	0				1,073
2008		0	0	0	0	0	21	9	0	0			30
2009		148	376	188	171	124	37	5	6				1,055
2010		0	0	0	0	25	65	33	22	3			148
<b>Average</b>													
<b>70-79</b>	*	348	308	231	207	126	49	62	25	7	10	1	713
<b>80-89</b>	2	100	138	100	166	164	81	69	30	9	1	0	750
<b>90-99</b>	0	3	0	0	8	33	55	9	6	1			115
<b>00-09</b>	102	139	195	218	221	142	43	12	4	0			1,025
<b>85-09</b>	64	63	90	101	141	109	46	9	5	1			580

\* Confidential information – less than 3 boats fishing.

**Appendix 5.** Alaska District 101 commercial purse seine coho salmon catch, 1971-2010.

	Statistical Week												Total
	27	28	29	30	31	32	33	34	35	36	37	38	
1970		373	1,360	1,298	2,219	2,564	5,995	10,701	5,247	2,044			
1971							1,776	7,398	7,395	7,469	2,516	1,092	27,646
1972		2,786	5,207	10,379	7,913	9,374	4,836	6,803	11,633	*	4,232	*	71,734
1973				1,733	588	2,018	468						4,807
1974			1,308	479	1,779	3,121	3,769	3,442	5,709	3,100			22,707
1975						542	930	450	2,245				4,167
1976								560	*	3,499	*		4,804
1977				38	5,063	5,067	4,933	1,644	1,499	4,278			22,522
1978	*	3,096	10,282	8,188	10,369	5,377	4,790	5,822	7,396	*			58,312
1979						1,111	1,464	1,438					4,013
1980				1,100	659	1,994	3,225	6,881	6,062	7,592			27,513
1981					577	2,604	1,376	*		*			4,793
1982		1,330	6,531	3,589	1,392	3,513	10,887	12,639	13,393	20,294	6,100		79,668
1983			1,647	3,428	3,521	4,240	4,011	*	9,831	*			41,625
1984		211	1,353	673	2,531	8,120	15,123	13,284	18,554		4,526		64,375
1985			1,671	2,315	3,115	7,146	7,139	39,271	27,274	6,991	820	2,034	97,776
1986		1,405	1,584	3,160	7,191	8,282	11,950	19,380	31,889	34,363		2,527	121,731
1987			430	1,658	895	1,385	1,971						6,339
1988		130	374	103	252	2,988	1,215	447					5,509
1989	198	402	3,092	3,900	5,160	5,349	3,590	4,094	5,027				30,812
1990	401	187	539	1,680	1,668	4,772	7,039	5,373	10,565				32,224
1991		125	4,847	7,239	2,931	2,653	1,487	1,058	362				20,702
1992		869	1,580	1,868	2,050	3,492	3,050	4,697	10,984	4,173			32,763
1993		714	1,275	2,122	2,578	2,859	7,084	5,093	7,132	4,953			33,810
1994		714	2,832	1,943	2,392	3,149	7,407	3,938	1,139	803			24,317
1995	182	377	444	4,266	2,148	5,805	11,431	6,035	7,373	4,636			42,697
1996		513	4,020	5,701	7,651	7,637	3,825	3,495	6,099	3,948			42,889
1997		236	225	866	1,999	507	1,247	1,045	3,721				9,846
1998		405	853	4,653	7,072	10,380	9,963	7,532	9,999	6,701			57,558
1999		724	1,091	4,265	6,127	4,677	2,555	3,810	3,638	4,405			31,292
2000		303	804	1,969	2,909	1,713	3,387	2,945	3,247				17,277
2001	352	1,774	4,710	7,351	12,206	5,805	4,427	7,744	9,916	1,120			55,405
2002	766	*	3,618	4,543	6,926	9,812	6,167	12,099	8,711	*			54,930
2003	360	*	3,943	5,875	5,050	7,790	8,373	8,895	1,654	*			45,552
2004		1,024	1,679	4,931	7,217	11,809	5,260	6,277	5,283	2,491			45,971
2005		1,533	2,499	3,798	3,974	6,496	3,937	6,855	6,100	3,152			38,344
2006	277	920	1,137	1,498	3,108	1,273	404	115					8,732
2007	328	914	471	2,522	2,487	3,676	3,101	1,161	545				15,205
2008		375	817	559	1,844	2,237	11,478	14,083	8,008	967			40,368
2009		737	6,757	4,292	9,944	10,713	5,355	5,902	9,593				53,293
2010		572	4,983	2,146	5,310	6,832	8,264	11,048	13,542	3,587			56,284
Average													
70-79	*	2,085	4,539	3,686	4,655	3,647	3,218	4,712	5,211	4,130	3,416	396	24,524
80-89	198	696	2,085	2,214	2,529	4,562	6,049	11,518	16,004	12,793	3,815	2,281	48,014
90-99	292	486	1,771	3,460	3,662	4,593	5,509	4,208	6,101	4,231			32,810
00-09	417	1,108	2,644	3,734	5,567	6,132	5,189	6,608	5,895	1,689			37,508
85-09	358	777	2,052	3,323	4,356	5,296	5,314	7,139	8,103	5,407	820	2,281	38,614

\* Confidential information – less than 3 boats fishing.

**Appendix 6.** Alaska District 101 commercial purse seine boats fishing, 1971-2010.

Year	Statistical Week												Total
	27	28	29	30	31	32	33	34	35	36	37	38	
1970		50	104	101	77	74	71	73	63	35			185
1971							33	55	41	58	24	16	98
1972		66	75	136	136	129	104	107	117	*	46	*	230
1973				38	50	65	36						98
1974			112	76	61	87	61	60	54	57			179
1975						27	33	10	21				58
1976									21	*	59	*	67
1977				34	142	140	129	88	24	40			215
1978	*	104	202	180	191	184	97	104	82	*			288
1979						49	50	36					98
1980				75	77	136	155	146	112	72			226
1981					121	89	37	*		*			156
1982		56	112	72	31	51	98	89	68	105	68		235
1983			46	94	85	87	65	*	102	*			177
1984		39	114	111	167	177	134	84	123		55		264
1985			50	65	85	92	84	107	122	61	10	18	206
1986		58	78	142	145	100	104	100	93	123		32	232
1987			40	67	46	37	96						130
1988		70	97	56	105	118	124	57					189
1989	33	33	84	98	134	149	110	101	108				216
1990	38	15	44	80	66	85	59	53	67				160
1991		24	63	133	67	63	44	26	20				168
1992		75	92	83	58	71	63	54	85	64			182
1993		53	50	99	60	66	71	73	82	66			173
1994		48	34	35	25	27	36	33	12	7			96
1995	14	24	31	76	107	121	143	74	74	34			195
1996		36	168	183	127	133	78	59	43	6			244
1997		19	16	88	79	18	43	25	30				149
1998		32	41	96	128	113	77	57	51	16			186
1999		23	39	37	85	68	44	43	37	45			138
2000		15	37	101	148	104	55	57	47				184
2001	25	67	80	124	103	66	52	70	62	4			188
2002	14	*	33	44	56	80	77	85	40	*			138
2003	6	*	40	50	46	53	51	57	13	*			99
2004		16	25	40	48	62	42	41	33	8			87
2005		32	40	32	30	36	37	38	33	9			77
2006	15	27	32	27	27	24	6	6					56
2007	14	14	18	37	33	30	23	17	6				62
2008		12	10	10	22	28	63	53	39	8			86
2009		11	52	65	63	74	65	62	50				125
2010		24	54	81	123	109	76	70	70	24			147
<b>Average</b>													
<b>70-79</b>	*	73	123	94	110	94	68	67	53	51	43	6	152
<b>80-89</b>	33	51	78	87	100	104	101	88	104	65	44	25	203
<b>90-99</b>	26	35	58	91	80	77	66	50	50	34			169
<b>00-09</b>	15	25	37	53	58	56	47	49	36	6			110
<b>85-09</b>	20	33	52	75	76	73	66	56	52	30	10	25	151

\* Confidential information – less than 3 boats fishing.

**Appendix 7. Alaska District 101 hours open to commercial purse seine fishing, 1971-2010.**

	Statistical Week												Total
	27	28	29	30	31	32	33	34	35	36	37	38	
1970		60	108	84	84	84	108	132	132	84			876
1971							36	84	108	108	108	84	528
1972		60	84	108	84	108	84	108	84	60	36		816
1973				36	60	84	60						240
1974			36	15	36	54	63	63	84	39			390
1975						36	36	60	60				192
1976									45	84	108		237
1977				12	51	45	45	39	15	39			246
1978		60	36	48	75	15	63	102	111	38			548
1979						63	102	63					228
1980				15	15	63	102	111	102	87			495
1981					15	78	78	75					246
1982		15	39	39	12	30	54	78	78	102	63		510
1983			15	30	78	54	78	38	62	110			465
1984		15	39	39	54	78	78	63	63		39		468
1985			39	54	126	78	39	174	87	39	39	39	714
1986		15	39	54	54	78	78	63	87	102		15	585
1987			15	30	15	39	39						138
1988		15	30	15	15	39	54	15					183
1989	15	15	54	78	39	126	87	63	87				564
1990	15	15	15	39	30	54	78	63	54				363
1991		30	78	54	78	78	57	60	39				474
1992		30	30	30	78	78	57	60	78	15			456
1993		30	30	30	54	78	78	39	77	77			493
1994		30	54	30	30	54	78	57	60	39			432
1995	15	15	15	30	30	78	78	57	60	39			417
1996		30	54	30	78	78	39	78	78	54			519
1997		30	30	54	54	39	78	54	15				354
1998		15	30	30	54	54	78	78	39	39			417
1999		30	30	54	78	78	39	78	78				465
2000		30	30	30	30	30	78	78	54				360
2001	15	30	30	54	78	78	39	99	120	69			612
2002	15	15	30	30	78	78	60	90	90	39			525
2003	15	30	54	78	75	84	117	117	126	39			735
2004		30	30	78	78	117	78	117	117	87			732
2005		30	30	78	78	117	117	126	78	39			693
2006	30	30	30	30	30	30	15	15					210
2007	15	15	15	30	54	117	117	78	78				519
2008		15	30	15	15	30	78	78	39	39			339
2009		15	30	30	78	78	39	78	78				426
2010		15	30	15	30	54	78	39	78	39			378
Average													
70-79		60	66	51	65	61	66	81	80	65	84	84	430
80-89	15	15	34	39	42	66	69	76	81	88	47	27	437
90-99	15	26	37	38	56	67	66	62	58	44			439
00-09	18	24	31	45	59	76	74	88	87	52			515
85-09	17	23	34	43	56	72	68	76	74	51	39	27	469

**Appendix 8. Alaska District 102 commercial purse seine pink salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970				*	13,320	20,928	79,587	141,089	120,145	372,295	180,314	11,060	4,010	*			949,506
1971									220,432	556,933	368,763	342,254	48,830	41,008	4,265		1,582,485
1972				*	28,611	*	69,675	216,068	185,196	406,968	139,455	128,094	28,550		1,263	0	1,271,120
1973					0	107,215	300,797	604,400	251,278	127,519	35,632	20,831	7,688	1,603	420	0	1,457,383
1974						8,766	65,779	93,950	146,161	106,258	160,284	53,570		5,118	23	0	639,909
1975								325,759	507,065	189,245	119,878		13,814		35	16	1,155,812
1976										430,348	742,235	546,406	122,736	5,966	3,253		1,850,944
1977					*	618,671	854,505	593,873	178,958	106,308	69,896	1,994	*		51		2,429,339
1978				88,791	104,688	471,322	1,062,135	370,381	1,737,553	1,268,347	474,551	42,289					5,620,057
1979								1,027,574	420,389	54,852			5,601				1,508,416
1980						1,886	20,219	362,089	657,324	486,215	124,583	61,529		388	248		1,714,481
1981							127,215	293,522	366,774	59,402							846,913
1982					7,918	23,187	30,535	136,748	390,097	540,645	321,986	179,231	28,893			3,403	1,662,643
1983				*	28,140	87,378	142,759	*	688,223	605,163	160,901		25,849				1,789,419
1984			16,959	87,473	123,415	53,058	487,984	555,538	728,793	130,271	124,969	23,182	9,211	2,197			2,343,050
1985				42,836	24,042	39,706	562,547	803,797	318,183	651,864	67,632	30,097	2,492			0	2,543,196
1986				*	147,186	106,205	1,036,752	*	344,889	1,250,194	292,505		4,626	*	110		5,288,556
1987						36,163	190,889	*			74,210	10,288	313	*		0	395,258
1988					2,094	1,034	115,882	286,173	191,240	422,962	51,655	185,655	34,727	12,407	780		1,304,609
1989				6,418	360,390	1,911,591	1,162,794	2,073,266	1,975,992	731,435	732,173		14,154	756	38	0	8,969,007
1990				10,099	18,694	124,813	156,658	192,405	743,782	669,632	635,220		13,657	1,463	299	0	2,566,722
1991				0	121,073	360,366	476,786	887,860	422,713	337,320	201,390	62,907	1,528	2,242	7,891	0	2,882,076
1992				34,035	13,297	24,727	22,628	90,402	431,537	736,848	812,259	41,964	5,860	3,109	839	1	2,217,506
1993				51,597	82,757	22,889	496,656	1,271,105	1,507,566	801,876	812,522	820,505	77,817	86,403	86,752	4,887	6,123,332
1994				7,414	38,034	5,376	43,003	208,020	824,490	611,097	426,769	247,649		3,569	3,831	6	2,419,258
1995				15,960	12,611	56,838	117,899	1,589,196	3,337,378	2,296,537	1,109,503	254,549	56,043	13,094	313	0	8,859,921
1996				35,474	29,098	100,334	79,702	1,787,982	3,943,665	2,339,776	2,631,063	94,591	6,447	5,119	647	0	11,053,898
1997				6,967	111,716	51,479	253,047	257,791	377,028	181,154	44,099		22,781	5,054	1,617	28	1,312,761
1998				8,568	1,191	254,043	724,621	1,108,507	1,176,665	929,970	331,393	69,802	6,573	2,760	401	102	4,614,596
1999			2,202	23,473	8,761	34,883	110,050	647,642	849,410	1,204,270	1,826,193	800,142	49,570	16,336	0	116	5,573,048
2000				1,723	782	1,151	12,446	45,819	200,072	1,228,566	752,496	412,820		10,812	383	9	2,667,079
2001	*	10,462	83,716	30,736	124,367	312,941	611,566	1,968,610	1,719,197	767,352	880,622	93,616	140,773	20,410	309	*	6,765,704
2002		1,089	57,432	55,344	23,456	65,283	*	1,968,725	1,558,524	1,569,582	599,752	55,729	14,120	3,610	89	*	6,651,545
2003		4,216	55,637	90,091	17,824	41,327	1,077,273	1,272,178	796,417	457,237	387,408	1,648	7,270	3,885	148		4,212,559
2004		*	4,366	13,412	35,568	39,547	*	566,597	965,865	1,027,357	418,953	47,352		2,384	229	0	3,128,130
2005			611	2,563	4,981	584,652	1,690,306	1,059,456	1,116,154	541,729	205,474	42,781	23,417	1,299			5,273,423
2006	*	1,735	2,679	10,233	6,381	79,036	*	108,414	53,867	27,866		6,727	674	154	1		458,184
2007	810	12,402	1,556	65,945	83,482	134,576	125,418	962,262	710,833	319,663	182,471		10,267	322			2,610,007
2008		359	14,212	18,664	32,947	44,586		437,343	1,073,798	582,452	129,637	30,609	6,186	197			2,370,990
2009		879	43,347	54,024	125,995	280,989	1,064,239	543,811	1,202,297	378,862	204,257						3,898,700
2010		912	13,926	19,589	9,888	27,337	16,860	334,960	622,559	586,301	249,506	121,132	1,967	124		2	2,005,063
Average																	
70-79				33,779	36,655	112,383	366,107	454,216	464,677	369,172	258,602	151,800	29,153	9,027	1,330	4	1,846,497
80-89				11,689	79,093	282,560	184,808	540,244	722,317	454,336	529,900	126,579	48,712	9,795	2,494	716	2,685,713
90-99			2,202	19,359	43,723	103,575	248,105	804,091	1,361,423	1,010,848	883,041	299,014	26,697	13,915	10,259	514	4,762,312
00-09	614	3,907	26,528	34,179	45,615	159,538	606,692	908,747	1,042,552	642,460	380,155	39,780	29,882	7,243	351	2	3,803,632
85-09	614	3,907	24,316	25,800	56,314	196,458	403,746	844,309	1,169,692	754,951	665,609	166,135	34,724	10,302	5,598	318	4,166,403

\* Confidential information – less than 3 boats fishing.

**Appendix 9. Alaska District 102 commercial purse seine chum salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970				*	726	1,783	4,562	6,581	11,681	31,767	23,331	12,182	18,815	*			111,968
1971									5,633	29,493	50,628	64,373	18,404	11,207	8,327		188,065
1972				*	1,506	*	2,990	12,766	14,303	21,138	17,851	42,444	13,737		38,870	23,308	192,614
1973					0	3,424	14,244	31,695	20,590	23,846	33,300	94,785	105,896	44,328	19,102	1,517	392,727
1974						1,152	3,816	6,020	6,530	12,498	50,159	25,779		116,956	16,302	3,310	242,522
1975								12,664	32,401	23,819	39,106		39,903		10,652	11,980	170,525
1976										15,246	53,760	83,312	43,310	9,201	37,170		241,999
1977						*	8,928	8,944	10,849	6,178	6,908	44,847	17,538	*	36,079		156,849
1978				4,585	3,427	9,011	16,035	11,911	34,820	61,316	81,607	21,738					244,450
1979								19,207	13,909	6,768			22,346				62,230
1980						2,322	1,257	5,429	21,855	30,895	29,921	29,140		1,578	4,677		127,074
1981							1,229	5,483	8,032	3,054							17,798
1982					1,026	1,778	1,340	4,478	9,624	14,387	21,333	11,013	2,469			60,298	127,746
1983					*	564	434	338	*	4,781	17,160	10,911		13,381			47,747
1984				493	1,807	3,193	1,395	13,724	18,972	44,172	14,144	32,742	27,645	23,223	22,151		203,661
1985					1,858	783	268	11,358	6,758	14,365	43,764	9,243	32,928	8,013		3,139	132,477
1986					*	5,093	8,622	16,048	*	8,081	30,684	33,709		6,406	*	59,739	201,432
1987							707	3,351	*			13,037	30,120	7,306	*	5,163	84,818
1988					414	175		3,835	13,712	5,592	14,277	6,626	58,932	28,812	52,421	31,819	216,615
1989				1,753	4,773	14,594	9,695	28,885	20,043	25,031	32,915		6,095	6,962	12,478	30,294	193,518
1990				1,690	1,341	3,439	2,657	4,003	13,812	18,464	26,202		10,410	9,389	4,404	9,510	105,321
1991				0	4,007	5,354	5,958	13,948	5,017	15,512	31,933	10,540	22,569	66,118	54,071	38,224	273,251
1992				2,167	2,425	1,806	2,767	4,658	9,587	22,964	65,796	16,294	17,380	22,847	34,106	9,537	212,334
1993				4,159	6,149	1,786	20,098	17,578	24,920	22,663	47,936	37,617	5,384	17,802	40,288	58,219	304,601
1994				16,859	30,971	22,413	13,752	29,841	22,623	19,324	25,986	43,004		30,445	82,054	45,887	383,159
1995				14,918	33,726	36,565	30,974	59,737	147,733	84,693	69,616	32,720	48,358	66,224	50,502	23,064	698,830
1996				113,841	66,903	43,520	9,119	59,728	88,371	104,758	99,924	13,173	19,399	35,428	21,764	24,586	700,514
1997				7,524	94,221	76,196	47,436	13,754	25,131	20,474	17,058		23,824	24,592	75,236	51,096	476,542
1998				32,510	44,584	123,286	82,562	65,124	74,807	56,115	66,298	47,023	48,424	148,652	222,112	90,470	1,101,967
1999			2,100	36,835	13,401	44,862	63,917	37,404	31,070	38,306	53,288	38,209	3,044	94,460	106,061	31,188	594,145
2000				3,377	5,524	8,941	48,177	55,878	23,982	56,150	84,386	85,408		133,491	45,215	37,672	588,201
2001	*	43,620	45,162	17,095	36,114	30,952	27,492	29,956	17,363	33,525	80,648	22,642	86,480	75,655	47,319	*	604,087
2002		2,396	39,535	38,462	22,507	21,435	*	36,490	37,753	33,006	50,555	13,135	23,390	46,122	29,599	*	418,568
2003		3,889	25,435	56,673	7,697	11,636	15,973	21,318	18,392	29,216	39,022	10,353	24,358	58,806	58,374		381,142
2004		*	3,501	18,502	26,319	9,763	*	40,669	30,707	55,558	70,174	51,792		77,237	22,713	964	409,106
2005			712	2,238	7,601	17,428	27,776	22,951	14,780	16,189	17,770	6,919		9,484	3,315		147,163
2006	*	10,408	51,837	127,254	62,488	70,810	*	14,027	7,771	3,879		17,365	6,839	5,543	4,924		407,765
2007	6,402	76,350	51,095	143,385	44,367	63,952	16,523	18,546	28,192	20,722	28,107		15,827	2,794			516,262
2008		1,675	33,555	85,159	80,180	26,297		14,113	18,347	14,702	14,474	3,012	2,352	1,582			295,448
2009		22,566	119,029	90,445	52,577	50,873	30,673	5,433	20,577	7,238	18,897						418,308
2010		1,307	56,970	120,810	59,192	17,972	11,519	12,746	23,674	26,714	39,551	43,395	9,798	3,488		4,180	431,316
Average																	
70-79				1,681	1,415	3,148	8,429	13,724	16,746	23,207	39,628	48,683	34,994	33,090	23,786	10,029	200,395
80-89				1,123	1,799	3,563	2,772	9,293	13,009	16,706	25,525	18,303	26,365	11,960	19,381	31,742	135,289
90-99			2,100	23,050	29,773	35,923	27,924	30,578	44,307	40,327	50,404	29,823	22,088	51,596	69,060	38,178	485,066
00-09	2,575	20,188	37,324	58,474	34,879	35,132	24,823	22,749	25,003	29,842	45,006	17,888	26,541	45,635	30,208	11,925	418,605
85-09	2,575	20,188	34,122	38,904	27,344	30,466	22,693	23,869	30,582	31,448	44,815	22,443	25,585	41,007	47,215	29,454	394,623

\* Confidential information – less than 3 boats fishing.

**Appendix 10. Alaska District 102 commercial purse seine sockeye salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970				*	905	2,496	4,184	4,382	2,124	1,579	440	98	9	*			16,327
1971									3,568	7,424	1,636	2,597	46	9	1		15,281
1972				*	1,981	*	3,159	5,303	3,611	3,971	882	397	36		32	0	22,152
1973					0	6,821	8,895	7,661	2,725	1,043	170	23	13	16	2	0	27,369
1974						1,198	3,592	3,503	3,944	1,812	1,226	229		47	4	0	15,555
1975								5,229	4,336	1,970	872		111		2	0	12,520
1976										1,855	1,949	614	186	9	9		4,622
1977						*	15,549	11,159	8,487	1,936	767	1,127	115	*	5		39,389
1978				7,289	5,236	10,310	14,272	4,798	6,325	3,130	1,021	205					52,586
1979								13,983	5,034	1,513			312				20,842
1980						448	3,199	6,557	11,619	3,801	716	333		0	8		26,681
1981							8,374	8,379	6,560	653							23,966
1982					2,629	5,856	3,352	4,393	3,241	2,412	1,041	235	36			1	23,196
1983					*	2,525	1,721	1,014	*	2,451	1,989	868		36			10,980
1984				319	3,712	5,844	1,429	4,655	2,139	2,975	268	299	25	0	0		21,665
1985					8,285	5,015	1,648	8,171	4,167	4,913	3,957	120	27	0		1	36,304
1986					*	5,476	5,202	6,673	*	1,300	2,438	647		15	*	2	32,711
1987							4,786	8,146	*			632	627	4	*	0	17,274
1988					2,025	592		5,941	3,556	673	1,382	176	320	87	47	2	14,801
1989				1,219	7,013	20,919	8,230	9,685	6,902	2,216	1,404		33	18	2	0	57,641
1990				1,631	4,115	13,242	7,550	5,732	9,767	5,179	3,936		48	15	6	1	51,222
1991				0	7,996	10,515	7,745	8,389	3,320	3,144	1,652	218	165	83	27	0	43,254
1992				2,264	3,903	4,158	3,715	2,069	5,239	5,840	5,610	321	136	83	110	4	33,452
1993				2,433	10,044	3,021	32,408	34,329	21,942	9,565	6,546	2,953	128	164	301	68	123,902
1994				1,193	4,569	485	2,067	4,329	5,236	4,632	4,559	1,349		116	128	15	28,678
1995				1,343	2,409	5,805	3,596	11,851	30,769	10,888	5,920	554	210	78	2	0	73,425
1996				4,381	6,079	9,721	3,915	13,545	16,565	6,806	5,002	356	168	245	7	3	66,793
1997				2,712	9,527	4,961	11,528	5,707	10,432	5,243	1,352		2,013	610	286	31	54,402
1998				883	305	3,899	5,470	7,091	6,387	3,586	1,035	382	142	183	40	11	29,414
1999			407	2,645	769	4,753	6,517	8,062	6,267	4,416	3,276	1,431	45	426	91	4	39,109
2000			1,258	1,076	1,015	4,058	4,355	3,920	12,816	3,856	1,110			95	11	0	33,570
2001	*	2,998	5,205	2,076	4,688	15,339	9,929	8,427	2,640	1,312	1,122	128	112	25	1	*	54,032
2002		1,507	3,700	4,134	2,811	1,993	*	5,444	3,073	1,590	771	111	58	32	8	*	29,667
2003		366	1,507	4,209	887	1,008	9,674	9,601	4,613	3,751	2,525	137	37	40	2		38,357
2004		*	2,079	4,727	3,995	1,637	*	12,684	9,490	7,322	2,247	666		176	70	0	45,560
2005			104	141	123	2,684	10,258	7,104	7,869	6,655	3,569	578		466	59		39,610
2006	*	282	1,159	1,924	979	2,162	*	4,480	2,863	984		480	142	21	1		19,558
2007	679	1,825	902	5,791	1,628	3,993	1,408	6,615	3,912	1,726	1,057		181	10			29,727
2008		112	1,276	2,451	1,899	648		690	2,231	552	187	28	3	0			10,077
2009		1,355	4,780	7,735	4,617	4,115	7,453	4,025	7,984	1,736	1,289						45,089
2010		180	3,989	7,208	2,733	3,441	1,802	5,590	4,957	3,081	2,285	1,377	56	9		1	36,709
<b>Average</b>																	
<b>70-79</b>				2,515	2,031	3,937	8,275	7,002	4,462	2,623	996	661	104	28	8	0	22,664
<b>80-89</b>				769	3,880	5,834	4,216	6,361	4,909	2,377	1,649	414	178	20	11	1	26,522
<b>90-99</b>			407	1,949	4,972	6,056	8,451	10,110	11,592	5,930	3,889	946	339	200	100	14	54,365
<b>00-09</b>	237	1,067	2,197	3,426	2,264	3,764	5,774	6,299	5,749	2,948	1,542	304	89	96	22	0	34,525
<b>85-09</b>	237	1,067	2,034	2,618	3,882	5,425	6,798	8,108	7,944	4,079	2,693	593	242	125	58	7	41,905

\* Confidential information – less than 3 boats fishing.

**Appendix 11. Alaska District 102 commercial purse seine Chinook salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970				*	19	16	66	50	16	18	28	2	4	*			219
1971									348	87	33	14	2	10	1		495
1972				*	99	*	91	169	73	184	40	6	15		2	1	794
1973					0	147	111	297	197	82	7	10	2	2	1	0	856
1974						27	197	66	108	15	66	32		12	0	0	523
1975								29	121	245	110		29		3	4	541
1976										71	53	66	18	0	7		215
1977						*	108	60	116	48	21	21	15	*	9		401
1978				307	540	667	887	84	136	168	176	10					2,975
1979								597	505	31			4				1,137
1980						11	26	79	57	36	20	7		1	0		237
1981							355	274	336	58							1,023
1982					99	347	106	537	721	1,049	507	137	6			1	3,510
1983					*	17	15	10	*	27	4	7		1			81
1984				6	73	110	15	167	84	124	5	6	1	0	0		591
1985					242	99	38	225	18	0	0	0	0	0		0	622
1986					*	0	218	71	*	0	0	0	0	0	*	0	292
1987							0	82	*			38	9	0	*	0	133
1988					0	0		0	116	23	55	0	0	0	0	0	194
1989				9	0	1	57	129	27	0	54		1	0	0	0	278
1990				0	0	0	0	76	50	0	29		0	2	0	0	157
1991				0	0	0	63	12	10	10	0	0	0	0	0	0	95
1992				0	0	0	0	14	114	1	0	0	0	0	0	0	129
1993				0	0	0	2	39	102	12	9	8	2	5	1	0	180
1994				0	0	0	0	21	34	1	4	0	0	0	0	0	60
1995				0	0	0	0	0	0	0	0	0	0	0	0	0	0
1996				0	0	0	0	0	0	0	0	0	0	0	0	0	0
1997				0	0	1	0	2	19	1	0	0	0	0	0	0	23
1998				0	0	0	0	29	0	21	2	0	0	0	0	0	52
1999				0	0	0	0	11	31	15	9	0	0	0	0	0	66
2000				0	0	0	0	0	77	3	3			0	1	0	84
2001	*	0	12	0	0	60	81	124	35	1	7	1	0	0	0	*	321
2002		0	0	24	5	110	*	145	54	64	9	0	0	0	0	*	811
2003		0	0	9	4	12	148	152	42	14	19	0	0	0	0	0	400
2004		*	198	283	626	139	*	247	194	4	0	0		0	0	0	1,708
2005			54	11	40	26	74	46	106	73	4	0		1	0		435
2006	*	225	296	202	52	136	*	65	16	0	0	0	1	0	0		1,069
2007	117	919	355	447	94	127	21	63	0	0	0	0	0	0	0		2,143
2008		0	0	0	0	0		2	11	1	0	0	0	0			14
2009		321	297	398	53	59	166	35	89	11	0						1,429
2010		0	0	0	0	0	0	8	14	12	1	3	1	0		0	39
Average																	
70-79				102	165	162	243	169	180	95	59	20	11	4	3	1	816
80-89				8	59	73	92	157	137	146	81	24	3	0	0	0	696
90-99			0	0	0	0	7	20	36	6	5	1	0	1	0	0	76
00-09	40	185	121	137	87	67	107	88	62	17	5	0	0	0	0	0	841
85-09	40	185	110	66	47	32	58	64	46	11	9	2	1	0	0	0	428

\* Confidential information – less than 3 boats fishing.

**Appendix 12. Alaska District 102 commercial purse seine coho salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970				*	203	1,083	3,391	5,353	4,980	11,388	6,681	1,734	699	*			35,682
1971									5,910	11,510	17,168	19,924	2,922	891	25		58,350
1972				*	1,653	*	1,865	5,869	5,811	8,236	5,289	9,719	3,157		4,112	767	49,392
1973					0	924	2,404	6,802	6,649	4,699	1,140	3,418	2,911	1,601	260	0	30,808
1974						557	2,204	3,573	5,190	4,549	10,582	5,025		2,635	589	16	34,920
1975								3,012	5,324	6,843	9,140		7,619		1,705	387	34,030
1976										3,439	6,277	12,945	6,543	336	1,120		30,660
1977						*	2,866	2,719	6,378	5,588	6,366	18,740	5,631	*	818		51,649
1978				3,550	4,019	6,347	11,870	4,641	11,134	11,842	12,596	6,232					72,231
1979								13,014	7,897	2,353			4,253				27,517
1980						281	442	1,660	3,961	3,964	2,086	3,193		69	46		15,702
1981							3,752	5,517	5,493	1,378							16,140
1982					2,736	4,711	2,620	5,921	9,905	10,956	6,818	2,652	392			1,325	48,036
1983					*	845	1,180	552	*	5,791	13,756	7,865		763			31,045
1984				356	1,295	1,084	967	7,901	8,373	15,467	3,876	3,304	1,392	1,306	706		46,027
1985					5,250	2,459	1,097	8,578	5,322	8,091	14,636	2,276	2,243	563		141	50,656
1986					*	3,201	5,397	8,379	*	2,545	16,764	10,362		1,306	*	1,109	61,858
1987							2,068	5,558	*			2,931	3,700	206	*	38	16,071
1988					609	199		1,803	3,347	947	3,442	393	3,102	1,239	1,293	79	16,453
1989				1,857	6,959	7,808	5,344	7,869	6,958	5,623	6,976		1,289	539	586	406	52,214
1990				1,675	2,759	5,614	3,076	5,176	8,061	14,983	17,900		994	749	558	316	61,861
1991				0	3,821	3,186	3,532	4,126	1,924	4,479	2,268	1,209	2,233	3,967	454	251	31,450
1992				461	722	511	339	1,363	5,277	9,715	15,238	3,688	3,182	2,873	4,051	369	47,789
1993				2,267	6,418	1,419	4,922	7,060	7,632	4,583	7,521	6,052	604	1,262	4,859	2,635	57,234
1994				1,222	6,074	1,744	1,719	2,782	7,894	7,708	11,750	8,231		3,907	6,458	3,626	63,115
1995				219	358	930	1,203	8,876	14,010	12,964	17,125	2,354	3,517	3,097	473	115	65,241
1996				1,305	967	1,898	710	3,405	14,504	9,741	14,676	2,722	558	2,762	63	31	53,342
1997				224	625	1,345	1,551	1,217	2,961	1,769	488		1,790	1,264	1,020	230	14,484
1998				504	506	5,793	5,506	9,368	10,131	7,077	7,320	4,982	2,271	9,574	5,261	2,863	71,156
1999																	
2000			363	1,627	1,813	2,588	3,723	4,678	4,056	4,749	6,623	6,800	521	3,837	708	208	42,294
2001	*	2,101	3,201	469	510	2,310	2,549	2,120	7,514	4,630	4,771			2,533	1,023	83	29,533
2002		210	6,111	781	26,168	13,798	13,806	11,332	9,011	6,023	14,398	3,213	9,966	3,582	1,814	*	119,407
2003		1,803	3,039	6,726	1,456	2,543	7,047	10,258	9,063	8,569	10,518	2,671	916	2,015	280		66,904
2004		*	1,248	2,675	4,213	2,057	*	5,868	5,200	7,529	5,907	1,978		2,912	1,803	84	41,803
2005			1,028	241	589	1,908	6,609	5,595	4,658	4,032	2,737	751		3,909	795		32,852
2006	*	422	1,977	2,054	1,099	2,049	*	1,732	792	420		1,737	1,335	298	23		15,596
2007	692	6,937	1,463	3,849	1,041	2,290	726	3,819	4,274	3,436	2,552		978	114			32,171
2008		283	4,000	5,768	3,146	1,774		2,437	8,916	4,036	2,561	364	846	348			34,479
2009		1,900	3,584	4,114	3,118	3,630	9,663	4,813	9,149	4,212	5,452						49,635
2010		423	4,722	3,235	1,325	888	809	2,213	5,344	6,380	6,098	7,882	1,093	633		19	41,064
<b>Average</b>																	
<b>70-79</b>				1,288	1,469	1,946	4,100	5,623	6,586	7,045	8,360	9,717	4,217	1,335	1,233	293	42,524
<b>80-89</b>				1,107	2,607	2,574	2,541	5,374	5,588	6,085	8,544	4,122	2,020	749	563	516	35,420
<b>90-99</b>			363	950	2,406	2,503	2,628	4,805	7,645	7,777	10,091	4,505	1,741	3,329	2,391	1,064	50,797
<b>00-09</b>	261	1,727	2,667	3,213	4,411	3,558	5,875	6,044	7,058	5,115	6,421	1,794	2,820	1,993	983	73	50,049
<b>85-09</b>	261	1,727	2,458	2,071	3,431	3,095	4,046	5,627	6,997	6,089	8,718	3,398	2,259	2,295	1,591	669	48,228

\* Confidential information – less than 3 boats fishing.

**Appendix 13. Alaska District 102 commercial purse seine boats fishing, 1971-2010.**

	Statistical Week																			Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
1970				*	15	22	59	84	66	97	88	31	38	*					198	
1971									57	71	92	83	31	20	13				154	
1972				*	30	*	42	94	77	97	89	109	53		39	34			231	
1973					0	52	79	140	130	124	73	56	79	90	46	3			248	
1974						16	64	43	53	41	63	80		85	53	12			209	
1975								73	108	103	108		159		83	70			219	
1976										124	145	156	119	31	73				230	
1977							*	68	114	137	111	109	110	108	*	64			255	
1978				111	86	135	146	104	175	185	143	86							298	
1979								183	105	45			78						221	
1980						9	13	50	112	94	74	57		26	13				196	
1981								58	44	73	67								136	
1982					16	29	66	61	48	80	45	33	18				29		179	
1983					*	14	13	21	*	79	102	45		33					171	
1984				6	32	26	14	58	62	89	54	106	30	32	35				216	
1985					41	17	11	46	48	46	98	33	34	7				5	170	
1986					*	42	33	44	*	30	74	58		12	*				182	
1987							12	39	*			61	48	22	*				144	
1988					8	5		30	64	48	96	50	135	99	86	29			240	
1989				10	52	111	72	104	113	64	67		37	12	7	10			227	
1990				24	15	69	27	21	59	76	108		35	23	30	17			205	
1991				0	31	68	39	53	41	46	29	8	33	32	32	11			168	
1992				18	28	23	6	10	37	68	100	49	46	46	42	14			179	
1993				27	36	11	28	74	71	54	64	73	20	28	38	35			183	
1994				21	15	17	13	17	39	50	49	59		17	32	23			135	
1995				13	18	28	23	70	131	125	102	47	48	39	28	18			217	
1996				37	32	24	8	57	126	126	115	12	9	15	6	7			217	
1997				6	38	30	35	35	65	28	12		40	30	25	19			134	
1998				22	14	48	76	70	66	60	45	22	31	43	46	28			196	
1999			11	15	18	14	21	39	41	47	64	70	3	48	30	14			153	
2000			18	3	7	22	21	27	75	63	79			66	46	21			177	
2001	*	19	44	15	47	39	37	72	72	50	67	12	54	34	29	*			182	
2002		3	21	44	14	20	*	72	81	62	38	9	30	29	27	*			142	
2003		9	8	29	7	8	33	45	37	38	22	5	8	11	16				91	
2004		*	10	9	15	5	*	25	39	38	30	12		18	15	3			67	
2005			6	4	4	19	41	29	46	38	21	8		16	9				73	
2006	*	4	15	19	15	20	*	19	19	9		21	19	9	9				66	
2007	6	23	37	41	26	23	12	29	30	28	21		12	5					83	
2008		11	17	29	31	19		33	54	37	18	8	13	10					104	
2009		18	36	50	19	33	60	26	60	45	23								128	
2010		9	35	48	31	21	11	18	32	42	29	32	13	11				9	103	
Average																				
70-79				41	33	44	76	104	101	100	101	89	83	48	53	30			226	
80-89				8	23	32	32	50	69	66	76	55	50	30	33	19			186	
90-99			11	18	25	33	28	45	68	68	69	43	29	32	31	19			179	
00-09	3	11	21	24	19	21	29	38	51	41	35	11	23	22	22	10			111	
85-09	3	11	20	21	23	30	29	43	63	53	58	32	34	28	29	16			155	

\* Confidential information – less than 3 boats fishing.

**Appendix 14. Alaska District 102 hours open to commercial purse seine fishing, 1971-2010.**

	Statistical Week																			Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
1970				60	84	84	84	84	108	132	132	84	34						886	
1971									60	84	132	108	108	84	36				612	
1972				60	108	108	84	108	84	108	84	60	36		36	33			909	
1973					36	60	60	84	60	36	39	84	57	57	33	15			621	
1974						15	36	54	63	60	84	39		36	33	15			435	
1975									36	60	60		36		36	28			292	
1976										15	45	84	108	34	58				344	
1977						12	51	45	45	39	15	39	15	39	36				336	
1978				15	36	48	75	30	63	102	111	38							518	
1979								63	102	63			36						264	
1980						15	15	63	102	111	63	87		4	28				488	
1981								30	78	78	39								225	
1982					39	39	12	30	54	78	78	102	63			112			607	
1983					15	30	78	54	78	39	63	111		34					502	
1984				15	39	39	54	78	78	63	63	39	39	87	63				657	
1985					39	54	54	78	39	174	87	39	39	15		36			654	
1986					39	54	54	78	78	63	87	102		15	12	99			681	
1987							15	39	39			15	36	12	24	12			192	
1988					30	15		39	54	15	54	30	36	24	77	168			542	
1989				15	54	78	39	126	87	63	87		12	36	89	115			801	
1990				15	15	39	30	54	78	63	54		12	12	12	36			420	
1991				15	78	54	78	78	39	99	78	39	36	48	77	168			887	
1992				15	30	30	78	78	57	60	78	15	12	36	101	156			746	
1993				15	30	30	54	78	78	39	77	77	12	12	26	113			641	
1994				30	54	30	30	54	78	57	60	78	36	101	108	716				
1995				15	15	30	30	78	78	57	63	39	36	84	84	113			722	
1996				30	54	30	78	78	39	78	78	54	36	96	89	168			908	
1997				15	30	54	54	39	78	54	15		24	36	36	144			579	
1998				15	30	30	54	54	78	78	39	39	36	60	161	84			758	
1999			87	84	30	54	78	78	39	78	78		150	161	168	168			1,253	
2000			87	87	30	30	30	30	78	78	54			36	151	168			859	
2001	39	87	87	30	30	54	78	78	39	78	105	69	77	108	84	67			1,110	
2002		87	111	87	30	30	78	78	60	90	90	39	36	84	161	91			1,152	
2003		87	102	93	54	78	87	117	117	117	126	39	36	84					1,137	
2004		87	87	93	93	78	78	117	78	78	174	87		36	84	84			1,254	
2005			87	93	30	78	87	87	165	87	126	39		36	36				951	
2006	87	87	93	93	30	30	30	30	15	15			12	36	36	12			606	
2007	87	87	78	78	15	30	54	87	174	87	78			36	36				927	
2008		87	111	78	30	15		30	78	78	39	39	12	12					609	
2009		87	87	78	30	30	78	78	39	78	78								663	
2010		87	111	102	30	15	15	54	78	39	78	39	12	12			12		684	
Average																				
70-79				45	66	55	65	63	69	70	78	67	54	50	38	23			522	
80-89				15	36	41	39	66	69	72	73	66	38	28	49	90			535	
90-99			87	25	37	38	56	67	64	66	62	49	39	58	85	126			763	
00-09	71	87	93	81	37	45	67	73	84	79	97	46	39	52	88	102			927	
85-09	71	87	92	51	38	43	58	70	71	73	78	47	37	48	79	110			791	

**Appendix 15. Alaska District 103 commercial purse seine pink salmon catch, 1971-2010.**

	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970			*	1,010	277,386	729,788	475,632	46,734					1,530,550
1971					*	230,142	225,433	183,888	118,511		*		894,851
1972					97,167	234,489	184,511	74,516	17,992		65		608,740
1973				32,102	106,713	49,080							187,895
1974				59,367	102,228	311,391	173,217	15,522					661,725
1975					168,592	302,395	102,044						573,031
1976	*						547,300	343,894	222,493		*		1,114,091
1977					309,256	121,817	17,985	2,957		96			452,111
1978					132,680	414,633	258,222	29,579					835,114
1979					837,606	111,373							948,979
1980				12,552	882,125	1,527,235	560,925	18,232					3,001,069
1981			119,531	1,539,321	2,551,856	741,771	223,595	96,839					5,272,913
1982							215,958	161,822	375,624	142,302			895,706
1983					1,014,151	1,043,532	563,101	76,004					2,696,788
1984				*	246,695	1,201,624	781,774						2,250,363
1985					3,391,881	3,870,910	375,961	77,300					7,716,052
1986				*	1,293,777	2,370,684	3,007,935	385,435					7,062,766
1987						173,568		39,589	9,427	193			222,777
1988						123,914	653,713	258,799	81,176				1,117,602
1989		30,022	589,344	1,055,997	1,300,540	569,570	105,691						3,651,164
1990			73,986	186,498	1,432,061	621,200	647,956						2,961,701
1991		53,928	105,372	792,972	1,427,155	1,395,194	788,250	73,853					4,636,724
1992				27,918	46,147	232,370	413,814	2,706					722,955
1993			*	*	903,591	2,353,240	2,071,773	1,292,873					6,796,552
1994			10,046	*	424,835	826,121	780,507	203,409					2,255,584
1995			*	171,057	484,259	1,092,897	1,124,052	133,108					3,011,423
1996	*		*	322,102	696,463	2,104,428	1,640,938	151,334					4,944,995
1997			151,067	74,080	347,636	209,500	50,558						832,841
1998			32,291	223,730	979,711	2,027,002	558,593	193,925					4,015,252
1999					398,075	1,503,305	2,796,591	1,182,249					5,880,220
2000			*	*	840,117	963,874	392,139						2,208,244
2001	19,409	62,773	157,825	1,516,941	2,601,944	2,292,934	2,250,910	657,894	94,346	1,270			9,656,246
2002				481,093	1,235,769	2,236,828	972,351	16,222					4,942,263
2003		39,269	395,814	550,030	1,309,015	1,008,241	247,898						3,550,267
2004			77,774	264,999	607,327	650,870	178,680	*		*			1,779,650
2005		132,821	1,647,838	1,691,016	1,834,904	1,599,782	181,605	19,273					7,107,239
2006		*	76,718	168,082	58,486	59,578			1,296	*			369,002
2007			918,334	4,449,641	2,735,544	716,997	232,745		*	*			9,060,134
2008			20,885	60,042	790,356	1,473,598	294,077	*	8,405	*			2,727,637
2009		18,359	531,246	1,174,046	1,056,734	1,119,578	517,525						4,417,488
2010			*	*	394,688	623,386	221,818	7,960					1,335,314
<b>Average</b>													
<b>70-79</b>	*		0	30,826	240,943	278,345	248,043	99,584	119,665	96	163		780,709
<b>80-89</b>		30,022	354,438	526,615	1,525,861	1,183,877	714,946	165,978	77,635	193			3,388,720
<b>90-99</b>	*	53,928	50,758	220,455	713,993	1,236,526	1,087,303	404,182					3,605,825
<b>00-09</b>	19,409	51,599	425,240	1,036,728	1,307,020	1,212,228	585,326	154,710	27,520	458			4,581,817
<b>85-09</b>	10,944	48,849	267,920	638,681	1,138,971	1,263,847	881,924	280,478	33,447	414			4,065,871

\* Confidential information – less than 3 boats fishing.

**Appendix 16. Alaska District 103 commercial purse seine chum salmon catch, 1971-2010.**

	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970			*	80	30,609	103,149	99,441	30,650					263,929
1971					*	13,826	88,753	104,656	61,632		*		273,338
1972					4,554	32,175	33,678	35,351	21,488		19,651		146,897
1973				4,798	14,527	28,416							47,741
1974				1,167	1,469	10,156	12,620	10,674					36,086
1975					23,825	40,126	38,193						102,144
1976	*						55,766	42,155	33,346		*		136,475
1977					10,336	6,358	1,106	1,344		8,159			27,303
1978					685	8,151	15,843	6,665					31,344
1979					15,187	7,344							22,531
1980				501	11,568	44,431	26,871	2,102					85,473
1981			1,051	16,919	37,460	28,641	12,751	5,216					102,038
1982						9,347	4,732	14,375	20,050				48,504
1983					4,388	10,434	14,018	3,963					32,803
1984				*	4,178	24,660	39,503						70,136
1985					18,146	49,647	9,298	4,466					81,557
1986				*	31,872	46,971	51,912	21,476					152,751
1987						12,838		10,802	17,171	1,785			42,596
1988						2,580	23,964	19,104	17,446				63,094
1989		186	3,104	6,811	12,061	14,970	12,764						49,896
1990			925	4,003	4,931	13,035	18,398						41,292
1991		781	1,234	13,005	19,982	32,568	26,996	4,531					99,097
1992				3,012	2,213	22,177	33,030	801					61,233
1993			*	*	5,858	27,530	28,645	26,695					90,184
1994			0	*	6,575	7,106	31,806	25,539					71,026
1995			*	7,664	22,178	51,542	80,753	19,438					182,449
1996	*		*	6,085	10,133	59,554	24,170	4,529					104,901
1997			3,080	989	6,879	4,013	1,955						16,916
1998			4,801	2,643	27,614	62,832	65,129	30,214					193,233
1999					9,811	25,774	35,220	16,124					86,929
2000			*	*	55,434	90,900	45,664						196,073
2001	2,181	10,137	5,117	31,701	45,145	106,486	72,235	13,717	19,777	6,328			312,824
2002				29,850	48,268	96,001	46,405	1,512					222,036
2003		752	15,159	18,298	41,805	60,543	23,628						160,185
2004			7,358	14,254	18,095	46,700	34,249	*		*			120,749
2005		1,746	15,076	22,445	21,228	27,901	8,983	1,810					99,189
2006		*	6,268	19,903	14,460	12,671			4,576	*			61,398
2007			20,829	83,096	64,967	28,211	23,080		*	*			228,941
2008			4,510	3,868	40,024	72,426	22,800	*	3,508	*			156,074
2009		732	10,801	11,540	14,289	21,467	14,593						73,422
2010			*	*	19,862	18,920	18,236	2,439					62,078
<b>Average</b>													
<b>70-79</b>	*		0	2,015	11,554	27,745	43,175	33,071	38,822	8,159	8,846		108,779
<b>80-89</b>		186	2,078	5,309	17,096	24,452	21,757	10,188	18,222	1,785			72,885
<b>90-99</b>	*	781	1,392	4,317	11,617	30,613	34,610	15,984					94,726
<b>00-09</b>	2,181	2,861	9,556	23,814	36,372	56,331	32,404	5,075	8,388	2,535			163,089
<b>85-09</b>	1,196	2,182	5,569	13,540	23,564	39,858	31,986	12,300	11,361	2,410			118,722

\* Confidential information – less than 3 boats fishing.

**Appendix 17. Alaska District 103 commercial purse seine sockeye salmon catch, 1971-2010.**

	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970			*	16	4,098	1,752	345	50					6,261
1971					*	4,385	1,833	350	191		*		9,991
1972					1,845	2,874	603	92	12		0		5,426
1973				694	1,923	242							2,859
1974				4,787	1,092	1,673	382	18					7,952
1975					2,170	6,586	2,534						11,290
1976	*						1,942	478	2,362		*		4,783
1977					4,009	1,816	66	12		0			5,903
1978					395	719	268	0					1,382
1979					3,603	1,081							4,684
1980				336	4,976	2,854	897	64					9,127
1981			1,035	7,890	13,792	13,654	460	398					37,229
1982						508	190	117	83				898
1983					6,103	2,582	1,652	118					10,455
1984				*	214	2,341	674						3,384
1985					11,537	13,716	854	156					26,263
1986				*	4,122	5,143	3,901	443					13,689
1987						1,188		166	80	1			1,435
1988						395	1,474	482	26				2,377
1989		442	4,215	7,185	6,888	2,553	204						21,487
1990			1,485	1,974	6,312	4,998	4,581						19,350
1991		1,085	1,165	3,814	5,881	3,933	2,836	148					18,862
1992				1,072	317	1,368	1,697	3					4,457
1993			*	*	4,839	19,111	14,967	10,269					50,670
1994			0	*	3,882	3,296	6,390	1,724					15,292
1995			*	1,003	2,280	2,924	2,701	1,288					10,245
1996	*		*	3,387	2,110	15,059	2,400	290					24,187
1997			6,374	1,039	12,785	8,349	1,425						29,972
1998			830	1,722	9,325	4,175	1,247	156					17,455
1999					1,528	2,490	3,079	859					7,956
2000			*	*	7,250	6,512	1,478						16,624
2001	1,937	10,919	2,856	4,836	2,875	2,221	1,266	49	0	0			26,959
2002				1,457	2,069	1,415	760	24					5,725
2003		765	3,575	7,554	7,622	4,039	1,099						24,654
2004			10,345	3,062	5,415	3,897	1,121	*		*			23,920
2005		2,148	12,501	9,512	8,233	14,477	1,643	80					48,594
2006		*	8,415	11,621	5,789	1,901			8	*			28,251
2007			13,565	59,652	32,015	7,545	3,515		*	*			116,398
2008			789	412	2,177	1,750	232	*	3	*			5,448
2009		378	7,507	5,176	3,982	2,809	1,194						21,046
2010			*	*	1,882	1,101	699	90					4,312
<b>Average</b>													
<b>70-79</b>	*		0	1,832	2,485	2,348	997	143	855	0	0		6,053
<b>80-89</b>		442	2,625	3,129	6,805	4,493	1,145	243	63	1			12,634
<b>90-99</b>	*	1,085	1,359	1,714	4,926	6,570	4,132	1,842					19,845
<b>00-09</b>	1,937	2,944	6,674	10,415	7,743	4,657	1,368	64	26	4			31,762
<b>85-09</b>	989	2,321	4,175	6,040	6,488	5,411	2,611	959	35	3			23,253

\* Confidential information – less than 3 boats fishing.

**Appendix 18. Alaska District 103 commercial purse seine Chinook salmon catch, 1971-2010.**

Week	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970			*	0	21	8	121	5					155
1971					*	245	10	7	0		*		290
1972					9	108	116	2	3		2		240
1973				8	12	5							25
1974				23	5	31	31	3					93
1975					42	111	38						191
1976	*						22	16	2		*		40
1977					39	1	35	0		0			75
1978					9	33	26	0					68
1979					39	67							106
1980				3	29	31	13	0					76
1981			3	263	213	30	0	12					521
1982						46	240	96	11				393
1983					85	24	30	0					139
1984				*	2	70	8						80
1985					4	0	0	0					4
1986				*	0	0	0	0					0
1987						5		3	5	0			13
1988						3	102	4	0				109
1989		0	61	266	0	39	1						367
1990			0	28	160	10	105						303
1991		0	54	54	123	40	30	0					301
1992				0	10	0	0	0					10
1993			*	*	30	162	84	39					322
1994			0	*	33	4	39	0					76
1995			*	0	0	0	0	0					0
1996	*		*	0	0	0	22	0					22
1997			0	10	167	54	0						231
1998			0	2	64	52	12	0					130
1999					19	59	10	0					88
2000			*	*	47	2	6						55
2001	0	0	0	58	24	11	3	0	0	0			96
2002				15	13	5	1	1					35
2003		9	86	253	184	20	44						596
2004			313	151	338	3	0	*			*		805
2005		81	267	48	135	148	6	1					686
2006		16	417	415	135	82			0	*			1,065
2007			146	1,117	0	0	0		*	*			1,263
2008			10	0	21	16	2	*	0	*			50
2009		7	468	333	145	134	14						1,101
2010			*	*	24	8	12	3					47
<b>Average</b>													
<b>70-79</b>	*		0	10	23	68	50	5	2	0	1		128
<b>80-89</b>		0	32	106	48	25	44	14	5	0			170
<b>90-99</b>	*	0	7	11	61	38	30	5					148
<b>00-09</b>	0	23	190	239	104	42	8	1	0	0			575
<b>85-09</b>	0	16	101	131	72	34	21	3	1	0			309

\* Confidential information – less than 3 boats fishing.

**Appendix 19. Alaska District 103 commercial purse seine coho salmon catch, 1971-2010.**

Week	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970			*	140	10,431	17,578	11,952	3,617					43,718
1971					*	6,607	10,381	7,358	3,313		*		29,830
1972					2,143	5,660	5,527	2,633	1,202		459		17,624
1973				857	5,004	2,184							8,045
1974				1,491	4,002	7,867	9,467	2,473					25,300
1975					1,624	5,540	3,716						10,880
1976	*						5,759	7,128	4,761		*		17,666
1977					1,132	2,852	823	382		394			5,583
1978					1,239	4,750	5,613	392					11,994
1979					10,222	3,956							14,178
1980				524	4,528	10,104	5,208	361					20,725
1981			888	9,979	14,123	8,166	5,056	3,042					41,254
1982						3,026	5,124	5,110	1,953				15,213
1983					4,790	8,778	7,962	2,867					24,397
1984				*	3,026	17,480	18,093						39,646
1985					12,675	28,757	4,695	1,937					48,064
1986				*	10,463	18,298	25,942	6,394					61,517
1987						6,117		4,032	2,383	377			12,909
1988						765	6,624	3,699	720				11,808
1989		175	3,356	5,626	7,012	6,130	1,612						23,911
1990			1,293	2,076	7,194	5,758	8,934						25,255
1991		947	1,093	4,807	7,997	11,368	8,639	650					35,501
1992				827	758	4,116	10,562	103					16,366
1993			*	*	6,280	18,044	21,432	14,897					61,819
1994			0	*	3,849	5,244	13,976	9,152					32,221
1995			*	1,130	2,576	10,086	15,473	4,141					33,453
1996	*		*	1,512	1,722	6,390	5,953	686					16,357
1997			1,421	254	2,823	2,660	1,397						8,555
1998			1,035	2,472	8,643	15,363	11,669	6,695					45,877
1999					1,787	4,334	7,488	4,006					17,615
2000			*	*	4,398	6,472	5,478						17,219
2001	2,743	5,957	1,872	4,808	7,231	15,179	13,957	4,240	5	75			56,067
2002				7,755	15,076	13,306	12,561	2,186					50,884
2003		857	3,791	5,553	7,196	6,647	2,080						26,124
2004			1,234	2,237	2,521	5,749	5,653	*			*		17,442
2005		1,671	10,958	7,562	11,156	7,124	1,784	75					40,330
2006		87	1,407	2,340	1,458	844							6,237
2007			2,220	13,763	11,793	4,763	1,709		9	*	*		34,310
2008			1,825	4,075	11,974	13,283	4,043	*	136	*			36,675
2009		857	7,589	9,882	6,446	9,460	6,614						40,848
2010			*	*	4,393	4,318	2,710	151					13,387
<b>Average</b>													
<b>70-79</b>	0		0	829	4,217	6,333	6,655	3,426	3,092	394	163		18,482
<b>80-89</b>		175	2,122	3,519	8,088	10,762	8,924	3,430	1,685	377			29,944
<b>90-99</b>	6	947	622	1,583	4,363	8,336	10,552	5,041					29,302
<b>00-09</b>	2,743	1,886	3,468	5,853	7,925	8,283	5,987	1,575	49	39			32,614
<b>85-09</b>	1,375	1,507	2,197	3,753	6,653	9,050	8,621	3,780	550	96			31,095

\* Confidential information – less than 3 boats fishing.

**Appendix 20. Alaska District 103 commercial purse seine boats fishing, 1971-2010.**

Week	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970			*	5	82	110	122	78					154
1971					*	55	67	58	50			*	93
1972					46	77	104	70	38			23	141
1973				17	52	82							97
1974				20	35	82	75	41					117
1975					32	95	83						109
1976	*						99	85	75			*	121
1977					61	76	23	10		18			105
1978					32	72	59	21					97
1979					107	54							110
1980				7	88	138	153	18					190
1981			25	155	243	193	68	42					273
1982						27	34	65	57				111
1983					71	103	96	17					151
1984				*	23	125	149						181
1985					152	187	45	17					204
1986				*	106	147	172	79					209
1987						87		52	21	5			121
1988						24	159	153	30				224
1989		3	55	75	113	88	22						168
1990			10	23	94	75	110						179
1991		12	12	54	97	87	70	8					175
1992				6	12	40	52	3					79
1993			*	*	46	107	100	89					159
1994			3	*	28	45	79	30					110
1995			*	15	28	67	104	32					136
1996	*		*	16	29	85	60	6					119
1997			25	6	49	26	16						79
1998			6	12	63	96	76	37					144
1999					16	49	85	66					104
2000			2	5	57	76	55						103
2001	8	13	8	61	88	117	106	27	8	6			165
2002				30	71	79	64	4					116
2003		5	23	35	48	51	25						82
2004			9	10	24	34	17	*			*		53
2005		9	55	44	55	62	20	3					93
2006		1	14	25	15	16			3	*			42
2007			29	98	73	48	25		*	*			116
2008			13	9	38	97	41	*	5	*			117
2009		5	39	53	50	73	59						110
2010			*	*	29	46	45	7					74
<b>Average</b>													
<b>70-79</b>	*		1	14	52	78	79	52	54	18	13		114
<b>80-89</b>		3	40	49	114	112	100	55	36	5			183
<b>90-99</b>	*	12	8	16	46	68	75	34					128
<b>00-09</b>	8	7	21	37	52	65	46	11	4	2			100
<b>85-09</b>	5	7	17	28	59	75	68	37	11	3			128

\* Confidential information – less than 3 boats fishing.

**Appendix 21. Alaska District 103 hours open to commercial purse seine fishing, 1971-2010.**

Week	Statistical Week											Total	
	29	30	31	32	33	34	35	36	37	38	39		
1970					108	132	132	108					480
1971					60	84	132	108	108				492
1972					84	108	84	60	36			33	405
1973				36	60	36							132
1974					63	63	87	39					252
1975					36	60	60						156
1976							45	84	108			12	249
1977					45	39	15	39			36		174
1978					63	102	111	38					314
1979					102	63							165
1980				63	102	111	102	87					465
1981			15	78	78	78	87	39					375
1982						78	78	102	63				321
1983						78	39	63	111				291
1984				78	78	63	63						282
1985					39	174	87	39					339
1986				102	78	63	87	102					432
1987						15		15	36	12			78
1988						15	54	27	36				132
1989		39	39	126	87	63	87						441
1990			15	54	78	63	54						264
1991		54	78	78	57	60	78	39					444
1992				78	57	60	78	15					288
1993			54	78	78	39	77	77					403
1994			15	54	78	57	60	78					342
1995			30	78	78	57	60	39					342
1996	54		78	78	39	78	78	54					459
1997			54	39	78	54	15						240
1998			54	54	78	78	39	39					342
1999					39	78	78						195
2000			15	30	78	78	54						255
2001	15	54	78	78	39	78	105	158	168	91			864
2002				82	131	102	105	39					459
2003		78	87	87	174	126	126						678
2004			78	117	78	78	174	87		36			648
2005		78	87	87	174	87	126	39					678
2006		30	30	23	15	15			36	36			185
2007			54	87	174	87	78		36	36			552
2008			15	30	78	78	39	39	12	12			303
2009		30	78	78	39	78	78						381
2010			30	54	78	54	93	39					348
<b>Average</b>													
<b>70-79</b>				36	69	76	83	68	84	36	23		282
<b>80-89</b>		39	27	89	77	70	79	65	45	12			316
<b>90-99</b>	54	54	47	66	66	62	62	49					332
<b>00-09</b>	15	54	58	70	98	81	98	72	63	42			500
<b>85-09</b>	35	52	52	72	80	70	79	55	54	37			390

**Appendix 22. Alaska District 104 commercial purse seine pink salmon catch, 1971-2010.**

	Statistical Week											Total
	27	28	29	30	31	32	33	34	35	36	37	
1970		779	3,196	8,377	26,015	18,103	21,936	56,233	687	0		135,326
1971							168,417	328,977	79,091	*	*	672,775
1972		8,449	78,870	19,783	12,170	292,630	398,471	566,374	197,873	*	*	1,629,767
1973		37,491	94,473	110,142	318,039	246,532	418	394				807,489
1974		3,185	10,808	42,999	89,223	272,181	200,261	159,610	239,122	409		1,017,798
1975		18,385	53,025									71,410
1976		7,827	39,421	162,696				107,183				317,127
1977		53,462	196,894	138,561	212,104	232,189	75,520		11,059			919,789
1978	31,838	12,712	33,943	84,130	383,063	232,592	990,109	*	88,907	1,383	*	2,050,555
1979	40,612	225,539	357,802	165,782	113,913	*	27,978	*				940,807
1980		145,431	84,962	120,569	433,504	796,912	328,572	*	19,121	*		2,359,833
1981		169,964	64,928	264,634	806,740	*	652,084	162,700	*			3,766,101
1982		19,916	48,220	48,789	8,943	183,236	900,180	837,699	1,211,307	1,365,157		4,623,447
1983		180,484	325,590	740,258	3,775,658	4,810,999	5,290,371	1,135,247	556,018			16,814,625
1984	12,112	46,451	84,794	207,487	778,797	1,633,408	2,054,410	1,153,084	155,998			6,126,541
1985		18,351	21,608	316,920	675,062	3,380,586	1,800,233	1,932,366	367,482			8,512,608
1986		29,549	253,760	755,236	2,276,743	7,969,194	3,998,335	1,661,505	1,644,679	273,718		18,862,719
1987		9,015	86,421	103,043	145,499	1,019,301	225,476	83,973				1,672,728
1988		9,526	44,368	55,105	16,761	374,272	864,652	604,267	1,339,243	235,892		3,544,086
1989	18,732	171,897	344,377	1,129,968	2,623,614	3,188,042	4,034,386	991,826	507,960			13,010,802
1990	43,152	98,018	226,801	91,672	2,018,347	3,018,657	5,927,436	2,741,215	435,163			14,600,461
1991		163,846	371,863	171,208	8,570,290	8,432,952	4,526,514	4,284,616	1,494,196	363,796		28,379,281
1992		25,458	48,321	28,526	1,672,844	2,751,916	2,367,892	1,329,563	662,045			8,886,565
1993		107,935	85,148	373,020	1,652,750	1,539,424	2,996,032	2,105,572	2,021,267	739,161		11,620,309
1994		18,259	69,637	244,721	1,005,783	3,649,684	3,368,027	1,998,681	1,623,818	460,970		12,439,580
1995	11,638	941	14,666	150,589	786,024	2,415,750	3,665,657	4,018,046	1,674,743	517,609		13,255,663
1996		127,080	294,370	34,702	3,654,611	6,318,211	4,035,562	1,606,262	*	*		18,987,857
1997		358,802	606,276	710,779	1,610,229	801,457	994,412	455,295				5,537,250
1998		7,276	14,213	50,419	497,960	1,891,200	1,965,039	1,171,064	233,492			5,830,663
1999		9,710	27,315	34,958	103,146	2,250,332	3,881,195	2,906,109	*	*	*	11,984,570
2000		4,682	8,673	18,010	134,054	625,601	752,198	*	*			1,803,888
2001	33,028	225,833	177,713	79,833	3,994,669	3,287,580	2,645,496	1,157,795	312,913			11,914,860
2002		25,304	41,679	83,815	120,733	233,659	212,019	91,566	29,241			838,016
2003		14,978	347,255	880,419	2,103,085	1,805,805	648,529	553,012	168,060			6,521,143
2004		9,788	22,789	174,818	535,041	1,162,222	1,428,953	693,898	116,959			4,144,468
2005		48,135	241,726	654,636	1,042,937	1,801,073	1,013,060	1,116,571	157,341			6,075,479
2006	810	3,734	48,899	232,399	314,983	202,107	35,032	34,571				872,535
2007	40,578	78,627	125,917	748,082	4,265,390	3,182,179	2,183,261	497,076	223,869			11,344,979
2008		507	1,978	34,053	180,904	613,079	1,183,134	731,687	93,220	9,155		2,847,717
2009		*	*	282,502	1,301,881	730,472	1,663,359	1,035,397	358,411			5,454,432
2010		*	*	11,121	53,962	153,620	444,004	198,605	109,940	5,710		987,059
<b>Average</b>												
<b>70-79</b>	36,225	40,870	96,492	91,559	164,932	185,295	235,389	177,124	102,790	29,525	1,868	856,284
<b>80-89</b>	15,422	80,058	135,903	374,201	1,154,132	2,499,693	2,014,870	899,318	645,098	468,755		7,929,349
<b>90-99</b>	27,395	91,733	175,861	189,059	2,157,198	3,306,958	3,372,777	2,261,642	1,451,688	466,305	*	13,152,220
<b>00-09</b>	24,805	41,451	109,612	318,857	1,399,368	1,364,378	1,176,504	617,086	162,378	9,155		5,181,752
<b>85-09</b>	21,514	61,221	136,864	278,001	1,376,376	1,821,382	1,753,794	1,088,509	637,701	310,764	*	7,160,901

\* Confidential information – less than 3 boats fishing.

**Appendix 23. Alaska District 104 commercial purse seine chum salmon catch, 1971-2010.**

	Statistical Week											Total
	27	28	29	30	31	32	33	34	35	36	37	
1970		96	54	1,785	2,778	4,204	1,998	4,947	235	0		16,097
1971							13,279	21,718	9,247	*	*	53,817
1972		383	5,327	2,216	1,363	20,479	26,248	44,549	26,781	*	*	133,214
1973		3,351	10,619	8,875	14,865	19,362	312	123				57,507
1974		1,913	2,553	7,029	6,346	8,599	11,514	13,759	22,967	121		74,801
1975		1,819	5,827									7,646
1976		4,141	6,123	14,633				6,540				31,437
1977		3,547	14,367	7,192	9,043	5,938	3,874		3,067			47,028
1978	10,493	3,175	8,532	5,829	11,323	2,609	23,025	*	5,980	675	*	74,749
1979	7,771	32,132	32,428	10,373	4,366	*	1,001	*				88,562
1980		17,379	47,006	32,344	28,991	25,545	12,173	*	776	*		177,324
1981		14,151	1,934	2,400	8,307	*	15,701	6,202	*			68,726
1982		7,314	39,828	16,278	3,300	14,406	50,954	66,098	56,706	78,336		333,220
1983		20,856	11,837	8,651	26,928	35,052	34,750	16,638	14,101			168,813
1984	1,977	7,371	11,741	14,539	26,505	42,394	54,338	35,368	9,363			203,596
1985		5,311	3,879	12,232	19,678	64,601	20,367	64,227	27,063			217,358
1986		8,509	36,395	36,944	75,726	144,842	63,088	20,652	35,743	15,760		437,659
1987		1,525	6,768	5,500	4,326	25,147	14,036	13,737				71,039
1988		23,743	34,035	7,462	9,133	29,401	56,776	30,972	60,436	20,684		272,642
1989	5,113	14,067	12,033	18,389	35,691	38,899	41,429	27,448	17,633			210,702
1990	26,018	13,733	14,663	2,947	25,845	36,394	46,863	32,409	14,249			213,121
1991		15,019	23,431	5,717	117,904	146,774	70,195	105,796	50,792	18,409		554,037
1992		12,867	22,168	9,796	148,989	154,389	104,939	89,968	133,263			676,379
1993		63,295	24,061	71,879	175,911	112,574	42,219	23,576	41,111	26,535		581,161
1994		44,332	60,863	64,265	102,798	151,034	75,455	55,188	97,757	62,507		714,199
1995	8,489	1,174	5,635	27,124	61,270	160,810	155,162	111,678	79,330	33,817		644,489
1996		64,665	55,155	8,353	112,367	74,722	42,033	33,974	*	*		484,293
1997		142,477	193,266	137,501	106,117	29,316	42,993	33,546				685,216
1998		25,915	28,933	33,108	63,711	84,820	65,960	49,621	17,139			369,207
1999		10,707	12,294	10,641	13,857	99,910	95,292	62,753	*	*	*	365,046
2000		25,918	26,980	21,835	48,911	81,938	66,449	*	*			294,360
2001	12,782	31,178	23,745	9,872	124,701	60,160	46,612	26,897	9,025			344,972
2002		9,415	12,539	11,519	11,136	12,717	10,868	*	*			75,218
2003		3,341	25,742	21,697	34,566	28,883	13,635	25,212	9,208			162,284
2004		5,266	3,450	19,595	30,359	65,363	32,771	33,900	9,440			200,144
2005		9,612	10,348	13,789	17,137	34,723	17,744	24,588	6,645			134,586
2006	6,816	6,301	17,986	22,808	26,883	28,189	6,872	4,765				120,620
2007	19,415	38,210	22,897	38,068	79,038	69,476	89,383	36,405	30,748			423,640
2008		1,857	2,731	7,150	12,888	21,029	23,645	23,364	5,198	688		98,550
2009		*	*	13,217	24,162	12,522	27,445	18,251	9,841			117,999
2010		*	*	3,406	5,445	7,914	16,516	8,237	7,931	715		56,519
<b>Average</b>												
<b>70-79</b>	9,132	5,617	9,537	7,242	7,155	8,747	10,156	11,900	11,380	3,147	167	58,486
<b>80-89</b>	3,545	12,023	20,546	15,474	23,859	44,032	36,361	29,442	24,647	28,702		216,108
<b>90-99</b>	17,254	39,418	44,047	37,133	92,877	105,074	74,111	59,851	62,502	27,197	*	528,715
<b>00-09</b>	13,004	13,519	15,489	17,955	40,978	41,500	33,542	22,105	9,088	688		197,237
<b>85-09</b>	11,876	25,342	30,011	26,418	51,140	57,639	49,124	34,175	23,626	14,105	*	301,375

\* Confidential information – less than 3 boats fishing.

**Appendix 24. Alaska District 104 commercial purse seine sockeye salmon catch, 1971-2010.**

	Statistical Week											Total
	27	28	29	30	31	32	33	34	35	36	37	
1970		815	204	2,131	9,202	1,378	564	298	3	0		14,595
1971							4,838	6,105	421	*	*	11,588
1972		2,374	16,379	9,431	4,889	24,680	18,894	7,193	1,017	*	*	85,153
1973		27,928	23,527	21,844	30,402	11,541	266	3				115,511
1974		2,907	18,596	45,134	25,683	21,466	3,469	1,443	426	0		119,124
1975		6,285	20,893									27,178
1976		11,163	28,530	64,456				426				104,575
1977		31,281	69,160	38,131	42,052	24,390	4,726		170			209,910
1978	36,758	6,031	18,605	11,031	19,622	4,005	6,940	*	327	188	*	104,232
1979	31,931	93,067	124,233	49,072	16,499	*	1,351	*				316,730
1980		108,771	106,667	50,835	80,969	48,138	10,582	*	12	*		407,611
1981		102,897	40,257	42,034	29,277	*	26,068	5,442	*			288,548
1982		39,805	120,745	52,600	6,312	13,654	26,461	13,039	7,308	3,434		283,358
1983		43,579	60,983	65,744	177,884	133,434	112,555	33,128	17,461			644,768
1984	4,660	17,116	29,915	51,628	89,633	59,023	33,635	8,240	312			294,162
1985		11,743	16,032	72,815	114,056	141,601	34,464	28,164	12,778			431,653
1986		7,192	30,307	53,821	104,495	154,826	63,099	15,872	12,017	3,042		444,671
1987		4,258	38,214	29,913	22,815	66,928	7,038	1,813				170,979
1988		16,280	130,926	101,583	30,244	211,083	68,003	14,662	15,060	3,444		591,285
1989	9,263	48,252	31,346	68,705	117,238	85,331	114,948	26,683	14,835			516,601
1990	24,485	41,117	64,795	39,546	166,001	168,112	185,800	92,721	14,221			796,798
1991		23,008	57,611	17,964	297,318	258,766	93,248	77,730	20,649	3,537		849,831
1992		30,233	38,792	10,618	427,085	310,234	162,507	58,564	34,006			1,072,039
1993		41,774	27,401	94,014	276,478	188,695	113,147	100,211	78,996	24,569		945,285
1994		11,868	41,805	104,851	180,291	303,131	227,133	135,760	98,237	33,062		1,136,138
1995	1,897	1,682	20,680	47,117	146,764	102,758	90,073	53,092	24,441	8,641		497,145
1996		21,025	171,921	22,198	329,113	226,634	49,179	18,602	*	*		860,439
1997		202,381	196,163	174,398	253,018	105,351	147,249	166,120				1,244,680
1998		2,574	5,333	9,487	41,641	250,889	116,966	53,150	7,190			487,230
1999		1,660	2,583	3,421	5,873	57,434	45,679	27,990	*	*	*	164,857
2000		5,793	22,585	20,591	66,045	75,218	32,989	*	*			227,039
2001	11,802	85,715	90,747	14,826	228,924	73,282	18,504	10,347	2,487			536,634
2002		5,687	10,416	10,451	4,674	1,829	661	*	*			34,187
2003		1,023	26,511	57,208	90,243	74,840	23,982	45,811	10,101			329,719
2004		3,501	4,856	22,401	68,478	84,022	84,540	62,459	18,882			349,139
2005		6,405	8,499	20,786	36,201	93,584	66,464	274,455	15,460			521,854
2006	1,000	3,898	18,564	66,153	82,770	43,878	13,028	12,743				242,034
2007	7,406	17,547	21,619	65,563	206,860	205,054	170,051	47,428	29,138			770,666
2008		376	2,531	3,355	8,252	10,323	9,721	5,488	1,059	49		41,154
2009		*	*	11,960	50,177	7,288	18,947	10,410	6,578			109,371
2010		*	*	1,491	3,010	3,175	3,417	1,435	1,744	453		17,851
<b>Average</b>												
<b>70-79</b>	34,345	20,206	35,570	30,154	21,193	12,494	5,131	2,096	394	93	81	110,860
<b>80-89</b>	6,962	39,989	60,539	58,968	77,292	95,653	49,685	14,868	8,872	2,480		407,364
<b>90-99</b>	13,191	37,732	62,708	52,361	212,358	197,200	123,098	78,394	35,041	12,327	*	805,444
<b>00-09</b>	6,736	13,086	20,943	29,329	84,262	66,932	43,889	47,310	9,338	49		316,180
<b>85-09</b>	5,526	24,012	40,407	36,661	107,936	94,159	59,202	52,803	11,792	3,211	*	427,743

\* Confidential information – less than 3 boats fishing.

**Appendix 25. Alaska District 104 commercial purse seine Chinook salmon catch, 1971-2010.**

	Statistical Week											Total
	27	28	29	30	31	32	33	34	35	36	37	
1970		10	6	256	347	134	9	0	6	0		768
1971							393	752	0	*	*	1,151
1972		55	55	97	65	559	193	766	380	*	*	2,171
1973		350	275	672	826	374	2	32				2,531
1974		91	353	236	533	836	478	300	312	0		3,139
1975		241	883									1,124
1976		275	467	315				52				1,109
1977		771	1,491	402	492	346	350		359			4,211
1978	1,351	155	1,338	464	2,152	422	736	*	578	155	*	7,651
1979	1,317	2,670	1,881	714	569	*	145	*				7,302
1980		2,611	2,459	1,376	1,333	1,982	586	*	19	*		10,579
1981		826	898	514	782	*	871	847	*			6,057
1982		1,754	1,082	1,072	474	2,183	6,464	4,242	2,538	1,233		21,042
1983		2,950	1,014	1,172	1,704	845	1,378	539	495			10,097
1984	182	440	487	2,342	4,265	4,217	3,284	1,490	27			16,734
1985		1,328	927	3,297	3,701	2,548	0	30	0			11,831
1986		0	0	13	3,048	6,285	13	0	0	0		9,359
1987		8	0	0	0	2,812	252	485				3,557
1988		0	0	0	0	9	5,025	2,063	2,785	15		9,897
1989	0	0	0	0	1,693	6,682	38	0	1,164			9,577
1990	0	0	0	0	9	4,318	2,717	13	658			7,715
1991		0	0	0	3,279	1,974	1,514	1,016	148	0		7,931
1992		14	0	0	10	7,085	8,900	0	0			16,009
1993		0	0	0	0	194	1,536	1,847	956	142		4,675
1994		0	13	0	0	5,232	2,729	345	1,003	0		9,322
1995	0	0	0	0	0	0	0	0	0	0		0
1996		0	0	0	0	0	0	0	*	*		71
1997		0	0	2	11	479	1,338	841				2,671
1998		0	0	0	0	2,658	1,812	2,364	197			7,031
1999		0	0	0	0	1,351	878	425	*	*	*	2,958
2000		2	1	0	0	18	883	*	*			1,078
2001	0	0	0	0	53	1,744	587	284	11			2,679
2002		0	0	471	669	29	8	*	*			1,179
2003		0	958	742	2,523	3,316	1,218	3,604	900			13,261
2004		560	781	2,725	3,602	6,979	8,974	0	0			23,621
2005		300	168	430	1,260	1,954	1,475	3,514	111			9,212
2006	343	186	901	1,424	3,923	1,894	214	244				9,129
2007	364	361	262	639	3,789	3,867	0	0	0			9,282
2008		0	0	1	2	0	104	350	12	0		469
2009		*	*	730	1,744	848	2,809	572	102			7,072
2010		*	*	0	0	112	16	34	50	32		244
<b>Average</b>												
70-79	1,334	513	750	395	712	382	288	276	273	32	0	3,116
80-89	91	992	687	979	1,700	2,888	1,791	990	781	316		10,873
90-99	0	1	1	0	331	2,329	2,142	685	368	27	*	5,838
00-09	236	142	333	716	1,757	2,065	1,627	874	126	0		7,698
85-09	177	95	222	478	1,172	1,676	1,353	825	130	5	*	5,981

\* Confidential information – less than 3 boats fishing.

**Appendix 26. Alaska District 104 commercial purse seine coho salmon catch, 1971-2010.**

	Statistical Week											Total
	27	28	29	30	31	32	33	34	35	36	37	
1970		140	67	580	1,125	916	941	1,976	126	0		5,871
1971							6,285	17,712	2,055	*	*	28,217
1972		4,306	18,982	3,258	869	8,972	6,486	15,470	10,087	*	*	70,123
1973		3,283	3,442	4,414	5,113	5,050	284	87				21,673
1974		585	2,780	4,563	6,261	9,456	6,445	7,267	13,582	110		51,049
1975		1,767	6,030									7,797
1976		7,160	3,481	2,325				1,589				14,555
1977		1,377	4,302	2,871	3,712	3,943	2,728		4,507			23,440
1978	14,258	3,279	8,911	6,244	17,413	4,884	7,994	*	5,221	495	*	71,517
1979	16,238	38,932	28,562	10,145	6,150	*	2,275	*				102,596
1980		44,230	17,338	13,551	8,897	14,808	4,629	*	198	*		108,045
1981		19,988	9,181	17,761	31,134	*	14,151	8,358	*			125,092
1982		16,794	25,766	10,058	2,419	9,957	32,020	17,243	12,911	14,269		141,437
1983		50,300	30,504	19,016	24,841	13,792	15,142	8,294	7,305			169,194
1984	922	1,498	1,259	7,618	23,850	30,005	47,027	24,394	4,202			140,775
1985		8,424	6,244	17,750	17,147	33,230	12,309	21,621	12,290			129,015
1986		7,441	11,265	30,882	43,637	57,512	33,494	30,999	44,255	13,857		273,342
1987		3,171	10,878	6,975	4,524	15,938	3,824	3,673				48,983
1988		2,581	8,810	8,835	1,302	16,843	21,957	10,634	17,134	6,167		94,263
1989	4,144	14,154	11,061	19,355	28,829	31,452	22,829	14,210	12,805			158,839
1990	25,507	25,821	10,288	2,349	45,060	23,575	38,202	19,621	7,819			198,242
1991		14,311	9,352	2,797	39,523	44,818	25,309	45,084	13,904	6,738		201,836
1992		3,555	3,293	1,496	26,592	45,523	31,762	24,809	85,345			222,375
1993		10,483	9,930	22,525	37,472	20,113	30,441	15,586	16,918	7,010		170,478
1994		9,450	22,037	30,745	51,795	65,898	62,013	28,398	44,089	30,752		345,177
1995	584	42	589	8,238	47,453	47,453	38,494	41,092	28,668	11,884		224,497
1996		2,646	6,779	1,911	70,167	48,747	16,478	10,279	*	*		177,918
1997		9,956	4,647	6,915	16,913	7,102	8,783	8,784				63,100
1998		3,808	9,221	7,877	11,519	26,152	26,990	13,256	3,848			102,671
1999		1,094	1,431	1,034	3,835	18,254	14,901	12,253	*	*	*	68,448
2000		2,297	3,813	7,205	14,064	28,785	12,370	*	*			72,056
2001	4,397	12,813	13,688	6,474	58,296	20,771	11,052	5,225	1,487			134,203
2002		1,446	4,058	3,808	2,696	1,768	1,191	*	*			15,719
2003		659	6,811	8,965	20,029	17,338	7,864	9,954	2,500			74,120
2004		2,487	5,256	17,428	23,481	14,944	12,564	10,781	2,940			89,881
2005		8,819	5,284	5,742	8,816	17,611	4,146	8,581	1,850			60,849
2006	986	1,355	4,793	5,822	4,900	3,581	1,499	890				23,826
2007	3,066	2,906	3,414	5,121	20,047	19,201	20,371	5,152	6,059			85,337
2008		254	731	5,708	11,910	17,552	17,352	12,939	2,122	121		68,689
2009		*	*	8,483	21,757	6,757	21,891	11,069	10,348			84,387
2010		*	*	1,505	1,869	2,141	2,329	1,601	3,667	854		14,945
<b>Average</b>												
70-79	15,248	6,759	8,506	4,300	5,806	4,752	4,180	5,896	5,930	877	26	39,684
80-89	2,533	16,858	13,231	15,180	18,658	24,806	20,738	14,369	12,344	8,605		138,899
90-99	13,046	8,117	7,757	8,589	35,033	34,764	29,337	21,916	25,624	10,372	*	177,474
00-09	2,816	3,331	5,166	7,476	18,600	14,831	11,030	6,859	3,064	121		70,907
85-09	2,258	3,390	4,955	6,715	22,392	19,734	14,396	10,284	6,932	4,463	*	89,713

\* Confidential information – less than 3 boats fishing.

**Appendix 27. Alaska District 104 commercial purse seine boats fishing, 1971-2010.**

	Statistical Week											Total	
	27	28	29	30	31	32	33	34	35	36	37		
1970		140	67	580	1,125	916	941	1,976	126	0			62
1971							32	33	20	*	*		52
1972		6	23	31	9	58	66	85	67	*	*		111
1973		24	70	49	67	59	9	5					95
1974		33	29	32	82	69	56	41	59	4			128
1975		86	89										109
1976		72	95	105				29					121
1977		90	112	64	31	36	22		37				143
1978	166	43	83	41	60	45	73	*	24	14	*		205
1979	109	166	161	102	59	*	40	*					193
1980		207	232	161	132	128	50	*	12	*			256
1981		156	169	73	136	*	98	52	*				237
1982		206	177	169	105	91	100	100	90	94			267
1983		184	165	152	171	231	219	102	72				282
1984	119	108	46	110	148	153	139	111	39				231
1985		94	55	98	119	138	93	105	46				205
1986		54	105	178	184	235	195	95	92	57			277
1987		64	67	96	62	151	139	113					235
1988		81	167	182	116	214	198	216	195	125			307
1989	35	85	81	91	121	137	126	93	40				203
1990	68	143	76	87	204	196	214	179	111				266
1991		101	96	35	223	213	199	178	72	23			254
1992		91	52	58	193	193	189	139	93				226
1993		88	89	135	156	127	127	96	99	80			221
1994		35	51	68	165	160	155	114	130	81			214
1995	36	17	20	106	130	131	99	123	111	49			186
1996		32	88	52	159	145	126	56	*	*			194
1997		92	118	143	179	87	115	104					203
1998		57	35	38	66	113	121	65	25				160
1999		29	19	18	14	70	113	91	*	*	*		134
2000		19	42	43	58	90	72	*	*				124
2001	26	68	78	24	126	104	78	57	19				162
2002		32	27	22	19	13	18	*	*				61
2003		12	26	38	59	59	30	23	18				74
2004		18	12	14	31	44	37	39	21				60
2005		16	16	29	40	50	37	66	13				83
2006	6	8	14	36	57	55	19	20					71
2007	23	35	49	53	95	85	78	43	24				122
2008		3	7	16	51	65	40	45	15	4			84
2009		*	*	28	58	33	61	56	38				92
2010		*	*	12	15	13	24	17	17	6			43
<b>Average</b>													
70-79	138	73	81	126	205	169	155	277	56	11	1		122
80-89	77	124	126	131	129	161	136	103	65	70			250
90-99	52	69	64	74	149	144	146	115	85	46	*		206
00-09	18	22	29	30	59	60	47	39	17	4			93
85-09	23	30	38	44	76	76	70	55	32	24	*		121

\* Confidential information – less than 3 boats fishing.

**Appendix 28. Alaska District 104 hours open to commercial purse seine fishing, 1971-2010.**

	Statistical Week											Total
	27	28	29	30	31	32	33	34	35	36	37	
1970		60	108	84	84	84	108	132	132	108		900
1971							60	84	132	108	108	492
1972		84	108	108	84	108	84	108	84	60	36	864
1973		84	84	84	84	84	60	36				516
1974		84	60	36	60	54	63	63	84	39		543
1975		84	60									144
1976		84	84	84				15				267
1977		84	84	36	51	45	45		15			360
1978	84	84	84	96	78	30	63	102	111	38		770
1979	84	84	84	39	15		39	63				408
1980		84	84	39	39	63	102	111	63	87		672
1981		39	39	54	30	78	78	78				396
1982		39	39	39	12	30	54	78	78	102		471
1983		39	39	30	78	54	78	39	63			420
1984	15	39	39	39	54	78	78	63	63			468
1985		15	15	54	54	78	39	174	87			516
1986		15	39	54	54	78	78	63	87	63		531
1987		15	45	30	15	39	39	15				198
1988		39	54	15	15	39	54	15	54	30		315
1989	15	15	15	39	39	126	63	63	87			462
1990	15	15	6	6	30	54	78	63	39			306
1991		15	20	6	78	78	57	60	78	39		431
1992		15	8	6	78	78	57	60	78			380
1993		10	10	25	54	78	78	39	77	53		424
1994		10	22	23	30	54	78	57	60	39		373
1995	10	10	15	23	30	78	78	57	60	39		400
1996		10	14	7	78	78	39	78	78	39		421
1997		30	14	12	30	39	78	54				257
1998		8	12	12	54	54	78	78	39			335
1999		10	10	10	78	78	39	78	78		150	531
2000		24	27	30	30	30	78	78	54			351
2001	12	22	10	6	78	78	39	78	105			428
2002		12	30	30	78	82	131	129	105			597
2003		10	22	20	52	72	60	87	126			449
2004		20	24	63	69	90	60	78	174			578
2005		22	22	24	54	90	75	90	69			446
2006	12	23	30	30	30	23	15	15				178
2007	12	12	8	18	54	90	90	60	78			422
2008		8	10	15	30	30	78	78	39	39		327
2009		12	30	30	78	78	39	78	78			423
2010		10	30	15	30	54	78	39	78	39		373
Average												
70-79	84	81	84	71	65	68	65	75	93	71	72	526
80-89	15	34	41	39	39	66	66	70	73	71		445
90-99	13	13	13	13	54	67	66	62	65	42	150	386
00-09	12	17	21	27	55	66	66	77	92	39		420
85-09	12	16	19	22	55	66	65	74	83	39	150	410

**Appendix 29. Alaska District 101 (Tree Point) commercial gillnet pink salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970	2,916	22,681	26,790	105,019	64,698	51,312	70,817	*	43,449	48,085	31,397	9,807	882		*		516,021
1971	811	5	38	192	4,268	10,421	9,928			24,736	9,236	7,378					67,013
1972		2,572	11,033	12,175	14,625	23,730	22,646	13,529	12,921	22,245	9,755	17,210	11,662	2,866	117		177,086
1973	280	417	3,817	7,880	26,068	47,750	30,561	95,064	39,187	8,623	5,067	4,327	292	53			269,386
1974	1,285	4,953	3,232		8,673	21,497	21,167	47,371	25,699	16,336	10,537	4,577	1,340	55	17		166,739
1975	65	326	687	1,137	11,316			35,133	30,244	30,221	14,786						123,915
1976		2,311	3,468	4,574	25,376	15,397		*		28,548	77,347	44,627	5,785	*	*		210,229
1977		889	8,562	59,830	145,284	61,719	231,867	*	91,832	35,211	13,316	1,878	161	*	*		763,188
1978	6,799	8,874	15,836	28,445	28,844	56,622	65,504	100,247	90,136	107,920	19,472	2,423	575	157			531,854
1979	293	1,544	4,510	9,080	17,306	27,143	6,608	6,203									72,687
1980	419	6,548	15,583	19,640	68,297	24,977	18,126	114,946	213,764	138,876	45,882	5,520	934	603			674,115
1981	159	1,141	8,237	30,005	58,690	54,982	35,440	83,125	62,861	75,026	16,597	3,777	906	34			430,980
1982		1,762	3,705	6,062	13,739	21,647	21,746	30,327	20,229	37,681	88,828	68,347	26,956	7,295			348,324
1983		1,674	25,969	20,986	29,146	164,132	107,404	118,401	180,480	78,001	30,908	11,281	3,597	659	183		772,821
1984	1,876	2,482	7,956	62,870	81,620	107,464	126,013	119,334	96,459	55,658	40,609	10,143	6,905	1,139			720,528
1985	100	267	1,349	19,124	35,751	82,892	145,904	168,404	137,880	71,245	18,541	7,305	2,023	370			691,155
1986	352	698	7,512	7,088	45,788	101,503	90,108	100,461	157,657	178,266	153,232	44,818	13,785	5,098			906,366
1987		314	12,210	21,672	65,200	154,051	56,089	113,958	128,656		16,333	12,105	2,174	366	17		583,145
1988		55	1,425	10,077	48,649	15,516	15,536	51,081	56,139	18,623		6,982	2,402	2,352	879		229,716
1989	24	491	9,161	47,693	248,350	217,014	266,897	185,726	140,445	153,858	69,249	6,168	2,506	275			1,347,857
1990	940	2,241	3,462	10,361	28,559	48,186	40,126	55,641	111,306	123,058	127,859	21,191	5,712	1,944			580,586
1991	17	311	408	36,909	104,178	63,660	131,328	85,717	101,231	54,249	16,611	4,238	1,442	231			600,530
1992		2,475	15,054	29,057	50,339	38,146	21,408	85,506	80,405	164,259	86,586	6,230	1,131	541	71		581,208
1993		1,082	14,502	34,509	48,082	56,548	54,309	52,052	80,337	45,373	48,754	31,127	7,980	4,833	1,684		481,172
1994		4,014	8,084	6,617	18,380	8,128	7,336	14,091	47,718	66,905	61,498	19,541	1,754	338	20	0	264,424
1995	175	6,573	39,473	23,507	29,544	57,017	89,890	158,986	154,984	75,732	91,183	50,098	11,945	380	20		789,507
1996	80	11,469	27,248	51,632	38,790	38,329	39,008	55,366	43,177	27,923	18,811	6,827	10,333	2,005	37		371,035
1997	79	1,917	6,718	27,355	26,684	77,709	101,085	59,873	50,925	19,377	4,965	2,484	1,343	179			380,693
1998		782	5,137	30,614	62,192	98,971	147,320	161,678	40,547	60,812	32,546	6,642	1,861	396	181		649,679
1999		26	1,596	17,390	38,831	120,903	64,422	62,503	80,467	75,586	64,478	51,773	18,800	11,121	3,431	118	611,445
2000		601	1,767	22,363	26,393	53,261	60,108	62,892	119,936	47,760	13,208	11,093	4,167	411	23		423,983
2001	44	2,646	14,026	24,743	81,690	101,478	67,552	92,217	71,155	32,011	18,850	6,468	4,343	514			517,737
2002	12	12	7,229	7,427	20,222	28,452	104,201	78,701	102,405	115,140	32,437	14,200	1,973	121	4		512,536
2003	239	19,810	71,494	65,038	53,452	90,614	84,061	77,390	51,373	56,590	27,902	20,490	2,850	67	2		621,372
2004		92	1,562	39,369	41,837	51,033	67,290	55,391	75,692	38,054	32,782	3,974	353	12	0	0	407,441
2005		1,222	78,842	72,113	76,390	104,085	88,332	52,656	28,089	25,904	21,156	6,293	946	391	3	2	556,424
2006	68	1,132	9,812	22,998	26,795	24,526	39,258	36,855	20,313	13,664	14,989	2,818	723	80	*	*	212,961
2007	152	1,526	8,947	33,726	25,776	52,528	74,117	67,639	38,738	26,276	7,273	2,843	438	12	*	*	339,992
2008	880	3,041	6,575	21,152	12,932	13,367	11,454	48,767	50,658	56,212	21,409	17,764	5,704	1,236	15	0	271,166
2009		151	14,800	16,492	14,217	18,107	32,048	26,739	19,910	15,084	10,054	2,293	645	35	0	0	170,575
2010		10,343	9,759	26,675	23,241	34,256	92,637	101,909	92,945	99,957	55,370	19,125	3,094	193	6	0	569,510
<b>Average</b>																	
<b>70-79</b>	1,778	4,457	7,797	25,370	34,646	35,066	57,387	50,075	47,638	35,769	21,213	11,528	2,957	565	70		289,812
<b>80-89</b>	488	1,543	9,311	24,522	69,523	94,418	88,326	108,576	119,457	89,693	53,353	17,645	6,219	1,819	360		670,501
<b>90-99</b>	258	3,089	12,168	26,795	44,558	60,760	69,623	79,141	79,110	71,327	55,329	20,015	6,230	2,197	778	59	531,028
<b>00-09</b>	233	3,023	21,505	32,542	37,863	53,745	62,842	59,925	57,827	42,670	20,006	8,824	2,214	288	5	0	403,419
<b>85-09</b>	226	2,518	14,736	27,961	50,718	68,641	75,967	80,412	79,606	65,082	42,113	14,631	4,293	1,332	355	15	524,108

\* Confidential information – less than 3 boats fishing.

**Appendix 30. Alaska District 101 (Tree Point) commercial gillnet chum salmon catch, 1971-2010.**

	Statistical Week														Total		
	25	26	27	28	29	30	31	32	33	34	35	36	37	38		39	40
1970	2,284	3,537	4,275	8,068	5,927	6,374	6,901	*	8,937	8,062	4,818	3,160	915	*			67,709
1971	991	2,627	4,684	5,104	8,223	3,581	745		1,783	1,571	1,832						31,141
1972		8,078	9,821	12,118	16,983	28,388	19,500	11,056	8,874	15,863	7,308	6,884	4,421	5,429	268		154,991
1973	6,472	10,312	15,339	16,130	13,142	9,833	5,925	10,635	7,075	2,455	4,116	4,718	1,299	152			107,603
1974	3,206	4,938	6,097		7,340	7,143	3,884	9,178	8,220	13,337	10,394	4,165	3,264	255	330		81,751
1975	1,997	3,330	3,227	2,320	4,043			2,736	2,073	4,889	5,844						30,459
1976		3,464	3,121	2,936	6,591	8,689		*		1,818	4,593	4,470	430	*	*		36,297
1977		13,054	17,065	12,967	11,636	3,777	4,071	*	4,230	3,622	4,053	4,124	1,304	*	*		82,806
1978	15,427	28,040	15,580	12,932	5,542	13,680	5,237	8,123	4,223	3,103	1,557	1,144	675	1,127			116,390
1979	8,305	8,459	16,021	13,169	5,646	4,587	2,570	1,807									60,564
1980	3,404	12,210	14,929	28,060	26,992	9,745	3,343	14,776	11,919	15,948	5,350	1,311	222	692			148,901
1981	1,449	3,797	5,978	6,191	2,197	1,773	1,142	4,167	2,498	4,327	2,757	1,122	994	90			38,482
1982		3,390	3,079	3,800	7,985	13,834	7,087	10,644	6,142	5,936	8,882	7,251	5,013	1,277			84,320
1983		12,647	16,238	5,368	11,847	17,369	8,658	13,747	7,634	9,397	7,150	9,982	5,359	2,384			137,593
1984	9,601	15,308	20,642	22,453	39,360	29,922	17,123	14,145	11,935	9,480	12,379	5,212	7,302	10,182			225,044
1985	4,827	15,843	11,242	6,894	19,917	49,967	22,164	20,343	22,665	15,952	12,073	16,008	6,900	9,029			233,824
1986	5,533	9,376	15,812	23,860	47,023	43,675	27,928	14,928	15,364	13,045	15,145	19,939	9,477	11,765			272,870
1987		6,834	9,240	5,142	7,370	13,061	6,638	14,730	17,367		7,103	23,804	23,122	17,517	5,928		157,856
1988		21,632	55,871	60,199	52,756	20,525	30,180	34,262	55,274	21,766		44,523	43,189	32,014	28,050		500,241
1989	11,924	14,924	19,520	22,972	26,665	18,742	21,998	18,953	26,504	43,336	33,802	21,222	12,664	6,572			299,798
1990	5,033	7,356	7,848	7,689	15,672	19,829	10,097	10,980	6,040	8,708	12,957	11,442	22,682	27,653			173,986
1991	4,203	7,757	3,944	10,478	13,486	10,405	11,467	15,523	14,809	22,733	20,755	15,491	18,771	14,072			183,894
1992		9,251	15,171	25,519	25,205	28,223	21,400	21,505	9,009	19,979	42,214	26,615	12,928	20,808	4,248		282,075
1993		8,134	17,054	20,425	25,649	36,765	44,607	21,717	28,917	28,783	48,829	33,869	16,371	25,307	26,890		383,317
1994		67,392	64,182	47,696	51,628	35,671	8,504	10,826	22,484	15,083	34,512	24,226	34,817	22,705	33,449	14,820	487,995
1995	34,215	36,970	47,558	34,896	20,675	60,448	26,852	30,492	43,518	38,188	88,722	76,287	43,994	39,806	11,282		633,903
1996	12,604	47,315	111,846	91,845	87,603	33,212	34,230	35,253	12,891	41,537	36,021	24,148	18,913	9,741	4,920		602,079
1997	1,651	3,098	15,319	37,368	32,101	58,091	41,118	19,836	25,992	37,969	22,022	20,015	20,254	16,396			351,230
1998		34,933	63,148	52,085	38,729	41,962	47,836	39,731	24,485	29,258	45,036	38,776	33,237	24,457	7,724		521,397
1999		3,418	9,343	17,669	21,325	31,036	21,403	13,097	13,624	11,292	13,046	11,795	3,991	4,342	2,594	820	178,795
2000		646	7,735	32,171	33,034	35,321	22,515	13,740	14,799	10,993	10,028	10,416	3,395	2,659	1,624		199,076
2001	20,033	22,460	19,652	25,874	35,722	29,576	15,508	8,250	9,275	8,613	9,985	6,679	5,834	2,255			219,716
2002	1,112	1,339	26,584	17,350	22,261	11,839	17,508	8,810	10,959	7,212	8,078	6,181	3,799	1,374	514		144,920
2003	9,320	15,622	21,289	21,538	23,975	35,609	22,553	10,417	4,768	12,171	6,813	17,010	19,439	20,219	5,521		246,264
2004		9,661	16,607	22,064	30,791	17,133	29,375	21,930	8,430	8,070	21,746	26,383	41,681	29,051	7,827	969	291,718
2005		2,397	14,525	37,054	22,587	27,374	23,380	17,481	10,268	8,125	29,195	18,870	8,476	9,243	4,518	690	234,183
2006	2,681	11,187	31,224	41,456	36,420	25,377	33,972	15,518	7,596	7,861	21,326	13,077	12,695	6,548	*	*	269,227
2007	5,918	7,390	14,866	36,216	20,811	35,057	27,216	16,517	6,041	6,958	14,439	19,749	11,259	6,433	*	*	233,118
2008	4,787	10,575	19,593	50,540	45,314	27,533	14,173	11,624	8,009	7,028	13,502	11,270	7,135	6,129	2,612	26	239,850
2009		26,285	58,745	53,241	36,747	29,370	21,436	8,771	6,640	3,158	5,011	3,779	5,316	3,437	1,042	57	263,035
2010		26,634	50,316	84,400	39,065	31,242	32,703	11,570	6,055	6,257	7,828	11,975	11,092	4,741	1,105	77	325,060
<b>Average</b>																	
<b>70-79</b>	5,526	8,584	9,523	9,527	8,507	9,561	6,104	5,633	6,233	6,104	4,917	3,812	1,758	1,216	130		76,971
<b>80-89</b>	6,123	11,596	17,255	18,494	24,211	21,861	14,626	16,070	17,730	15,511	11,876	14,754	11,887	9,450	12,121		209,893
<b>90-99</b>	11,541	22,562	35,541	34,567	33,207	35,564	26,751	21,896	20,177	25,353	36,411	28,266	22,596	20,529	13,015	7,820	379,867
<b>00-09</b>	7,309	10,756	23,082	33,750	30,766	27,419	22,764	13,306	8,679	8,019	14,012	13,341	11,903	8,735	3,307	362	234,111
<b>85-09</b>	8,846	16,072	27,917	32,090	31,739	31,032	24,162	18,209	17,029	17,826	23,848	21,663	17,614	14,781	8,603	2,227	304,175

\* Confidential information – less than 3 boats fishing.

**Appendix 31. Alaska District 101 (Tree Point) commercial gillnet sockeye salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970	3,468	4,486	5,372	11,576	10,827	5,242	5,470	*	1,508	663	337	128	13		*		
1971	6,865	7,793	24,070	24,952	27,532	15,558	5,618			3,038	441	169					116,036
1972		27,402	21,840	20,115	14,821	19,387	16,679	6,245	3,757	3,075	736	328	119	30	0		134,534
1973	44,241	26,279	22,920	21,278	18,496	14,446	5,749	4,689	1,149	228	103	22	0	5			159,605
1974	18,114	10,737	7,910		18,590	22,829	14,225	12,959	5,341	2,241	384	83	44	5	3		113,465
1975	6,020	4,386	3,546	1,703	4,420			3,164	1,012	713	390						25,354
1976		31,316	27,773	22,055	19,773	15,716		*		666	557	189	19	*	*		118,228
1977		48,094	32,090	38,469	33,498	8,345	17,490	*	4,162	2,568	1,184	882	170	*	*		192,318
1978	19,612	38,697	14,250	30,676	12,679	17,507	11,154	3,178	1,973	1,560	889	86	29	10			152,300
1979	11,574	18,121	15,068	10,090	9,056	15,770	3,612	5,666									88,957
1980	9,807	15,364	12,951	21,082	17,865	7,458	3,572	7,202	6,419	2,453	1,042	83	39	21			105,358
1981	7,310	25,593	8,798	20,068	11,008	7,497	5,938	9,457	3,988	3,629	963	287	157	8			104,701
1982		22,174	26,907	22,036	58,128	23,495	14,979	11,304	4,841	4,002	2,003	822	93	24			190,808
1983		16,594	14,063	4,410	8,991	25,392	17,231	22,284	18,641	4,506	1,967	883	727	166	19		135,874
1984	12,495	5,324	10,557	8,752	12,476	10,716	8,215	5,394	8,273	3,435	1,206	536	808	199			88,386
1985	12,885	15,129	11,809	8,745	16,277	28,832	20,660	24,434	18,304	11,800	3,027	879	239	76			173,096
1986	1,979	9,442	8,883	16,923	41,677	26,239	17,173	12,855	5,198	3,421	1,475	328	74	32			145,699
1987		15,675	17,470	10,136	9,555	17,217	7,071	17,219	11,309		986	675	127	57	6		107,503
1988		12,187	31,542	23,337	15,196	8,914	5,118	13,986	4,802	801		144	55	18	10		116,110
1989	14,621	11,917	12,305	16,541	19,369	26,886	26,600	9,394	3,920	2,071	1,021	190	72	29			144,936
1990	6,997	7,021	7,481	7,536	6,945	13,862	8,388	11,475	8,999	4,897	1,527	433	93	37			85,691
1991	7,370	6,334	5,132	16,432	10,195	14,945	31,286	18,303	16,986	2,974	921	362	216	36			131,492
1992		42,590	28,076	37,793	20,994	30,605	15,139	13,968	38,549	11,231	4,933	468	111	52	140		244,649
1993		74,841	66,936	15,987	11,474	31,874	65,394	62,043	39,486	15,074	7,190	2,632	482	440	245		394,098
1994		13,493	4,899	12,889	15,142	6,693	5,255	10,487	18,186	7,390	4,291	1,235	258	82	57	18	100,375
1995	12,030	22,847	10,608	20,058	12,487	28,772	20,081	15,843	11,112	6,485	2,838	544	139	198	252		164,294
1996	36,147	27,293	48,361	20,509	12,570	26,589	13,992	17,086	5,060	3,334	775	168	225	262	32		212,403
1997	7,323	17,459	15,277	13,172	26,635	23,945	28,579	11,797	6,952	5,291	3,555	5,274	3,366	849			169,474
1998		16,511	30,642	28,470	14,448	30,288	18,107	13,177	2,126	3,681	1,857	505	298	291	105		160,506
1999		29,645	21,218	29,602	18,013	22,975	16,888	10,039	5,489	2,766	1,633	1,316	227	190	25	2	160,028
2000		6,772	6,644	13,291	10,394	15,466	10,667	19,720	9,724	1,497	224	183	26	28	15		94,651
2001	17,533	10,185	4,561	8,513	4,861	7,122	6,383	16,011	3,186	535	772	264	103	12			80,041
2002	13,883	9,954	42,006	29,799	8,620	7,393	3,032	3,507	1,314	577	158	74	27	9	0		120,353
2003	7,256	33,845	15,981	10,186	4,479	12,478	5,741	5,629	4,076	2,749	1,757	657	355	72	2		105,263
2004		21,905	47,441	16,712	15,667	8,470	8,703	10,567	8,581	1,512	1,837	616	215	106	15	10	142,357
2005		21,933	13,682	5,641	10,711	7,414	4,601	4,148	2,764	1,937	3,044	1,784	1,047	904	102	13	79,725
2006	8,280	7,230	14,002	7,273	8,098	4,382	4,415	3,690	1,675	747	1,536	890	482	45	*	*	62,770
2007	15,635	5,885	7,781	7,933	3,573	6,215	10,231	5,575	2,080	825	544	403	120	18	*	*	66,822
2008	3,291	4,540	4,949	6,175	3,361	4,733	1,313	4,394	552	382	273	141	2	5	2	0	34,113
2009		15,177	9,505	8,494	7,999	7,731	10,113	6,269	2,186	1,141	710	397	121	16	0	0	69,859
2010		4,610	11,751	8,756	4,051	4,723	7,911	9,373	7,014	2,489	1,280	463	196	30	4	0	62,651
<b>Average</b>																	
<b>70-79</b>	15,699	21,731	17,484	20,102	16,969	14,978	10,000	4,993	2,700	1,639	558	236	56	12	4		122,311
<b>80-89</b>	9,850	14,940	15,529	15,203	21,054	18,265	12,656	13,353	8,570	4,013	1,521	483	239	63	12		131,247
<b>90-99</b>	13,973	25,803	23,863	20,245	14,890	23,055	22,311	18,422	15,295	6,312	2,952	1,294	542	244	122	10	182,301
<b>00-09</b>	10,980	13,743	16,655	11,402	7,776	8,140	6,520	7,951	3,614	1,190	1,086	541	250	122	18	4	85,595
<b>85-09</b>	11,802	18,392	19,488	15,686	13,150	16,802	14,597	13,665	9,305	3,880	1,954	822	339	155	58	5	134,652

\* Confidential information – less than 3 boats fishing.

**Appendix 32. Alaska District 101 (Tree Point) commercial gillnet Chinook salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970	77	42	49	30	31	8	35	*	16	21	11	1	1		*		
1971	149	66	163	137	136	91	5			7	1	23					778
1972		330	395	176	116	113	59	29	17	33	6	3	2	18	0		1,297
1973	313	191	148	106	104	76	17	17	13	3	6	2	2	0			998
1974	354	75	87		29	28	26	36	38	20	76	5	1	1	0		776
1975	622	428	384	352	150			4	4	11	6						1,961
1976		523	569	391	209	92		*		12	7	3	1	*	*		1,807
1977		279	223	230	200	6	73	*	33	20	46	33	11	*	*		1,175
1978	810	357	191	200	144	550	148	14	31	74	20	7	1	3			2,550
1979	902	888	1,028	492	209	79	34	22									3,654
1980	283	287	253	204	62	31	15	21	76	15	6	2	0	2			1,257
1981	145	470	138	218	203	36	41	37	60	52	5	4	5	1			1,415
1982		1,140	939	283	757	95	148	66	14	27	28	8	10	7			3,522
1983		279	315	113	57	110	76	63	18	8	21	15	18	4	10		1,107
1984	281	377	312	151	159	86	41	19	13	25	7	6	8	0			1,485
1985	647	649	394	130	145	261	156	54	34	32	271	5	6	3			2,787
1986	223	128	118	87	182	141	48	34	33	21	7	1	7	4			1,034
1987		897	374	106	62	116	26	77	40		5	12	25	36	9		1,785
1988		417	696	208	229	91	30	64	47	17		4	0	2	2		1,807
1989	697	421	225	144	112	51	39	31	41	10	26	4	7	0			1,808
1990	589	202	264	136	131	148	140	39	23	7	6	5	10	10			1,710
1991	750	530	218	207	140	86	56	32	15	14	14	6	5	4			2,077
1992		324	235	159	79	114	64	27	22	15	14	4	0	2	0		1,059
1993		395	389	165	81	66	64	39	26	5	5	6	6	1	1		1,249
1994		463	211	140	50	39	10	9	8	18	3	2	0	0	4	0	957
1995	378	364	154	60	19	27	16	5	0	0	0	0	0	0	0		1,023
1996	648	275	154	75	38	26	18	16	5	1	1	0	0	0	0		1,257
1997	558	529	222	81	40	49	59	18	30	14	2	3	1	0			1,606
1998		411	362	182	35	27	32	30	2	9	3	0	0	5	0		1,098
1999		510	417	430	152	191	65	32	28	7	7	4	1	0	0	0	1,844
2000		395	265	210	106	90	51	21	33	11	0	0	1	0	0		1,183
2001	436	314	186	110	147	87	62	25	5	2	2	1	0	2			1,379
2002	137	69	204	131	102	85	73	19	7	0	1	0	0	0	0		828
2003	69	251	168	73	34	43	12	14	7	2	2	2	0	0	0		677
2004		560	596	316	285	98	55	29	15	6	9	7	15	5	2	0	1,998
2005		624	429	148	77	76	39	25	10	6	3	3	1	2	1	3	1,447
2006	569	513	377	108	47	44	23	13	3	7	3	4	1	4	*	*	1,716
2007	444	366	317	164	71	67	40	28	11	5	3	2	0	0	*	*	1,518
2008	484	506	369	182	154	64	35	45	22	5	7	3	2	1	1	0	1,880
2009		473	215	173	105	103	50	25	2	4	3	3	3	1	0	0	1,160
2010		540	365	243	89	29	36	43	16	14	9	12	7	14	11	0	1,428
Average																	
70-79	461	318	324	235	133	116	50	18	22	22	20	10	3	4	0		1,666
80-89	379	507	376	164	197	102	62	47	38	23	42	6	9	6	7		1,801
90-99	585	400	263	164	77	77	52	25	16	9	6	3	2	2	1	0	1,388
00-09	357	407	313	162	113	76	44	24	12	5	3	3	2	2	0	1	1,379
85-09	474	423	302	157	105	88	51	30	19	9	17	3	4	3	1	0	1,475

\* Confidential information – less than 3 boats fishing.

**Appendix 33. Alaska District 101 (Tree Point) commercial gillnet coho salmon catch, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970	455	439	396	1,302	679	566	1,008	*	2,283	3,832	1,969	2,035	499				
1971	37	57	116	169	548	1,141	300			469	622	1,711					5,170
1972		750	1,589	2,228	3,089	5,070	2,247	3,570	1,944	2,570	2,183	4,517	2,849	2,437	616		35,659
1973	233	1,072	1,268	824	1,236	935	811	2,012	3,151	1,436	1,293	2,518	1,021	222			18,032
1974	319	708	968		785	650		2,296	2,477	4,243	4,130	2,022	1,639	158	327		21,327
1975	326	891	1,064	736	771			1,274	1,536	2,298	3,259						12,155
1976		530	2,249	3,414	1,879	835		*		1,074	2,369	2,410	1,267	*			16,265
1977		79	309	310	591	362	894	*	1,029	1,366	2,019	2,783	1,485	*	*		12,157
1978	3,113	4,842	3,897	4,111	3,153	6,800	4,509	2,906	3,442	3,596	3,099	2,116	954	1,228			47,766
1979	296	290	484	1,213	1,451	1,516	449	728									6,427
1980	428	944	1,311	1,221	1,025	461	305	1,756	2,112	5,793	2,131	1,105	242	357			19,191
1981	198	377	166	757	253	917	884	2,522	2,716	2,699	2,803	1,716	2,012	306			18,326
1982		589	1,160	816	2,462	2,283	1,289	2,517	3,116	2,972	2,772	3,914	2,713	1,109			27,712
1983		650	1,993	1,178	1,805	2,661	3,296	5,818	3,770	3,278	3,072	5,774	5,713	1,853	692		41,553
1984	410	821	1,064	846	1,146	898	1,334	1,955	3,575	5,017	5,624	4,596	5,370	2,779			35,435
1985	71	217	677	1,942	2,097	2,462	2,346	4,342	3,584	8,429	9,759	8,293	4,147	2,601			50,967
1986	220	428	707	916	3,834	3,338	3,478	4,608	3,404	6,919	11,197	9,782	5,574	7,162			61,567
1987		580	575	281	891	1,581	555	1,940	1,675		1,774	5,589	7,006	11,009	3,188		36,644
1988		105	1,248	490	1,687	682	209	632	1,204	790		2,763	2,231	2,833	1,973		16,847
1989	545	1,493	1,263	690	1,379	1,285	2,664	1,895	1,933	2,609	3,329	4,137	4,348	4,915			32,485
1990	1,210	964	848	683	969	1,264	2,053	4,085	3,389	4,513	4,348	5,274	4,558	8,735			42,893
1991	372	348	332	992	2,591	1,712	3,534	3,226	4,946	5,846	4,508	7,354	15,712	18,846			70,319
1992		523	1,203	617	456	863	1,553	2,440	3,547	3,777	6,702	3,866	2,996	7,735	3,723		40,001
1993		883	1,640	575	297	687	2,252	1,583	1,873	2,055	2,314	3,580	2,752	4,580	7,437		32,508
1994		445	980	656	1,803	1,549	666	1,391	3,311	3,084	6,927	6,901	7,584	3,918	4,561	2,537	46,313
1995	225	930	837	323	226	605	660	1,781	2,090	3,295	5,975	7,960	9,821	9,753	9,193		53,674
1996	87	413	1,995	1,300	1,372	2,246	1,796	3,301	1,553	4,598	2,163	1,815	2,562	5,272	2,696		33,169
1997	13	85	180	223	307	499	761	992	1,862	2,993	1,605	3,013	6,983	6,171			25,687
1998		465	748	1,127	1,475	2,454	2,815	4,216	1,410	3,482	6,326	6,512	11,088	12,766	5,381		60,265
1999		870	2,281	3,858	2,795	5,195	2,492	3,461	4,226	3,783	5,080	6,286	5,059	7,793	7,791	3,556	64,526
2000		82	322	697	630	848	932	2,236	2,829	2,180	1,155	1,533	1,361	1,535	1,869		18,209
2001	74	789	782	575	1,042	1,283	1,854	4,220	2,800	2,289	8,187	4,604	3,558	3,447			35,504
2002	94	112	1,353	2,629	1,705	2,147	2,331	3,779	2,086	1,584	2,656	4,125	3,944	3,720	1,251		33,516
2003	455	790	2,295	1,663	1,850	3,840	1,504	1,957	1,673	4,630	4,992	8,088	11,717	15,178	2,987		63,619
2004		220	483	1,880	1,627	783	3,006	2,338	2,001	890	2,459	2,044	3,370	4,647	3,721	1,422	30,891
2005		1,044	3,138	1,462	1,797	5,431	1,936	1,331	1,395	1,125	3,010	5,588	6,816	9,702	5,605	1,800	51,180
2006	26	116	916	606	858	1,478	1,606	1,600	1,010	636	2,391	2,858	6,003	5,090	*	*	29,081
2007	1,055	1,220	2,279	1,634	627	1,454	3,733	2,728	1,308	1,088	1,186	2,058	1,410	3,472	*	*	27,503
2008	864	1,613	2,944	2,776	4,041	1,745	3,010	9,076	5,372	4,222	6,233	7,404	10,465	19,685	16,399	143	95,992
2009		720	952	1,697	2,120	2,200	4,962	5,172	4,019	3,406	4,837	8,772	15,039	10,094	2,506	673	67,169
2010		1,364	1,675	1,294	942	854	2,598	4,152	3,153	3,083	5,324	9,705	18,773	24,135	9,971	840	87,863
Average																	
70-79	683	966	1,234	1,590	1,418	1,986	1,353	1,611	2,266	2,320	2,327	2,514	1,388	719	211		19,440
80-89	312	620	1,016	914	1,658	1,657	1,636	2,799	2,709	4,278	4,718	4,767	3,936	3,492	1,951		34,073
90-99	381	593	1,104	1,035	1,229	1,707	1,858	2,648	2,821	3,743	4,595	5,256	6,912	8,557	5,826	3,047	46,936
00-09	428	671	1,546	1,562	1,630	2,121	2,487	3,444	2,449	2,205	3,711	4,707	6,368	7,657	4,393	829	45,266
85-09	379	618	1,239	1,212	1,539	1,905	2,108	2,973	2,580	3,259	4,546	5,208	6,244	7,626	4,749	1,384	44,821

\* Confidential information – less than 3 boats fishing.

**Appendix 34. Alaska District 101 (Tree Point) commercial gillnet boats fishing, 1971-2010.**

	Statistical Week																Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	
1970	72	83	86	95	111	100	88	*	79	75	58	24	17		*		125
1971	57	72	87	95	101	96	51			30	22	17					116
1972		111	124	133	135	136	127	122	109	98	88	56	35	27	6		195
1973	121	160	169	150	149	145	122	98	108	102	47	42	29	13			224
1974	210	227	205		147	160	152	128	127	116	98	44	32	3	3		314
1975	110	122	114	107	98			77	78	90	76						159
1976		107	133	133	133	82		*		79	69	34	10	*	*		162
1977		113	111	129	142	149	168	*	97	130	60	36	16	*	*		211
1978	163	180	204	182	140	153	166	111	102	105	53	16	6	11			239
1979	145	154	161	125	110	108	88	50									190
1980	107	123	133	127	131	123	74	125	126	116	70	23	5	3			176
1981	107	132	129	131	117	103	74	89	74	120	75	30	17	5			171
1982		103	112	98	124	139	122	107	86	67	46	53	46	32			170
1983		96	126	110	125	135	127	100	107	93	67	44	31	39	12		172
1984	122	129	128	134	128	122	108	95	98	75	71	50	41	23			177
1985	107	123	116	94	95	99	115	107	106	101	75	57	59	32			156
1986	93	103	99	152	174	169	119	106	93	76	68	57	46	41			202
1987		109	129	106	84	107	86	98	107		78	70	85	65	52		178
1988		112	142	141	158	127	113	133	128	127		96	96	78	76		193
1989	125	121	120	104	114	111	122	131	108	96	120	73	85	59			178
1990	118	119	111	91	85	95	75	76	77	86	62	50	58	60			159
1991	88	95	70	62	83	91	92	89	88	74	59	43	57	61			136
1992		81	95	85	93	92	93	90	88	83	74	61	44	54	46		118
1993		96	126	114	89	88	97	102	105	103	80	76	50	62	55		149
1994		115	122	91	89	81	54	42	72	78	47	43	44	44	41	29	144
1995	101	99	94	79	79	82	86	90	76	68	70	81	64	73	42		140
1996	101	117	97	98	96	85	84	70	62	47	41	35	25	25	25		130
1997	93	87	95	72	73	95	96	91	75	62	56	66	59	55			138
1998		93	98	105	94	94	95	82	75	60	57	61	52	56	37		124
1999		89	95	98	97	89	81	75	70	60	50	51	43	37	32	21	118
2000		77	73	55	60	56	59	53	54	50	34	36	29	16	12		95
2001	60	60	56	49	52	43	46	40	41	40	45	34	31	17			76
2002	57	53	53	59	60	46	41	39	36	32	24	21	17	14	12		76
2003	46	57	62	53	44	39	38	36	32	26	23	24	25	25	13		71
2004		53	55	46	44	40	31	35	36	27	26	25	24	27	22	5	61
2005		60	59	42	36	35	35	35	28	23	27	27	26	33	27	8	70
2006	36	41	36	35	35	35	34	34	28	22	26	27	21	17	*	*	48
2007	43	47	38	33	35	32	34	35	32	24	22	24	27	18	*	*	56
2008	32	33	37	40	42	37	37	34	30	29	29	34	31	30	28	3	54
2009		50	49	45	44	42	42	42	34	30	30	35	33	32	18	3	65
2010		53	53	50	46	47	46	47	44	34	34	40	43	40	33	4	68
Average																	
70-79	113	123	129	118	118	116	110	81	92	86	61	34	23	14	8	40	194
80-89	110	115	123	120	125	124	106	109	103	97	74	55	51	38	47		177
90-99	100	99	100	90	88	89	85	81	79	72	60	57	50	53	40	25	136
00-09	46	53	52	46	45	41	40	38	35	30	29	29	26	23	18	5	67
85-09	79	84	85	78	78	76	72	71	67	59	51	48	45	41	31	10	117

\* Confidential information – less than 3 boats fishing.

**Appendix 35.** Alaska District 101 (Tree Point) hours open to commercial gillnet fishing, 1971-2010.

	Statistical Week														Total		
	25	26	27	28	29	30	31	32	33	34	35	36	37	38		39	40
1970	96	96	96	120	120	96	96	96	120	120	120	96	72				1,344
1971	96	96	96	96	96	96	48			96	120	96					936
1972		96	96	96	96	120	96	96	96	120	96	96	96	96	72		1,368
1973	96	96	96	72	72	96	72	72	48	72	48	48	72	72			1,032
1974	72	48	48		36	48	48	72	72	72	96	72	48	72	72		876
1975	96	96	96	72	48			36	36	60	60						600
1976		96	96	96	96	72				24	96	96	120	120	120		1,032
1977		96	96	96	96	24	72	72	96	72	48	48	72	72	48		1,008
1978	96	96	72	72	48	72	96	72	72	96	72	72	72	72			1,080
1979	96	96	96	96	48	48	48	24									552
1980	96	96	72	96	96	48	24	72	120	120	96	120	72	72			1,200
1981	72	96	72	72	48	48	48	120	96	96	48	48	48	48			960
1982		96	96	72	96	96	48	96	96	120	120	120	96	72			1,224
1983		96	96	48	48	96	120	120	120	120	120	96	72	72	72		1,296
1984	96	96	60	60	96	96	120	120	120	120	120	72	72	72			1,320
1985	96	96	72	48	96	120	120	120	120	120	120	96	72	72			1,368
1986	96	72	24	48	96	120	120	120	120	120	120	120	72	72			1,320
1987		96	72	48	48	96	48	96	96		15	48	72	72	48		855
1988		96	96	54	96	48	48	96	120	48		39	42	30	30		843
1989	96	72	72	48	120	120	111	120	120	120	120	48	48	48			1,263
1990	96	48	48	48	48	96	96	120	120	120	96	72	72	72			1,152
1991	96	72	72	72	72	120	120	120	120	120	96	72	72	72			1,296
1992		96	96	96	96	96	120	120	120	120	120	48	48	72	72		1,320
1993		96	96	72	72	96	120	120	120	120	120	120	48	48	48		1,296
1994		96	72	72	72	96	96	120	120	120	120	96	72	72	72	48	1,344
1995	96	96	96	96	48	96	96	120	120	120	120	96	72	72	48		1,392
1996	96	96	96	96	120	96	120	120	120	120	120	120	96	72	48		1,536
1997	96	96	72	96	72	120	120	120	120	120	72	48	48	48			1,248
1998		96	96	96	60	96	120	120	120	120	120	72	72	72	72		1,332
1999		96	72	72	72	120	120	120	120	120	120	120	72	72	72	72	1,440
2000		48	48	96	72	96	96	96	120	120	120	72	48	48	48		1,128
2001	72	72	72	60	96	120	120	120	120	120	120	120	96	72			1,380
2002	96	72	96	72	72	96	120	120	120	120	120	96	96	72	72		1,440
2003	96	96	96	96	96	120	120	120	120	120	120	96	96	120	96		1,608
2004		96	96	96	96	120	120	120	120	120	120	120	96	96	96	96	1,608
2005		96	96	96	96	120	120	120	120	120	120	96	120	96	96	48	1,560
2006	96	96	96	96	96	96	96	96	48	48	72	72	72	72	72	48	1,272
2007	96	96	96	96	48	96	120	120	120	120	120	72	48	48	48	48	1,392
2008	96	96	96	96	96	48	48	96	120	120	120	96	96	96	96	96	1,512
2009		96	96	96	96	96	120	120	120	120	120	96	96	96	96	48	1,512
2010		96	96	96	96	48	96	120	120	120	120	96	96	96	96	48	1,440
Average																	
70-79	93	91	89	91	76	75	72	67	77	81	84	78	79	84	78		983
80-89	92	91	73	59	84	89	81	108	113	109	98	81	67	63	50		1,165
90-99	96	89	82	82	73	103	113	120	120	120	110	86	67	67	62	60	1,336
00-09	92	86	89	90	86	101	108	113	113	113	115	94	86	82	80	64	1,441
85-09	94	87	82	78	82	102	106	115	116	114	110	86	74	71	68	63	1,336

**Appendix 36. Alaska District 106 commercial gillnet pink salmon catch, 1971-2010.**

	Statistical Week																			Total
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
1970			313	523	1,828	2,330	4,353	5,877	8,648	9,539	18,519	23,912	17,112	2,128	91					95,173
1971			44	114	2,716	3,054	12,344	31,188	54,733	87,285	110,825	84,014	65,140	58,273	14,171	4,774	62	0		528,737
1972				2,869	2,705	3,129	3,175	3,523	3,554	7,991	15,046	16,243	19,392	7,388	4,302	161	32			89,510
1973	420	103	523	1,302	4,692	11,384	40,579	34,635	65,979	79,036	49,915	15,968								304,536
1974			530	2,580	6,439	7,294		3,836	14,741	18,735	18,412	16,271	10,973	3,646	943	68	128	0		104,596
1975			447	1,782	7,583	5,756	6,386			25,107	60,655	50,311	45,004							203,031
1976				1,385		507	2,126	3,859				97,731	29,580	3,971	472	10	0	0	0	139,641
1977				8,503	22,902	27,024	11,670			145,108	205,466	1,017	119	137	994	15	0			422,955
1978			79	227	1,792	7,223	8,202	6,568	21,965	24,652	105,289	37,921	3,770	1,390	2,569	3,068	0			224,715
1979			5,382	6,064	22,968	27,299	79,662	123,492	57,895	140,910	144,412	39,674	276	178		0	0	0		648,212
1980			135	649	1,111	4,471	6,588	10,804	19,311		1,860	477	244	12	0					45,662
1981			76	512	5,023	5,924	60,246	79,212	69,459	73,361	122,673	20,548	90	453						437,577
1982			95	651	1,548	1,687	3,688	4,216	3,128			1,162	4,442	3,458	971	1,042	0	0		26,088
1983			18	9,232	6,769	6,238	3,847	27,314	23,361	4,234	44,114	36,381	28,087	15,945	1,753	884	131	16		208,324
1984		5	479	3,026	7,364	9,189	20,564	26,411	52,226	52,819	62,913	100,437	5,406	2,364	846	52				344,101
1985	0	125	766	7,384	42,646	63,156	79,561	142,432	47,714	85,502	57,730	52,411	8,149	590	2	15			0	588,183
1986	1	138	451	959	27	1,471	4,437	11,328	34,329	59,554	86,621	74,188	25,333	7,065	3,127	30	0	0		309,059
1987			8	671	7,903	27,348	39,924	37,766	35,232	64,996	29,580	140	2,608	1,446	133	26				247,781
1988		0	0	31	509	1,914	2,627	3,382	5,596	12,461	3,276	17,388	19,289	3,372	17	11				69,873
1989			832	3,141	14,587	91,102	124,852	230,125	180,655	135,323	159,309	117,167	44,169	5,572	856	6				1,107,696
1990			429	1,630	2,128	3,564	5,124	15,088	21,709	41,916	83,713	83,001	47,161	13,520	1,084	48	0			320,115
1991	0	0	100	4,978	12,609	13,810	17,590	7,282	11,357	12,520	17,784	19,003	10,472	3,542	2,386	134	0	0	0	133,567
1992	0	0		141	3,629	3,774	4,520	7,239	6,512	8,939	23,857	17,070	13,503	4,355	614	124	1	0	0	94,278
1993				884	32,247	36,350	56,347	36,272	76,467	49,093	61,397	87,920	81,943	12,894	3,803	2,018	355	8	1	537,999
1994			0	166	1,232	2,307	1,687	2,378	11,149	26,231	21,675	36,163	54,708	21,019	1,493	162	21	0	0	180,391
1995			396	7,739	14,676	13,885	11,212	24,996	40,571	88,278	96,902	88,415	45,848	14,454	696	94	1			448,163
1996			29	497	1,975	5,818	6,309	12,307	16,142	32,855	41,938	34,738	25,962	7,034	2,359	71	1			188,035
1997			138	4,496	28,093	51,286	60,445	71,269	130,583	127,029	160,608	98,237	32,926	22,322	1,025	572	22			789,051
1998				749	1,031	3,511	8,721	29,679	51,920	128,394	118,181	116,601	33,897	8,635	758	563	11	4	0	502,655
1999				2,908	6,411	17,712	16,307	48,592	28,989	39,190	52,486	100,970	78,833	59,469	20,897	16,338	1,824	249	4	491,179
2000				433	1,176	4,286	9,772	7,793	14,220	19,960	43,648	25,124	18,812	7,671	2,905	770	49			156,619
2001			407	8,558	31,598	28,992	138,829	113,272	142,733	116,531	143,647	59,923	29,785	6,228	4,637	304	3	0	0	825,447
2002			18	12	1,558	2,034	1,852	4,855	6,019	13,397	24,271	19,842	4,909	3,909	266	7	2	0	0	82,951
2003			1,603	23,655	27,758	34,132	42,372	52,264	76,677	63,248	56,411	47,435	34,761	6,688	3,497	193	3	0	0	470,697
2004			159	2,419	7,546	6,599	27,221	15,253	26,000	50,773	62,275	15,517	20,903	8,804	1,728	37	3	0	0	245,237
2005			1,133	16,573	36,014	36,457	115,267	113,787	32,010	30,900	24,696	19,969	23,958	9,224	533	617	48	1	0	461,187
2006		0	115	765	2,643	6,288	38,968	28,334	23,105	23,573	11,848	10,449	2,000	1,444	366	7	2	0		149,907
2007		93	5,292	17,953	11,265	20,230	52,642	32,732	31,217	28,959	80,769	71,772	24,762	4,762	842	64	1	0		383,355
2008		0	18	1,213	1,918	2,429	4,032	4,162	7,209	18,969	12,607	24,714	5,501	4,583	2,485	368	9	0		90,217
2009			163	3,457	14,070	15,349	9,384	3,852	10,807	34,409	22,226	19,070	4,943	4,387	1,339	133	0	0		143,589
2010			95	310	1,779	3,234	2,848	9,055	24,979	55,448	69,987	91,283	34,921	11,089	3,683	339	516	0	0	309,566
Average																				
70-79	420	103	1,045	2,535	8,181	9,500	18,722	26,622	32,502	59,818	80,949	31,703	28,835	12,840	3,863	1,223	33	0	0	276,111
80-89		2	191	1,913	5,316	19,055	32,696	50,323	54,273	53,155	63,198	43,805	23,093	6,610	1,359	644	44	5	0	338,434
90-99	0	0	182	2,419	10,403	15,202	18,826	25,510	39,540	55,445	67,854	68,212	42,525	16,724	3,512	2,012	224	44	1	368,543
00-09		31	990	7,504	13,555	15,680	44,034	37,630	37,000	40,072	48,240	31,382	17,033	5,770	1,860	250	12	0	0	300,921
85-09	0	12	576	4,201	10,702	19,021	35,469	40,951	47,076	50,649	61,497	52,330	32,638	11,018	2,543	1,069	114	17	0	369,735

\* Confidential information – less than 3 boats fishing.

**Appendix 37. Alaska District 106 commercial gillnet chum salmon catch, 1971-2010.**

	Statistical Week																	Total			
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	41	
1970			84	281	693	1,534	3,806	6,767	6,004	3,045	3,731	2,335	2,971	907	87						32,245
1971			59	227	704	691	1,551	2,395	3,081	4,890	5,364	4,487	6,897	4,184	1,874	1,107	171	0			37,682
1972				1,266	2,298	2,333	2,198	2,720	5,054	8,523	17,085	11,181	8,732	4,355	3,222	2,601	821				72,389
1973	175	17	2,902	1,716	2,387	3,053	9,505	9,481	18,363	18,919	13,644	7,542									87,704
1974			3,116	4,006	5,703	4,618		5,789	6,492		5,542	3,967	2,939	3,639	2,121	1,127	416	887	40		50,402
1975			1,492	740	2,399	1,100	2,279			3,346	4,338	4,096	4,257								24,047
1976				351		177	376	1,077					2,769	1,612	327	149	25	0	5		6,868
1977				801	1,644	2,202	723			4,219	3,524	8	22	36	84	46	2				13,311
1978			41	73	447	2,034	1,607	837	2,267	1,942	3,037	1,913	1,243	647	270	147	40				16,545
1979			1,284	959	882	2,205	7,791	5,679	3,541	3,807	6,744	2,158	390	67		0	0	0			35,507
1980			168	332	485	1,662	5,588	6,707	9,507		492	623	566	149	12						26,291
1981			360	845	2,381	4,384	5,041	8,862	3,531	4,295	3,317	859	175	246							34,296
1982			187	747	915	814	1,674	6,039	2,923			622	2,272	1,802	432	479	0	0			18,906
1983			6	886	1,455	1,115	834	3,887	1,796	1,165	1,828	2,375	1,375	1,196	737	855	337	343			20,190
1984		15	430	1,168	2,418	2,898	14,162	8,354	9,229	5,995	4,757	7,937	3,872	4,559	4,370	653					70,817
1985		14	873	842	3,713	7,894	5,978	9,699	7,042	5,717	4,293	3,896	10,769	4,775	3,395	1,160	760		0		70,820
1986		12	464	922	2,632	101	3,076	9,938	15,738	10,520	10,292	6,748	7,772	6,256	4,445	3,401	611	0	0		82,928
1987			2	510	1,073	1,917	4,007	5,437	6,742	9,168	4,123	738	2,431	1,814	2,820	2,967					43,749
1988		0	19	1,876	4,261	11,266	15,585	10,727	10,755	8,041	2,006	2,999	2,231	938	152	156					71,012
1989			918	2,959	3,591	10,918	8,826	8,496	8,067	5,015	3,987	5,297	3,993	2,025	3,929	515					68,536
1990			804	1,862	6,011	9,344	8,011	12,738	6,577	7,102	3,925	4,988	6,582	3,467	1,469	796	148				73,824
1991	0	0	1,510	5,325	11,546	11,828	22,249	15,584	16,221	9,452	5,795	9,643	4,938	3,021	4,717	2,121	524	130	27		124,631
1992	0	0		2,508	6,948	11,518	14,245	25,579	20,631	9,949	8,243	6,660	9,811	9,953	6,637	4,940	2,781	68			140,471
1993				639	3,814	14,127	27,638	15,479	23,347	11,512	8,547	5,362	8,942	4,002	3,142	2,958	2,735	1,927	464		134,635
1994			16	4,881	19,794	13,798	15,965	27,221	20,504	17,447	5,801	6,965	12,573	9,437	8,727	5,920	5,137	1,848	203		176,237
1995			15,603	19,772	29,601	29,192	32,100	35,586	29,268	27,606	31,466	18,013	12,661	11,865	3,582	3,642	121				300,078
1996			1,334	11,763	25,471	49,899	61,364	45,771	20,972	19,974	10,448	8,569	10,952	11,655	4,237	676	205				283,290
1997			454	2,765	12,397	19,959	43,275	47,741	27,924	10,038	7,203	4,680	4,480	2,312	518	2,092	618				186,456
1998				8,617	15,585	31,192	29,968	46,307	54,820	51,129	27,028	21,694	8,535	9,069	8,580	11,234	6,364	1,824	76		332,022
1999				2,097	5,151	16,677	41,279	124,748	77,273	39,118	22,284	21,760	16,718	27,124	27,054	18,926	5,439	1,643	888		448,179
2000				1,291	10,068	22,476	52,398	38,591	29,197	14,403	9,833	3,275	3,655	4,118	4,740	4,251	1,540				199,836
2001			6,378	15,356	20,256	24,275	55,931	34,044	24,767	10,018	9,211	14,499	14,243	16,244	24,371	7,469	4,030	2,065	305		283,462
2002			1,471	3,170	9,982	12,829	12,710	9,600	9,873	4,928	6,215	7,253	3,966	12,713	7,973	5,794	3,045	866	149		112,537
2003			3,067	10,068	11,274	20,829	22,633	36,311	21,313	19,928	10,825	12,318	22,236	22,798	37,750	34,052	10,812	3,698	328		300,240
2004			968	3,323	6,294	5,093	13,165	7,825	12,366	14,465	7,100	2,784	6,841	9,743	12,430	5,631	2,080	440	26		110,574
2005			50	1,152	21,381	30,378	50,805	32,448	9,926	8,885	9,088	6,952	7,312	7,720	2,633	4,278	3,172	2,063	321		198,564
2006		53	1,587	13,280	51,705	41,120	67,274	20,614	11,027	9,120	6,436	5,930	7,328	17,828	6,882	774	173				268,436
2007		659	13,826	21,648	17,000	44,761	52,660	33,844	9,158	7,721	7,288	16,612	20,744	21,001	16,652	10,108	3,868	448			297,998
2008		22	438	3,243	11,639	11,622	18,449	12,680	4,251	5,380	2,285	2,345	2,868	7,337	11,430	5,334	2,558	275			102,156
2009			6,983	22,276	72,691	51,983	20,773	9,065	12,950	11,389	8,919	10,371	11,110	14,303	16,194	13,736	2,496	2,468			287,707
2010			351	3,414	7,530	9,816	10,335	13,496	10,184	7,272	5,835	6,233	3,858	7,088	8,611	2,898	847	68	109		97,945
Average																					
70-79	175	17	1,283	1,042	1,906	1,995	3,315	4,343	6,400	6,026	6,826	4,073	3,436	1,741	999	638	278	10	5		37,670
80-89		10	343	1,109	2,292	4,297	6,477	7,815	7,533	6,240	3,899	3,209	3,546	2,376	2,255	1,273	427	114	0		50,755
90-99	0	0	3,287	6,023	13,632	20,753	29,609	39,675	29,754	20,333	13,074	10,833	9,619	9,191	6,866	5,331	2,407	1,240	332		219,982
00-09		245	3,863	9,481	23,229	26,537	36,680	23,502	14,483	10,624	7,720	8,371	9,891	12,331	15,200	9,754	3,438	1,388	226		216,151
85-09	0	95	2,620	5,828	12,966	18,876	28,316	27,792	19,907	14,027	9,322	8,390	8,799	9,030	9,134	6,054	2,730	1,165	232		183,778

\* Confidential information – less than 3 boats fishing.

**Appendix 38. Alaska District 106 commercial gillnet sockeye salmon catch, 1971-2010.**

	Statistical Week																	Total				
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	41		
1970			3,261	7,097	7,139	7,399	7,527	4,517	3,053	1,321	752	410	301	29	3						42,809	
1971			4,288	5,875	7,640	6,847	8,221	4,915	5,052	4,300	3,366	1,625	749	307	50	26	1	0			53,262	
1972				20,573	21,597	12,872	12,281	8,592	9,877	7,857	4,083	2,741	1,090	196	194	5	0				101,958	
1973	24	53	8,822	7,202	5,987	8,262	18,213	8,717	7,919	4,377	1,847	602									72,025	
1974			5,683	8,706	10,763	9,074		4,963	8,452	5,068	2,833	1,490	347	96	17	4	2	0			57,498	
1975			6,477	3,729	6,875	4,783	5,190			1,670	1,840	838	697								32,099	
1976				6,293		1,567	2,299	4,353					775	185	16	4	1	0	0		15,493	
1977				20,945	18,981	11,283	3,350			6,975	5,742	22	2	58	36	0	0				67,394	
1978			1,124	1,660	5,319	9,672	5,491	3,981	6,494	3,155	3,737	531	111	55	134	110	0				41,574	
1979			5,702	3,311	8,738	8,792	11,555	11,615	5,254	6,154	3,941	1,237	60	14		0	0	0			66,373	
1980			4,355	7,706	10,562	20,701	30,210	21,210	12,276		268	96	36	2	0						107,422	
1981			4,162	9,917	28,201	24,715	49,692	32,023	16,343	8,830	6,661	1,366	72	20							182,002	
1982			7,950	37,425	45,828	38,097	17,110	34,444	12,218			221	418	142	18	8	0	0			193,879	
1983				32	5,353	7,061	5,982	4,257	12,393	7,962	1,411	2,541	986	613	237	48	15	0	1		48,892	
1984		58	1,892	3,961	7,968	10,631	19,171	22,388	15,443	5,770	3,012	1,853	161	105	40	3					92,456	
1985		258	12,876	10,902	28,626	38,256	45,255	47,350	50,450	13,459	12,728	6,167	2,617	267	42	6	3		0		269,262	
1986		60	2,640	3,774	17,505	429	8,162	21,184	33,585	24,819	19,865	10,516	3,156	816	158	42	7	0	0		146,718	
1987				102	5,284	10,856	21,248	22,771	25,169	23,464	6,760	15	275	84	6	9					139,071	
1988		0	39	2,375	8,690	8,981	24,979	18,434	12,197	12,408	2,570	2,365	562	108	2	0					93,710	
1989			6,375	8,989	10,210	42,026	40,868	34,909	29,009	10,585	7,544	3,269	828	152	43	7					194,814	
1990			5,322	6,562	13,142	25,756	27,653	51,170	27,424	14,525	9,365	4,709	2,157	332	41	7	0				188,165	
1991	0	0	6,697	16,229	10,287	22,409	20,620	20,365	19,003	9,863	10,197	6,078	1,837	297	169	44	9	0	1		144,105	
1992	0	0		8,173	37,260	36,439	33,282	35,350	25,955	11,619	7,124	3,166	3,684	939	116	30	21	0			203,158	
1993				3,992	14,095	17,893	26,616	26,040	38,273	34,566	22,612	14,178	5,892	924	552	240	78	15	0		205,966	
1994			12	5,125	14,349	23,140	32,776	37,734	44,451	23,479	14,611	7,356	5,865	1,505	409	126	140	8			211,088	
1995			6,725	12,223	14,111	22,761	18,500	39,631	28,030	24,862	23,795	11,828	4,016	712	56	47	1				207,298	
1996			3,174	27,418	33,426	38,882	46,654	57,285	39,516	38,700	14,969	5,888	3,283	1,165	674	63	6				311,103	
1997			3,288	21,217	28,549	20,792	17,203	17,942	17,750	8,766	9,849	13,706	6,389	2,344	285	399	39				168,518	
1998				7,296	7,624	15,328	15,735	16,382	19,294	15,457	7,882	5,352	2,240	272	441	87	42	3	0		113,435	
1999				7,472	9,769	8,812	11,176	24,624	18,690	11,109	7,164	3,629	1,462	584	191	137	14	1	0		104,834	
2000				3,345	12,282	12,998	19,234	18,564	10,795	5,317	5,108	1,502	388	301	197	37	8				90,076	
2001			8,767	16,452	12,282	16,337	40,047	39,686	22,803	4,450	1,969	746	208	153	89	18	2	4	0		164,013	
2002			3,382	3,625	7,362	10,621	11,744	6,790	5,528	3,555	1,833	1,227	218	190	48	9	3	0	0		56,135	
2003			1,148	7,477	8,579	13,019	17,714	17,682	24,473	15,975	7,181	2,195	950	282	184	36	6	3	0		116,904	
2004			1,204	8,853	27,770	17,814	20,900	9,922	9,713	13,774	3,906	866	582	450	408	71	24	2	0		116,259	
2005			1,056	16,552	13,210	12,215	14,930	12,978	5,164	5,053	9,754	9,319	5,954	2,449	541	712	252	49	4		110,192	
2006		372	3,843	8,939	17,965	14,400	20,416	6,043	3,609	4,321	3,783	5,032	2,272	614	295	69	5	2			91,980	
2007		1,288	20,884	25,328	5,687	9,648	9,492	6,723	2,701	2,803	3,971	2,361	1,121	356	76	37	5	0			92,481	
2008		83	1,242	3,561	7,244	5,219	6,215	2,980	1,231	1,629	525	293	49	44	208	8	2	0			30,533	
2009			17,936	17,529	16,745	15,285	10,723	4,899	8,134	10,440	6,146	2,975	829	261	59	23	0	0			111,984	
2010			2,220	6,566	11,193	17,713	15,348	16,454	16,528	9,105	9,199	5,472	1,666	605	317	35	7	0	0		112,428	
<b>Average</b>																						
<b>70-79</b>	24	53	5,051	8,539	10,338	8,055	8,236	6,457	6,586	4,542	3,127	1,055	459	118	64	21	1	0	0		55,049	
<b>80-89</b>		94	4,042	9,569	17,551	21,107	26,248	26,950	21,295	12,539	6,883	2,685	874	193	40	11	3	0	0		146,823	
<b>90-99</b>	0	0	4,203	11,571	18,261	23,221	25,022	32,652	27,839	19,295	12,757	7,589	3,683	907	293	118	35	5	1		185,767	
<b>00-09</b>		581	6,607	11,166	12,913	12,756	17,142	12,627	9,415	6,732	4,418	2,652	1,257	510	211	102	31	7	1		98,056	
<b>85-09</b>	0	258	4,672	10,048	15,453	18,976	23,039	24,789	21,380	13,922	8,961	5,073	2,334	639	218	93	32	6	1		148,742	

\* Confidential information – less than 3 boats fishing.

**Appendix 39. Alaska District 106 commercial gillnet Chinook salmon catch, 1971-2010.**

	Statistical Week																	Total		
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	41
1970			78	208	90	42	84	57	39	36	13	39	77	18	1					782
1971			120	98	156	96	114	102	324	116	101	29	22	27	12	14	5	0		1,336
1972			676	414	318	235	276	41	159	64	80	136	90	34	7	18				2,548
1973	0	0	810	369	112	35	166	76	99	103	101	90								1,961
1974			269	263	229	286		30	175	299	95	129	33	89	17	2	13	0		1,929
1975			242	282	214	116	134			7	253	467	872							2,587
1976				129		70	43	35					50	22	14	20	3	0	0	386
1977				129	64	62	37			98	276	1	0	0	2	2	0			671
1978			36	180	7	43	42	1,049	16	17	832	291	62	70	18	18	1			2,682
1979			323	63	61	205	153	258	283	721	571	68	8	6			0	0	0	2,720
1980			92	132	59	47	98	41	63		8	9	23	8	0					580
1981			62	57	80	105	261	369	154	39	357	81	0	0						1,565
1982			74	409	423	416	81	24	57		19	43	55	50	20	0	0			1,671
1983			0	25	126	99	14	44	25	3	49	12	25	22	19	18	4	82		567
1984		28	42	43	125	46	180	148	104	69	52	45	9	7	25	0				923
1985		4	146	271	110	306	253	308	152	34	11	18	53	22	3	3	4		0	1,698
1986		0	142	123	100	1	124	271	427	146	43	67	66	53	78	37	28	0	0	1,706
1987			1	175	156	118	86	52	33	69	114	0	7	7	23	30				871
1988		68	125	288	923	851	322	152	36	86	7	100	5	2	0	0				2,965
1989			229	228	67	148	120	166	98	40	121	143	162	12	26	6				1,566
1990			414	166	134	143	85	454	120	112	46	109	103	88	121	16	10			2,121
1991	76	190	798	490	206	337	169	138	61	33	49	115	54	13	33	15	36	27	2	2,842
1992	6	13		321	291	227	66	84	71	11	3	19	134	20	31	53	24	0	0	1,374
1993				167	173	125	182	88	32	25	49	11	13	18	37	43	24	3	5	995
1994			0	196	129	140	61	41	68	36	8	7	29	18	8	1	6	6	0	754
1995			286	208	142	177	51	42	18	27	0	0	0	0	0	0	0			951
1996			71	229	91	69	54	47	44	28	2	3	2	1	3	0	0			644
1997			277	326	258	96	32	19	20	13	11	11	3	1	0	6	2			1,075
1998				152	116	51	45	32	32	27	15	9	3	2	1	10	22	1	0	518
1999				289	56	48	29	42	13	7	7	2	4	1	1	1	4	7	2	513
2000				215	298	237	277	121	22	8	15	19	0	0	5	2	1			1,220
2001			336	178	118	49	186	120	114	10	2	0	0	5	3	3	4	9	1	1,138
2002			136	48	49	68	22	17	37	34	1	8	3	8	3	4	8	0	0	446
2003			16	70	70	64	16	24	28	22	10	4	21	5	14	32	3	2	3	404
2004			195	465	801	287	383	172	227	69	20	18	20	23	23	18	8	4	2	2,735
2005			338	402	329	122	132	65	67	14	11	5	2	3	1	11	16	8	0	1,526
2006		171	377	398	307	182	125	66	30	19	2	5	0	3	35	14	3	0		1,737
2007		176	634	605	136	133	85	50	9	4	4	2	2	1	1	4	3	3		1,852
2008		179	177	175	318	61	58	39	6	5	3	1	3	0	15	7	2	0		1,049
2009			540	349	248	230	63	8	16	119	12	3	2	4	16	11	2	2		1,625
2010			244	120	280	145	135	51	94	40	4	48	11	12	22	4	6	3	2	1,221
<b>Average</b>																				
<b>70-79</b>	0	0	268	240	150	127	112	235	140	173	256	133	140	40	14	9	6	0	0	1,760
<b>80-89</b>		25	91	175	217	214	154	158	115	61	85	49	39	19	25	14	9	27	0	1,411
<b>90-99</b>	41	102	308	254	160	141	77	99	48	32	19	29	35	16	24	15	13	7	2	1,179
<b>00-09</b>		175	305	291	267	143	135	68	56	30	8	7	5	5	12	11	5	3	1	1,373
<b>85-09</b>	41	100	247	258	224	168	123	109	74	37	23	28	29	13	19	13	10	5	1	1,363

\* Confidential information – less than 3 boats fishing.

**Appendix 40. Alaska District 106 commercial gillnet coho salmon catch, 1971-2010.**

	Statistical Week																	Total				
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	41		
1970			190	869	1,085	1,388	2,418	1,939	3,355	3,238	4,163	7,103	7,464	1,780	196						35,188	
1971			46	121	466	750	1,019	1,803	2,182	4,506	10,432	6,980	8,929	7,011	2,763	885	192	0			48,085	
1972				829	2,160	4,258	4,881	6,643	4,920	7,177	10,074	10,649	15,715	12,342	8,571	2,866	1,198				92,283	
1973	38	9	421	958	707	1,025	2,637	2,328	4,418	9,330	10,554	6,022									38,447	
1974			471	1,119	2,558	2,146		921	3,108	4,095	4,391	8,427	8,464	6,693	2,022	593	567	20			45,595	
1975			462	523	1,249	1,004	1,746			1,787	4,046	7,519	12,626								30,962	
1976				530	251	349	866						5,782	7,248	2,908	992	181	0	19		19,126	
1977				56	178	240	82			1,789	4,562	10	205	417	503	313	34				8,389	
1978			83	249	309	1,332	1,650	2,768	5,125	3,235	12,497	7,707	10,813	6,857	2,006	862	85				55,578	
1979			89	67	282	704	1,799	2,247	2,090	4,032	7,851	6,438	1,698	786		592	2,476	303			31,454	
1980			97	394	339	1,083	2,340	3,055	3,293	709	2,009	2,690	637		20						16,666	
1981			69	53	485	414	1,846	3,893	4,054	2,380	5,813	1,775	822	1,012							22,616	
1982			105	1,084	2,329	2,481	2,042	3,436	1,878		1,128	10,746	11,151	4,936	3,620	492	432				45,860	
1983			3	636	1,339	2,082	1,158	4,860	3,842	1,569	3,754	7,716	8,941	10,109	8,645	5,127	1,529	1,226			62,536	
1984		2	146	448	742	791	2,146	2,779	3,580	2,617	4,402	10,591	7,167	7,306	4,927	640					48,284	
1985		9	398	894	2,054	5,752	7,285	7,629	8,185	5,139	8,031	9,113	23,800	11,179	5,646	1,592	1,220		14		97,940	
1986		33	846	1,464	2,458	69	3,047	5,108	16,154	15,198	17,937	23,772	36,047	44,334	23,128	14,583	1,665	0			205,843	
1987			7	336	1,000	2,578	3,346	3,839	4,308	5,794	2,918	781	4,832	3,553	2,188	2,524					38,004	
1988		0	1	119	592	762	1,328	1,300	1,318	1,851	852	1,884	2,394	1,575	845	174					14,995	
1989			552	1,161	1,815	3,400	5,891	5,888	8,030	6,808	12,770	14,902	12,126	8,007	11,823	1,343					94,516	
1990			846	2,148	2,758	3,824	4,696	7,993	13,409	12,492	11,030	24,370	33,311	28,301	16,381	5,606	578				167,743	
1991	0	0	727	1,378	2,637	3,187	5,038	3,461	4,451	4,308	9,791	27,277	35,878	22,285	37,563	28,218	8,699	3,007	881		198,786	
1992	0	0		1,282	5,487	7,856	6,210	6,952	9,221	6,009	10,183	8,843	30,573	61,078	54,741	49,921	39,487	2,041			299,884	
1993				342	1,419	2,343	6,413	5,854	11,659	9,709	9,817	13,624	27,236	20,651	21,593	32,998	43,412	22,113	3,675		232,858	
1994			1	809	3,311	6,132	6,862	15,770	19,980	28,453	19,529	20,847	43,828	47,809	29,906	11,296	12,274	4,628	1,258		272,693	
1995			815	2,559	3,884	3,905	3,803	7,669	9,581	11,373	20,232	21,234	33,630	34,678	10,550	6,435	213				170,561	
1996			469	3,070	4,731	7,197	11,371	19,724	26,529	29,851	20,561	17,614	22,927	31,675	22,649	4,638	1,124				224,130	
1997			95	828	1,151	1,809	2,096	2,203	2,253	4,464	5,385	9,928	11,393	10,109	3,513	17,860	4,463				77,550	
1998				4,933	10,697	16,626	18,348	19,779	11,803	17,796	16,156	19,661	22,830	21,852	26,473	37,559	20,482	7,969	233		273,197	
1999				3,401	2,991	4,722	5,616	10,547	12,674	7,659	11,523	13,558	10,749	19,200	24,104	34,655	18,529	9,596	9,852		199,376	
2000				857	3,444	6,393	14,542	10,308	7,453	3,815	6,718	4,276	8,206	6,327	8,401	9,740	5,727				96,207	
2001			374	2,233	4,227	5,454	18,515	11,203	9,514	6,390	5,588	11,955	18,546	16,555	28,478	19,427	15,186	12,058	2,762		188,465	
2002			1,469	1,602	5,272	10,846	11,275	9,027	7,818	9,319	11,248	15,981	13,432	40,697	33,863	23,096	18,176	10,709	2,473		226,303	
2003			903	4,710	7,381	7,492	9,228	12,523	10,417	13,182	8,618	13,903	18,099	17,098	30,520	34,234	14,831	7,514	1,236		211,889	
2004			1,057	4,479	16,933	12,611	14,748	7,325	7,361	7,618	5,402	3,090	5,487	9,145	14,446	15,488	9,906	3,313	222		138,631	
2005			1,185	8,842	10,379	8,156	8,872	5,345	1,942	1,888	2,842	4,341	7,276	9,166	5,418	13,044	13,631	10,244	1,869		114,440	
2006			986	3,044	3,921	5,213	5,318	2,023	1,069	1,266	1,641	2,942	3,171	7,748	22,235	6,615	1,287	510			69,015	
2007		254	5,017	8,027	4,857	6,935	4,285	2,809	1,244	1,067	2,793	3,946	4,850	6,972	7,277	12,243	6,696	1,301			80,573	
2008		94	2,012	6,538	10,582	5,887	4,664	2,289	2,020	3,447	1,768	3,010	4,950	12,565	29,283	18,730	7,634	601			116,074	
2009			1,269	4,475	8,554	10,020	8,335	9,643	7,046	16,113	13,218	10,367	6,971	14,507	14,367	13,017	3,554	3,113			144,569	
2010			6,395	13,927	22,210	13,285	8,810	6,017	6,620	9,338	12,152	12,225	10,877	19,935	32,304	32,711	12,870	3,362	2,115		225,153	
<b>Average</b>																						
<b>70-79</b>	38	9	252	532	999	1,310	1,842	2,439	3,600	4,354	7,619	6,762	7,966	5,392	2,710	1,015	676	81	19		40,511	
<b>80-89</b>		11	222	659	1,315	1,941	3,043	4,179	5,464	5,170	6,354	7,367	10,957	9,886	6,906	3,700	1,227	553	7		64,726	
<b>90-99</b>	0	0	492	2,075	3,907	5,760	7,045	9,995	12,156	13,211	13,421	17,696	27,236	29,764	24,747	22,919	14,926	8,226	3,180		211,678	
<b>00-09</b>		125	1,586	4,481	7,555	7,901	9,978	7,250	5,588	6,411	5,984	7,381	9,099	14,078	19,429	16,563	9,663	5,485	1,712		138,617	
<b>85-09</b>	0	52	935	2,711	4,749	5,798	7,617	7,774	8,683	8,954	9,306	12,119	18,149	20,523	19,626	16,751	11,677	6,374	2,040		158,736	

\* Confidential information – less than 3 boats fishing.

**Appendix 41. Alaska District 106 commercial gillnet boats fishing, 1971-2010.**

	Statistical Week																	Total			
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	41	
1970			31	46	58	56	47	47	51	52	51	65	54	24	4						113
1971			27	46	46	41	46	50	82	119	132	107	98	64	24	12	3	0			166
1972				62	73	80	97	73	87	95	122	123	127	83	33	22	13				204
1973	2	1	84	93	63	83	109	123	160	190	182	154									245
1974			66	117	143	153		100	153	116	88	94	92	47	19	13	11	4			272
1975			65	52	76	91	93			89	123	134	133								168
1976				87		35	38	74					65	50	16	7	2	0	1		135
1977				42	46	38	20			114	156	2	9	6	13	2	1				168
1978			9	16	32	69	106	80	68	89	119	69	69	34	17	12	2				158
1979			56	47	43	103	97	118	109	150	187	163	39	13	7	21	9				238
1980			49	43	49	72	80	82	153		20	18	16	8	1						169
1981			55	57	113	90	129	143	164	151	165	75	9	10							222
1982			72	110	117	124	89	92	94		20	53	59	38	24	5	4				177
1983			2	47	95	92	60	79	67	18	43	47	53	40	32	28	19	10			142
1984		2	41	44	55	52	83	57	67	56	67	91	64	54	51	15					156
1985		1	82	80	95	120	147	136	106	111	60	72	82	71	30	15	14		1		187
1986		1	101	123	141	1	92	103	157	174	144	109	96	118	101	70	37	0	0		239
1987			1	96	108	106	158	86	97	110	90	9	53	42	27	31					201
1988		8	5	49	85	81	83	115	117	77	53	79	89	29	3	1					198
1989			75	96	82	90	106	128	127	91	93	124	92	50	81	39					187
1990			85	111	95	115	123	118	145	106	121	117	112	108	65	65	11				220
1991	4	6	78	89	112	138	140	129	122	91	77	108	140	83	91	96	46	17	8		213
1992	1	1		84	100	117	119	119	126	119	84	81	111	131	118	116	102	23			206
1993				70	79	93	124	127	129	127	122	111	117	128	133	140	124	109	47		239
1994			1	44	84	94	113	121	176	178	136	102	147	141	122	42	67	33	11		231
1995			67	88	95	114	122	116	131	121	127	143	126	121	70	66	10				187
1996			60	78	88	118	140	158	162	152	150	125	130	125	106	60	11				213
1997			41	79	103	109	135	124	112	99	92	107	101	109	45	61	40				202
1998				66	80	100	131	131	120	127	123	132	109	106	104	112	95	42	8		184
1999				49	88	93	100	125	151	132	107	95	98	113	129	131	94	49	30		199
2000				42	71	90	94	93	85	73	63	62	65	74	79	73	52				168
2001			48	83	91	90	121	119	111	69	68	83	80	85	91	83	39	23	7		183
2002			55	50	63	74	72	72	61	42	57	80	65	83	80	70	45	25	11		154
2003			31	45	64	49	66	84	82	80	60	92	79	88	80	62	36	12			157
2004			16	33	56	67	68	70	70	50	46	27	46	64	83	66	53	29	4		151
2005			15	52	75	77	95	88	53	55	52	54	49	54	51	51	57	45	24		152
2006		7	27	75	56	75	88	56	39	35	25	28	38	40	68	49	18	4			143
2007		14	55	76	76	78	77	60	32	31	57	44	66	69	74	54	33	17			153
2008		13	24	45	65	47	50	39	24	38	28	37	31	60	83	85	51	14			144
2009			69	69	89	85	50	35	68	85	83	73	56	99	97	84	51	29			170
2010			73	65	88	48	55	58	64	78	105	88	80	85	103	97	69	16	13		180
Average																					
70-79	2	1	48	61	64	75	73	83	101	113	129	101	76	40	18	11	8	3	1		187
80-89		3	48	75	94	83	103	102	115	99	82	64	61	48	40	28	19	5	1		188
90-99	3	4	55	76	92	109	125	127	137	125	114	112	119	117	98	89	60	46	21		209
00-09		11	38	57	71	73	78	72	63	56	56	55	59	71	79	70	46	25	12		158
85-09	3	6	46	71	86	89	107	105	106	95	86	83	89	87	80	69	51	31	14		188

\* Confidential information – less than 3 boats fishing.

**Appendix 42. Alaska District 106 hours open to commercial gillnet fishing, 1971-2010.**

	Statistical Week																			Total	
	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41		
1970			72	72	72	72	72	72	72	72	96	72	96	72	72					113	
1971			72	72	72	72	72	72	72	48	48	72	72	120	96	96	72	72	72	1,200	
1972				72	96	72	72	72	72	72	72	72	72	72	48	72				1,008	
1973			72	72	48	48	72	48	72	72	72	48								624	
1974			48	48	48	24		24	48	48	48	48	48	48	48	48	48	48		672	
1975			48	48	48	24	48			36	36	60	60							408	
1976				48		24	48	24				96	72	48	72	48	24	24		528	
1977				96	96	72	48			72	72		24	48	72	48	24			672	
1978			24	24	30	45	30	24	45	30	72	48	72	72	48	48	24			636	
1979			48	24	48	48	72	72	48	72	72	48	24	24		41	56	56		753	
1980			48	48	48	48	72	72	48	24	48	48	48	48	48					600	
1981			48	48	72	48	72	72	48	72	72	24	24	24						624	
1982			24	72	72	48	48	48	24		24	90	127	104	104	42	42			869	
1983				48	48	24	24	48	48	48	72	72	48	48	72	72	48	48		768	
1984		48	96	192	96	48	72	72	72	48	48	122	90	104	104	104				1,316	
1985		48	120	96	96	96	120	120	48	48	48	93	108	108	108	48	48		60	1,413	
1986			48	48	48		24	48	48	48	132	132	132	132	132	108	108	60	60	1,308	
1987			144	120	168	120	147	120	96	48	24	159	135	87	24	48				1,440	
1988		15	39	102	111	102	150	72	96	48	24	24	63	54						924	
1989			72	72	72	96	120	96	120	72	108	84	60	78	90	39				1,179	
1990			108	108	108	132	216	240	216	156	156	72	102	102	78	48	24			1,865	
1991	15	15	63	63	63	48	48	48	48	48	48	72	111	111	111	72	48	48	48	1,128	
1992	15	15		48	96	72	72	72	72	48	48	48	78	102	102	72	72	48	48	1,080	
1993				48	48	48	48	48	48	72	72	72	72	102	78	78	72	48	24	1,002	
1994			24	48	48	48	48	72	72	72	48	48	126	126	102	72	72	72	48	1,146	
1995			48	48	48	48	48	72	48	48	72	72	72	72	48	48	24			816	
1996			48	48	132	132	72	72	72	72	72	72	72	72	102	48	48			1,134	
1997			48	72	72	72	48	48	72	96	96	96	48	48	24	48	48			936	
1998				72	48	48	48	48	72	72	72	96	72	72	72	72	48	48	48	1,032	
1999				72	48	48	48	72	72	72	72	96	96	96	72	72	72	48	48	1,128	
2000				48	48	48	72	72	48	48	72	72	72	48	48	48	48			792	
2001			48	48	48	48	72	72	72	96	96	96	96	72	72	72	72	48	48	1,200	
2002			48	48	48	48	48	48	48	48	48	72	72	72	96	96	72	72	72	1,080	
2003			48	48	48	72	72	72	96	96	96	96	96	72	96	96	96	96	72	1,368	
2004			72	72	120	72	96	72	48	96	96	96	96	72	48	72	72	72	48	1,320	
2005			72	96	96	72	72	72	48	48	96	96	96	72	72	48	72	72	72	1,272	
2006		72	72	72	72	72	72	48	48	48	48	48	48	48	96	96	72	48		1,080	
2007		48	120	96	72	72	72	48	48	48	48	96	96	48	48	48	72	48		1,176	
2008		48	48	96	96	72	48	48	48	48	48	48	48	72	96	96	72	72		1,104	
2009			72	96	72	72	48	48	48	72	72	72	72	72	72	72	72	48		1,080	
2010			48	72	72	72	48	48	48	48	72	72	72	72	72	48	72	72		1,080	
<b>Average</b>																					
<b>70-79</b>			55	58	62	50	59	51	58	58	68	58	68	63	65	54	49	50	24	661	
<b>80-89</b>				71	85	83	70	85	77	65	54	61	78	76	82	82	75	61	50	60	1,044
<b>90-99</b>	15	15	56	63	71	70	70	79	82	76	78	74	85	90	79	63	55	52	43	1,127	
<b>00-09</b>			56	67	72	72	65	67	60	55	65	79	79	65	74	74	72	67	62	1,147	
<b>85-09</b>	15	37	68	70	77	73	78	75	72	66	76	81	84	81	78	67	65	62	54	1,163	

**Appendix 43. Annette Island Reserve commercial purse seine pink salmon catch, 1971-2010.**

	Statistical Week														Total			
	25	26	27	28	29	30	31	32	33	34	35	36	37	38		39	40	41
1970							1,024											1,024
1971																		0
1972						894	565	0	0									1,459
1973																		0
1974																		0
1975											183							183
1976										0	530	90						620
1977						5,023	55,113	97,030	31,212	8,467	5,223	10,791	40	34	0			212,933
1978				3,726	15,169	59,856	21,952	62,469	79,270	176,172	77,746	3,315						499,675
1979								8,409	37,389	18,002			0					63,800
1980						4,736	16,050	52,078	173,071	104,994	75,879	36,528		1,000	0			464,336
1981							30,944	33,303	99,605	38,864	20,639	21,796						245,151
1982					4,323		7,112	28,718	98,297	35,783	25,003	47,516	128,923	46,521				422,196
1983						40,671	165,576	118,465	326,804	138,050	186,498	23,206						999,270
1984				3,383	19,347	32,738	50,474	133,121	109,542	48,744	30,705	59,212	15,199					502,465
1985				2,685	9,220	13,460	20,922	176,949	75,423	61,440	112,149	21,867	0	0				494,115
1986				0	20,916	26,657	89,075	289,471	131,363	99,857	125,465	68,478	0	0	0			851,282
1987					1,150		1,265	9,764	7,177	0		7,792	1,436	0	0			28,584
1988				115			4,071	65,056	89,740	111,883	134,953	78,148		7,499	42		0	491,507
1989			546	31,498	105,539	111,296	97,638	240,119	293,344	121,353	225,034	4,914	0					1,231,281
1990			4,374	3,143	3,206	38,137	80,286	156,682	77,898	59,256	31,193	24,217	0	0				478,392
1991			75	1,723	14,895	54,386	92,431	142,058	141,599	62,350	33,799		0	0	0	0		543,316
1992			315	6,148	25,817	113	19,218	59,136	122,090	89,001	11,658	4,879		0	0	0	0	338,375
1993			66	3,389	337	28,786	67,551	78,345	128,201	178,797	212,611	37,816		0	0	0	0	735,899
1994					1,496	3,424	13,704	27,961	27,688	34,498	45,419	4,771						158,961
1995			504	11,078	5,108	52,820	110,936	210,987	420,209	146,261	176,179	17,293	0	0	0			1,151,375
1996					13,690	167,384	56,048	121,948	193,570	46,263	94,349	35,462	0		0	0	0	728,714
1997			562	23,324	39,612	60,873	96,719	37,474	12,558	7,405	16,863			0	0	0	0	295,390
1998			2,299	36,920	10,168	61,869	38,514	63,702	69,069	51,876	27,494	1,569	0	0	0	0	0	363,480
1999			5,449	12,708	4,235	21,178	28,116	67,709	87,916	171,746	173,723	58,562	0	0	0	0	0	631,342
2000			134	741	30,350	70,482	82,509	93,589	154,515	189,077	84,388	7,271		0	0	0	0	713,056
2001			3,719	20,451	48,530	228,940	143,429	293,468	258,102	292,468	181,197	165,545	19,295		0	0	0	1,655,144
2002			1,704	5,400	31,965	37,222	49,492	130,522	197,959	238,016	313,100	68,562		0	0	0	0	1,073,942
2003	274	4,928	1,713	24,759	23,484	83,755	91,348	81,168	23,144	100,310	29,205	761	822	322	23	0	0	466,016
2004	0	174	6,017	40,044	20,940	15,727	25,786	78,970	149,028	147,390	56,031	3,039	0	0	0	0	0	543,146
2005			1,282	43,563	78,019	56,623	39,170	105,758	77,042	66,610	21,460			0	0	0	0	489,527
2006			111	414	5,388	17,310	28,810	22,310	27,091	22,579	513	313	723	462	75			126,099
2007	109	877	8,959	52,024	70,722	130,036	69,221	113,519	110,563	47,682			0	0	0		0	603,712
2008			876	1,876	21,846	16,063	14,182	25,900	82,754	149,955	229,561	59,709	23,288	435				626,445
2009			400	11,678	56,868	176,766	120,363	134,982	294,678	244,332	477,292	87,416	7,678	0	0	0	0	1,612,453
2010			22,217	29,143	16,714	23,797	82,460	173,860	195,599	249,178	57,575	7,662	0	0	0	0	0	858,205
Average																		
70-79				3,726	15,169	21,924	19,664	41,977	36,968	67,547	20,788	4,879	43	34	0			77,969
80-89			546	7,536	26,749	33,810	50,473	121,662	134,185	75,019	106,538	45,086	10,526	1,700	11		0	573,019
90-99			1,706	12,304	11,856	48,897	60,352	96,600	128,080	84,745	82,329	23,071	0	0	0	0	0	542,524
00-09	128	1,599	5,792	32,573	69,982	71,290	91,522	133,359	146,164	175,273	63,625	8,865	246	44	3	0	0	790,954
85-09	128	1,599	3,795	20,839	39,800	58,838	69,268	123,238	133,579	119,789	86,675	21,391	186	376	3	0	0	657,262

**Appendix 44. Annette Island Reserve commercial purse seine chum salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970							0											0
1971																		0
1972						727	45	0	0									772
1973																		0
1974																		0
1975											198							198
1976										0	962	10						972
1977						153	275	570	232	58	446	906	260	765	0			3,665
1978				288	333	748	269	345	929	2,303	1,924	760						7,899
1979								87	686	423			2,315					3,511
1980						1,144	870	1,652	1,271	2,370	3,239	3,990		1,553	1,183			17,272
1981							180	203	452	1,603	1,093	1,216						4,747
1982					130	331	252	912	258	222	880	7,042	2,608					12,635
1983						161	325	258	616	727	1,989	920						4,996
1984				93	2,153	502	580	2,094	1,372	1,357	3,702	7,417	7,785					27,055
1985				65	221	135	66	1,322	283	548	2,305	881	3,059	220				9,105
1986				0	414	404	616	1,320	1,322	1,545	2,336	3,095	328	2,558	0			13,938
1987					0		0	60	162	186		3,176	7,471	5,805	1,131			17,991
1988				40			620	939	967	1,325	2,126	3,613	1,741	47			85	11,503
1989			625	1,047	1,537	560	225	1,125	1,078	2,478	3,246	289	6					12,216
1990			162	156	63	584	980	774	357	1,256	861	930	1,051	1,175				8,349
1991			47	186	250	481	454	558	426	623	598		435	633	137	126		4,954
1992			54	803	689	3	607	451	693	2,017	407	1,107		2,632	1,936	314	14	11,727
1993			18	211	23	1,029	1,302	782	463	1,303	2,157	479		9	77	905	195	8,953
1994						470	203	315	596	288	189	937	137					3,135
1995			68	275	219	2,454	2,108	1,007	1,758	781	2,045	939	951	716	1,135			14,456
1996					819	2,575	561	950	692	276	1,060	1,422	2,053		497	0		10,905
1997			472	3,919	2,232	3,933	3,941	1,976	393	520	3,563			1,815	2,256	42		25,062
1998			1,339	5,375	2,138	2,724	4,262	2,970	2,798	3,936	5,037	667	1,327	6,058	376	54	22	39,083
1999			336	1,685	829	2,731	1,770	2,053	2,077	2,039	1,793	791	18	72	15	7	7	16,223
2000			135	1,048	9,393	8,512	5,118	1,599	1,868	2,483	1,575	201		194	30	11	9	32,176
2001		734	1,224	1,182	5,229	3,077	3,121	1,456	945	780	2,197	372		169	463	1		20,950
2002		1,895	1,326	3,766	3,948	2,140	1,942	1,763	1,324	1,448	1,185		479	22	13		1	21,252
2003	91	239	39	1,107	675	1,358	1,650	1,236	297	1,375	633	51	387	293	94	93		9,618
2004	37	84	588	2,848	1,394	701	1,334	3,124	1,459	2,229	4,168	1,217	368	1,122	48	64		20,785
2005			79	4,774	1,942	1,954	917	1,596	427	359	706			65	167	588	34	13,608
2006		115	804	4,246	5,806	5,026	3,513	2,550	1,686	36	237	2,518	1,582	553				28,672
2007	38	129	1,307	7,035	9,372	7,783	3,407	2,289	1,389	1,147			1,416	1,851	237		0	37,400
2008		35	584	4,626	2,231	3,876	1,038	2,214	948	1,933	2,038	1,314	1,150					21,987
2009		792	2,933	4,070	5,758	1,834	2,304	2,896	1,583	3,386	3,928	873	2,964	3,421	1,598	140		38,480
2010			7,910	9,578	13,231	6,798	7,153	2,221	3,217	8,962	7,143	4,468	293	451	89	10		71,524
<b>Average</b>																		
<b>70-79</b>				288	333	543	147	251	462	928	642	876	862	765	0			1,702
<b>80-89</b>			625	249	743	462	373	989	778	1,236	2,324	3,164	3,543	2,375	590		85	13,146
<b>90-99</b>			312	1,576	773	1,672	1,630	1,212	995	1,294	1,846	809	973	1,639	804	207	60	14,285
<b>00-09</b>	55	503	902	3,470	4,575	3,626	2,434	2,072	1,193	1,518	1,852	935	1,192	854	331	150	11	24,493
<b>85-09</b>	55	503	639	2,203	2,319	2,351	1,687	1,504	1,027	1,368	1,963	1,204	1,473	1,482	540	180	41	18,101

**Appendix 45. Annette Island Reserve commercial purse seine sockeye salmon catch, 1971-2010.**

	Statistical Week																	Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
1970							21											21
1971																		0
1972						33	6	0	0									39
1973																		0
1974																		0
1975											1							1
1976										0	12	0						12
1977						299	330	533	170	35	14	49	0	0	0			1,430
1978				307	224	541	204	246	402	66	50	1						2,041
1979								66	150	95			0					311
1980						305	334	634	475	109	2	2		0	0			1,861
1981							504	339	418	44	9	2						1,316
1982					93	377	501	840	413	129	51	26	0					2,430
1983						902	2,729	1,249	821	118	101	19						5,939
1984			75	479	606	5,177	1,219	1,081	242	285	73	322						9,559
1985			422	1,307	925	147	1,855	310	281	775	107	3	1					6,133
1986			0	425	866	821	1,367	1,361	469	83	96	2	10	0				5,500
1987				3			0	350	120	0	88	57	0	0	0			618
1988			19			154	1,397	347	217	214	17		8	0		0		2,373
1989			269	1,813	4,833	4,539	695	1,874	375	163	11	0	0					14,572
1990			494	443	387	1,208	801	1,575	1,600	585	437	83	1	118				7,732
1991			67	105	478	890	1,229	893	1,019	330	53	2	0	0	0	2		5,068
1992			148	427	397	0	311	134	1,684	270	4	42	0	0	0	0	0	3,417
1993			22	87	24	1,560	5,472	3,375	1,774	1,759	647	87		0	0	0	0	14,807
1994					160	394	977	2,615	536	260	190	25						5,157
1995			44	159	1,049	3,403	2,325	4,272	3,336	1,000	1,950	463	0	0	0			18,001
1996					130	2,717	1,288	1,380	1,231	195	191	127	51		0	0		7,310
1997			115	1,437	2,436	2,151	6,239	3,586	294	173	4,200			14	0	0		20,645
1998			208	993	154	954	676	752	743	351	139	23	12	0	0	0	0	5,005
1999			972	1,274	93	394	352	586	517	401	429	92	0	0	0	0	0	5,110
2000			64	116	1,422	1,419	3,115	3,025	564	630	367	5	0	0	0	0	0	10,727
2001		443	616	1,042	5,011	8,395	4,413	3,897	746	345	494	30		0	0	0		25,432
2002		7,490	1,154	1,322	776	844	443	302	457	109	49		0	0	0		0	12,946
2003	13	77	10	315	519	1,279	516	566	50	422	102	2	0	0	0	0	0	3,871
2004	45	213	1,078	2,811	1,240	649	1,477	3,065	1,996	2,253	1,160	94	0	0	0	0	0	16,081
2005			267	1,086	1,082	868	507	1,380	433	870	374			12	14	18	0	6,911
2006		41	118	495	1,310	3,780	1,927	2,285	2,681	4	73	18	75	0				12,807
2007	32	126	110	534	1,215	1,903	992	586	500	260		2	0	0	0		0	6,260
2008		13	42	270	333	294	132	334	131	285	104	19	0					1,957
2009		48	301	742	2,056	1,939	478	584	502	628	157	61	0	0	0	0	0	7,496
2010			678	740	547	604	723	646	514	302	189	3	0	0	0	0	0	4,946
<b>Average</b>																		
<b>70-79</b>				307	224	291	140	211	181	65	16	21	0	0	0			386
<b>80-89</b>			269	466	1,190	1,217	1,106	1,112	572	177	170	43	64	4	0		0	5,030
<b>90-99</b>			259	616	531	1,367	1,967	1,917	1,273	532	824	118	11	17	0	0	0	9,225
<b>00-09</b>	30	1,056	376	873	1,496	2,137	1,400	1,602	806	581	320	33	11	1	2	3	0	10,449
<b>85-09</b>	30	1,056	321	723	1,118	1,799	1,419	1,681	932	490	531	74	12	8	1	2	0	9,037

**Appendix 46. Annette Island Reserve commercial purse seine Chinook salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970							0											0
1971																		0
1972						13	1	0	0									14
1973																		0
1974																		0
1975											0							0
1976											0	0	0					0
1977							0	0	0	0	1	0	0	0	0	0		1
1978				0	2	8	2	2	12	0	0	0						26
1979								0	0	0	0		0					0
1980						1	0	1	1	0	0	0		0	0			3
1981							4	0	0	0	0	0						4
1982					0	0	17	0	1	0	0	0	0					18
1983						3	0	0	0	0	0	0						3
1984				0	2	2	3	0	1	0	5	1	1					15
1985				4	15	11	0	11	6	0	0	0	0	0				47
1986				0	0	0	8	9	1	1	0	0	0	0	0			19
1987					0		0	3	2	0	0	0	0	0	0			5
1988				4			0	0	0	1	0	0	0	0	0		0	5
1989			10	45	11	1	4	0	1	0	1	0	0					73
1990			21	1	3	6	0	0	3	0	0	0	0	0				34
1991			2,174	11	3	2	3	0	0	0	0		0	1	0	0		2,194
1992			277	32	5	0	1	0	0	0	0	0		0	0	0	0	315
1993			1	6	0	2	0	8	9	3	0	0		0	0	0	0	29
1994					0	4	6	0	4	1	0	0						15
1995			0	0	0	7	4	0	0	0	0	0	0	0	0			11
1996					0	1	0	0	0	0	0	0	0	0	0	0		1
1997			12	9	0	3	3	1	1	0	0			0	0	0		29
1998			7	17	6	3	1	0	0	0	0	0	0	0	0	0	0	34
1999			3	0	7	0	0	0	0	0	0	0	0	0	0	0	0	10
2000			102	1,955	145	0	0	0	0	0	0	0	0	0	0	0	0	2,202
2001		140	135	78	199	109	40	8	0	0	0	0		0	0	0		709
2002		170	26	74	79	105	41	53	1	1	0		0	0	0		0	550
2003	0	45	0	0	7	19	2	5	2	0	0	0	0	0	0	0		80
2004	7	8	63	158	22	30	15	14	8	8	3	0	0	0	0	0		336
2005			100	27	23	11	6	3	1	2	0	0	0	0	0	0	0	173
2006		14	17	32	45	52	34	38	7	0	0	0	0	0				239
2007	18	15	15	50	48	20	7	2	0	0			0	0	0		0	175
2008		12	20	0	1	9	3	0	7	0	0	0	0					52
2009		5	19	32	20	4	4	3	2	1	0	0	0	0	0	0	0	90
2010			64	24	10	6	3	2	0	3	0	0	0	0	0	0	0	112
Average																		
70-79				0	2	7	1	1	3	0	0	0	0	0	0			4
80-89			10	11	5	3	4	2	1	0	1	0	0	0	0		0	19
90-99			312	10	2	3	2	1	2	0	0	0	0	0	0	0	0	267
00-09	8	51	50	241	59	36	15	13	3	1	0	0	0	0	0	0	0	461
85-09	8	51	158	115	27	17	7	6	2	1	0	0	0	0	0	0	0	297

**Appendix 47. Annette Island Reserve commercial purse seine coho salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970							0											0
1971																		0
1972						13	5	0	0									18
1973																		0
1974																		0
1975											8							8
1976										0	118	13						131
1977						0	61	3,047	14	22	21	142	84	20	0			3,411
1978				0	73	494	284	169	582	243	253	15						2,113
1979								47	93	83			6					229
1980						15	16	57	156	349	179	124		3	10			909
1981							56	81	109	259	123	472						1,100
1982					84	109	181	423	329	266	449	845	338					3,024
1983						139	501	669	692	372	757	205						3,335
1984				5	123	20	2,470	374	352	589	1,312	1,082	4,961					11,288
1985				126	129	91	45	310	202	485	1,436	436	524	135				3,919
1986				0	137	256	377	626	1,095	1,077	2,087	6,690	578	7,386	0			20,309
1987					0		0	23	35	80		1,984	2,398	4,123	561			9,204
1988				0			0	28	65	117	180	222		768	27		24	1,431
1989			80	271	493	245	104	124	154	234	311	34	77					2,127
1990			33	38	26	144	270	280	266	700	1,120	755	1,424	1,807				6,863
1991			11	81	462	151	315	225	185	541	887		1,126	1,221	588	469		6,262
1992			16	90	29	0	36	62	411	1,005	117	884		1,495	9,473	2,939	179	16,736
1993			8	45	13	156	143	190	298	528	775	200		4	47	1,139	322	3,868
1994					44	107	202	181	207	667	923	78						2,409
1995			16	20	16	226	189	292	597	348	2,268	1,077	1,296	1,055	2,295			9,695
1996					20	274	231	404	379	248	702	1,628	1,090		450	122		5,548
1997			16	94	67	228	304	287	88	79	787			728	2,521	82		5,281
1998			69	264	162	186	474	483	321	789	940	422	1,187	3,871	689	130	468	10,455
1999			493	227	60	263	129	186	457	571	448	356	15	161	139	75	1,373	4,953
2000			11	16	121	172	395	182	440	526	300	35		825	258	185	550	4,016
2001		108	101	201	519	675	1,011	955	624	1,008	2,882	540		598	4,135	56		13,413
2002		159	147	347	357	493	595	768	1,074	912	1,136		1,489	198	436		1,698	9,809
2003	34	140	22	191	116	403	286	357	140	1,198	403	34	706	1,056	279	1,293		6,658
2004	22	4	84	403	213	110	270	847	391	716	837	173	101	469	196	1,048		5,884
2005			49	381	175	259	243	515	125	190	268			248	744	2,489	602	6,288
2006		7	31	155	240	425	460	393	427	8	47	330	1,309	983				4,815
2007	43	54	57	191	184	388	197	314	512	351			770	971	489		486	5,007
2008		55	121	186	452	381	222	267	1,640	1,299	1,434	488	907					7,452
2009		34	203	293	562	371	924	1,090	1,045	1,755	1,804	844	59	3,674	691	1,834		15,183
2010			310	163	249	126	211	319	433	1,027	1,516	1,688	1,404	1,783	813	809		10,851
<b>Average</b>																		
<b>70-79</b>				0	73	169	88	816	172	116	71	92	34	20	0			591
<b>80-89</b>			80	80	161	125	375	272	319	383	759	1,209	1,479	2,483	150		24	5,665
<b>90-99</b>			83	107	90	174	229	259	321	548	897	675	1,023	1,293	2,025	708	586	7,207
<b>00-09</b>	33	70	83	236	294	368	460	569	642	796	1,012	349	763	1,002	904	1,151	834	7,853
<b>85-09</b>	33	70	83	165	192	261	297	376	447	617	961	861	886	1,513	1,264	912	634	7,503

**Appendix 48. Annette Island Reserve hours open to commercial purse seine fishing, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970							84											84
1971						108	84	108	84									384
1972																		0
1973																		0
1974																		0
1975											30							30
1976											45	84	108					237
1977								36	51	45	45	36	15	39	15	36	36	354
1978				15	39	48	78	30	81	84	111	39						525
1979								111	111	63			39					324
1980						15	15	63	135	111	111	87		15	15			567
1981								30	78	102	63	39	39					351
1982					63	63	63	63	87	87	87	111	87					711
1983						30	78	54	78	57	111	45						453
1984				15	39	39	54	150	63	150	63	63	87					723
1985				15	39	39	39	54	54	102	78	39	39	15				513
1986				15	39	54	54	78	78	63	102	78	39	18	12			630
1987					15		15	39	39	15		30	39	63	39			294
1988				15			15	54	54	39	54	30		15	15			291
1989			15	30	54	78	81	84	54	63	45	15	24					543
1990			24	24	24	24	63	63	63	63	30	15	24	48				465
1991			39	15	30	54	78	102	78	78	54		30	15	30	15		618
1992			39	39	54	54	78	54	93	78	39	30	39	30	30	39	30	696
1993			15	30	30	45	54	69	78	39	78	54		15	15	30	15	567
1994					18	54	30	54	66	102	78	78						480
1995			15	30	30	63	54	78	102	54	79	39	15	30	30			619
1996					39	54	54	78	54	54	78	39	39	39	15			543
1997			15	45	30	45	78	39	39	15	30			30	54	39		459
1998			30	54	15	30	54	54	78	78	78	15	15	51	30	15	15	612
1999			30	30	15	30	39	45	54	54	78	78	15	15	39	15	39	576
2000			30	45	54	54	54	78	78	78	15			15	30	30	54	669
2001		30	30	30	45	78	78	78	58	59	78	15		15	54	54		702
2002		54	30	30	39	30	78	78	78	78	78			54	39	15	45	726
2003	15	30	15	30	54	78	78	87	174	87	198	78	15	52	52	38		1,081
2004	14	14	42	43	30	30	69	102	87	102	38	14	42	38	12			779
2005			15	60	78	78	78	78	78	78	78			26	63	50	50	810
2006		15	54	30	30	78	78	54	30	15	39	63	42	42				570
2007	39	15	30	45	45	45	45	69	78	78			38	42	28		24	621
2008		15	54	54	54	54	39	69	78	78	77	38	38					648
2009		30	54	69	54	51	78	78	78	78	78	62		100	100	28		938
2010			54	45	45	30	60	45	69	78	78	39	14	26	26	26		635
<b>Average</b>																		
<b>70-79</b>				15	39	64	74	74	80	61	50	54	54	36	36			194
<b>80-89</b>			15	18	42	45	44	72	74	75	77	54	53	25	20			508
<b>90-99</b>			26	33	29	45	58	64	71	62	62	44	23	30	33	24	25	563
<b>00-09</b>	23	25	35	44	48	58	68	75	82	73	90	44	34	41	48	35	43	754
<b>85-09</b>	23	25	30	35	38	52	58	68	72	65	74	42	30	35	38	29	34	618

**Appendix 49. Annette Island Reserve commercial gillnet pink salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970																		
1971																		
1972																		
1973																		
1974																		
1975																		
1976																		
1977		785	985	5,317	20,014	7,020	35,669	1,461	55	0	0	4,931	0	0	0			76,237
1978	1,748	5,766	3,645	8,298	6,080	6,459	0	0	382	939	0	0	215	0	80			33,612
1979	525	2,077	3,702	8,706	8,378	7,760	4,178	5,862		7,216	4,200							52,604
1980	263	4,719	4,226	8,079	16,994	14,567	9,401	30,163	38,902	31,469	24,024	7,195	497	1,348				191,847
1981	26	1,662	3,571	11,689	17,485	16,529	22,456	42,166	30,802	24,708	27,956	13,225	1,435	342				214,052
1982	780	1,495	7,710	7,244	3,881	5,753	7,740	18,378	12,956	13,488	12,611	41,431	27,821	516	440			162,244
1983	87	3,139	25,935	19,566	9,963	7,375	24,642	27,017	25,800	33,286	22,805	13,269		60				212,944
1984			41,829	54,218	57,806	28,616	32,232	49,039	60,051	43,615	26,109	10,427	0	418	0			404,360
1985	0	260	19,201	17,748	21,160	25,755	73,737	99,870	50,517	57,890	34,531	6,908	0	0	0			407,577
1986	738	2,186	7,639	20,677	43,764	42,717	61,037	80,217	68,609	77,380	72,246	35,523	0	0	0			512,733
1987		182	1,349	30,395	31,834	34,439	32,717	40,435	21,600		26,602	2,649	1,060	0	75			223,337
1988		9,636	438	18,388	21,605	16,816	29,767	55,854	54,899	60,514	66,989	23,187	4,333	2,004	0			364,430
1989	7	460	14,485	62,855	129,318	86,198	78,224	116,395	115,808	86,215	115,235	17,881	0	0		0		823,081
1990		5,129	19,690	26,019	32,285	35,147	90,829	79,017	97,210	87,367	91,984	50,839	0	44				615,560
1991		1,685	2,754	35,490	28,486	34,808	29,449	35,410	35,686	46,827	45,041	0	400	0	0	0		296,036
1992		977	22,802	81,845	72,806	37,948	35,601	41,153	106,412	86,433	52,552	9,824	0	0	0	0	31	548,384
1993		341	15,490	47,609	36,430	44,943	50,937	29,203	53,431	59,057	71,240	47,603	0	0	0	0	169	456,453
1994		3,622	12,160	11,680	10,276	13,249	15,117	28,498	57,891	79,699	65,105	41,773	0	0	0	0	0	339,070
1995	174	19,872	35,798	40,453	45,355	77,023	89,677	125,259	87,747	128,503	122,447	1,473	0	0	0	0	0	773,781
1996	191	8,776	17,974	44,223	22,039	20,371	7,911	8,016	9,321	173	90	0	0	0	0	0	0	139,085
1997	49	746	3,973	20,576	23,217	11,789	22,982	6,383	11,648	7,091	6,210	0	0	0	0	0	0	114,664
1998	179	988	11,996	43,870	21,933	26,930	68,598	81,230	72,276	69,932	36,337	1,547	0	0	0	0	0	435,816
1999	22	1,941	5,805	12,058	15,607	34,590	13,932	46,915	6,704	42,272	37,631	47,595	0	0	0	0	0	265,072
2000	385	573	2,456	5,273	17,638	19,700	15,049	22,483	54,421	40,637	15,657	7,611	3,341	0	0	0	0	205,224
2001	1,526	16,314	17,167	35,847	58,310	35,689	50,960	15,384	55,773	28,520	24,577	0	0	0	0	0	0	340,067
2002	44	1,832	4,636	8,394	11,988	14,045	47,148	29,415	70,886	91,487	9,457	0	0	0	0	0	0	289,332
2003	560	16,117	31,920	33,766	0	0	17,682	0	3,451	0	0	0	0	0	0	0	0	103,496
2004	15	176	9,216	23,511	21,602	20,045	36,549	27,560	20,072	10,289	2,275	864	330	0	0	0	0	172,504
2005	10	674	12,072	13,112	21,507	26,050	16,501	13,736	304	3,644	912	0	0	0	0	0	0	108,522
2006	52	1,153	5,354	13,486	18,300	21,828	22,515	15,195	14,526	11,294	8,395	4,637	568	18	0	0	0	137,321
2007	2,122	2,076	4,749	31,696	30,025	36,408	19,479	44,511	46,644	18,598	4,637	1,496	0	0	0	0	0	242,441
2008	131	1,285	2,953	15,728	18,599	17,122	14,767	32,128	59,170	74,684	31,816	27,772	3,530	0	0	0	0	299,685
2009	0	617	11,516	9,157	13,520	4,604	6,568	9,508	19,086	25,214	8,789	3,927	571	0	0	0	0	113,077
2010	17	1,175	12,106	14,691	9,123	23,452	61,126	75,953	79,529	119,428	52,322	20,062	0	0	0	0	0	468,984
Average																		
77-79				7,440	11,491	7,080	13,282	2,441	219	2,718	1,400	2,466	108	0	40			54,151
80-89			12,638	25,086	35,381	27,877	37,195	55,953	47,994	47,618	42,911	17,170	3,905	469	86			351,661
90-99			14,844	36,382	30,843	33,680	42,503	48,108	53,833	60,735	52,864	20,065	44	4	0	0	25	398,392
00-09	485	4,082	10,204	18,997	21,149	19,549	24,722	20,992	34,433	30,437	10,652	4,631	834	2	0	0	0	201,167
85-09	345	3,905	11,744	28,154	30,704	29,529	37,909	43,351	47,764	49,738	38,030	13,324	589	83	3	0	11	333,070

**Appendix 50. Annette Island Reserve commercial gillnet chum salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970																		
1971																		
1972																		
1973																		
1974																		
1975																		
1976																		
1977		1,425	1,059	1,038	1,024	346	332	47	47	0	0	3,608	0	0	0			8,926
1978	771	3,581	2,614	3,128	1,497	1,262	0	0	7	83	124	600	2,483	184	28			16,362
1979	1,048	1,418	1,559	2,488	536	891	510	563		1,057	1,596							11,666
1980	195	2,522	2,162	4,172	3,962	4,854	1,812	2,410	1,619	3,199	3,790	4,356	1,202	2,507				38,762
1981	241	1,439	2,026	2,842	879	443	510	2,191	613	1,032	4,439	3,353	2,781	1,577				24,366
1982	275	224	1,260	1,344	866	1,407	1,032	1,284	817	1,322	1,519	7,105	8,078	120	161			26,814
1983	105	732	1,980	1,416	874	326	812	1,318	628	1,522	3,209	4,499		23				17,444
1984			2,356	3,184	3,631	2,491	2,043	1,759	2,710	7,325	17,613	12,583	15,341	9	565			71,610
1985	446	969	2,430	1,272	1,436	1,134	2,418	6,560	2,356	3,492	7,076	10,417	17,050	14,920	4,249			76,225
1986	2,064	1,568	4,295	6,961	8,197	4,561	4,464	3,439	4,188	7,806	12,670	10,343	14,740	9,370	2,279			96,945
1987		250	493	1,919	1,135	1,530	2,741	2,059	2,829		8,586	17,942	18,405	17,667	11,275			86,831
1988		11,804	1,108	9,589	11,173	5,307	11,022	8,954	9,000	7,551	7,219	9,250	8,115	11,357	4,376			115,825
1989	764	1,688	6,568	4,842	2,791	1,083	1,439	3,321	2,661	6,845	6,373	5,410	4,077	3,098		1,757		52,717
1990		790	2,538	3,485	2,281	2,521	3,974	4,064	797	3,194	4,141	8,860	17,627	21,100				75,372
1991		1,826	2,731	4,238	5,641	2,812	2,638	3,551	2,289	5,950	11,151	12,784	10,307	5,410	4,005	1,511		76,844
1992		1,813	5,758	8,159	7,555	7,891	6,649	1,610	2,035	3,212	3,424	9,484	16,685	8,098	6,022	1,110	538	90,043
1993		724	2,001	7,140	7,930	5,757	5,596	2,208	1,565	1,930	5,632	4,334		4,156	5,030	7,564	2,983	64,550
1994		10,058	17,177	13,277	13,701	8,537	4,924	2,171	1,914	1,973	4,879	5,739	10,282	5,710	21,286	7,853	2,929	132,410
1995	2,242	10,442	8,688	9,980	10,077	13,702	10,067	3,831	2,748	2,939	8,363	11,714	11,290	6,299	4,476	1,753	311	118,922
1996	749	6,349	13,535	17,521	21,701	15,817	4,559	2,531	2,343	4,333	454	3,444	10,493	8,063	3,411	82	0	115,385
1997	169	930	6,312	11,551	11,675	13,543	15,438	5,275	2,744	1,427	12,308	7,707	12,420	14,765	12,218	11,240	1,672	141,394
1998	2,659	6,687	17,153	8,062	7,526	10,590	14,153	8,802	11,382	6,354	10,351	28,067	22,901	15,750	3,557	958	646	175,598
1999	215	2,197	2,875	7,440	6,995	20,432	13,783	4,553	1,457	2,425	2,002	5,580	5,403	5,056	2,529	800	272	84,014
2000	80	224	8,287	15,645	38,227	36,163	19,561	3,516	1,486	1,350	1,388	1,990	1,029	1,853	1,495	200	276	132,770
2001	11,932	15,083	8,776	12,981	9,107	8,290	5,842	672	1,235	976	3,728	6,820	7,054	5,303	3,673	762	103	102,337
2002	3,043	5,405	6,768	5,139	9,549	4,290	6,889	1,591	2,377	1,089	1,219	3,441	7,898	2,101	921	349	114	62,183
2003	968	2,418	2,989	7,415	4,531	4,812	4,315	2,410	917	369	326	656	7,249	4,328	1,765	871	92	46,431
2004	212	565	2,564	6,020	4,208	2,005	4,078	8,561	1,860	496	234	751	25,546	15,796	3,034	852	47	76,829
2005	12	227	1,784	13,816	2,165	2,647	1,994	1,396	25	65	276	5,930	6,961	1,933	2,744	2,354	432	44,761
2006	235	1,755	11,610	15,364	13,169	19,304	13,830	7,050	4,640	2,685	8,224	11,343	13,451	5,909	2,618	277	41	131,505
2007	2,338	1,424	3,360	18,363	20,703	27,857	7,363	4,459	2,949	2,602	2,839	22,941	9,286	20,373	5,532	575	100	153,064
2008	191	748	4,625	22,597	17,920	25,668	10,976	2,822	3,250	3,375	9,423	11,418	14,723	5,079	2,672	419	82	135,988
2009	68	2,035	16,029	18,679	19,404	7,091	2,890	3,886	4,961	3,334	4,057	6,284	15,619	10,200	4,188	1,241	57	120,023
2010	50	1,699	25,316	36,690	35,906	39,578	19,590	5,644	4,630	6,662	24,288	14,538	16,069	7,979	2,307	1,082	27	242,055
<b>Average</b>																		
<b>77-79</b>				2,218	1,019	833	281	203	27	380	573	2,104	1,242	92	14			12,318
<b>80-89</b>			2,468	3,754	3,494	2,314	2,829	3,330	2,742	4,455	7,249	8,526	9,977	6,065	3,818			60,754
<b>90-99</b>			7,877	9,085	9,508	10,160	8,178	3,860	2,927	3,374	6,271	9,771	13,045	9,441	6,948	3,652	1,169	107,453
<b>00-09</b>	1,908	2,988	6,679	13,602	13,898	13,813	7,774	3,636	2,370	1,634	3,171	7,157	10,882	7,288	2,864	790	134	100,589
<b>85-09</b>	1,577	3,519	6,418	10,058	10,352	10,134	7,264	3,972	2,960	3,157	5,454	8,906	12,025	8,948	4,928	2,126	594	100,359

**Appendix 51. Annette Island Reserve commercial gillnet sockeye salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970																		
1971																		
1972																		
1973																		
1974																		
1975																		
1976																		
1977		2,914	1,456	3,140	2,657	705	1,012	118	0	0	0	86	0	0	0			12,088
1978	2,799	3,692	2,690	3,967	946	1,375	0	0	4	3	0	0	6	0	25			15,507
1979	1,529	2,987	2,522	2,841	2,087	919	773	935		641	322							15,556
1980	560	2,305	2,190	2,731	3,362	1,660	1,382	608	565	194	68	22	7	1				15,655
1981	1,895	5,383	3,045	4,316	3,737	2,126	1,557	1,752	717	349	282	357	36	42				25,594
1982	2,206	1,742	9,574	7,308	6,041	6,391	2,523	5,409	1,218	637	152	234	39	1	0			43,475
1983	446	2,260	4,487	2,212	2,881	1,554	3,010	2,705	1,029	751	343	296		20				21,994
1984			3,846	2,344	4,488	2,852	5,916	1,804	1,485	554	141	82	175	10	10			23,707
1985	785	2,464	4,550	4,582	7,091	10,208	4,894	7,634	3,518	3,278	1,520	283	76	16	0			50,899
1986	146	507	1,398	4,226	6,130	4,068	3,812	2,829	2,179	1,915	390	97	19	225	0			27,941
1987		1,327	2,727	7,662	5,577	8,813	10,161	7,587	2,202	915	219	78	144	57				47,469
1988		3,822	323	3,582	5,276	3,867	3,629	3,205	1,333	807	609	82	12	7	1			26,555
1989	1,420	2,175	5,448	5,649	6,234	6,750	1,955	2,113	789	337	236	72	14	2		0		33,194
1990		1,310	2,690	6,661	5,384	6,802	8,495	5,589	2,836	3,003	831	379	17	1				43,998
1991		3,344	3,313	4,944	9,038	5,627	4,615	3,500	2,688	1,390	760	104	27	3	0	0		39,353
1992		3,751	6,763	13,954	11,239	8,967	5,075	1,715	3,109	1,228	503	172	16	2	0	0	0	56,494
1993		1,410	3,844	5,214	12,605	10,267	15,697	10,619	8,206	5,731	1,930	528		3	0	0	0	76,054
1994		514	1,645	2,805	5,572	7,111	3,298	4,976	4,268	4,336	1,577	326	30	0	0	0	0	36,458
1995	703	1,753	5,497	4,973	6,742	7,561	4,289	2,257	1,750	1,068	849	49	11	0	0	0	0	37,502
1996	354	1,600	1,582	3,118	4,089	8,359	1,863	682	556	69	30	44	152	48	3	0	0	22,549
1997	666	758	1,963	2,345	3,293	1,610	4,186	1,604	947	484	2,396	310	141	17	0	0	0	20,720
1998	201	749	1,567	2,067	1,205	1,126	1,721	1,328	946	452	170	9	8	0	0	0	0	11,549
1999	41	4,001	2,698	3,278	981	2,432	1,403	1,312	129	254	123	83	22	0	0	0	0	16,757
2000	92	236	1,337	1,786	2,740	2,831	1,663	777	171	100	38	24	6	0	0	0	0	11,801
2001	1,326	1,848	974	1,868	2,189	3,749	2,117	840	347	111	113	6	0	0	0	0	0	15,488
2002	1,069	12,212	3,670	1,801	982	1,093	668	142	202	31	4	0	1	0	0	0	0	21,875
2003	71	433	273	1,033	461	595	663	246	105	18	25	11	1	0	0	0	0	3,935
2004	48	314	3,641	2,557	2,361	1,936	1,539	1,475	559	103	27	21	78	1	0	0	0	14,660
2005	96	1,178	1,617	812	679	524	357	547	12	53	39	240	146	26	40	8	0	6,374
2006	372	598	617	649	642	751	553	420	1,217	985	894	309	80	3	1	0	0	8,091
2007	2,801	656	574	1,446	1,710	2,567	1,062	1,305	692	275	65	112	6	0	0	0	0	13,271
2008	74	75	313	561	1,148	1,001	235	231	78	95	2	0	0	0	0	0	0	3,813
2009	20	607	1,345	1,328	1,840	652	281	334	733	238	124	32	6	0	0	0	0	7,540
2010	38	248	2,303	1,439	1,307	1,366	1,538	877	461	154	54	29	0	0	0	0	0	9,814
Average																		
77-79				3,316	1,897	1,000	595	351	2	215	107	43	3	0	13			14,384
80-89			3,759	4,461	5,082	4,829	3,884	3,565	1,504	980	466	174	51	47	11			31,648
90-99			3,156	4,936	6,015	5,986	5,064	3,358	2,544	1,802	917	200	47	7	0	0	0	36,143
00-09	597	1,816	1,436	1,384	1,475	1,570	914	632	412	201	133	76	32	3	4	1	0	10,685
85-09	571	1,906	2,415	3,556	4,208	4,371	3,369	2,531	1,583	1,098	567	140	39	20	4	0	0	26,174

**Appendix 52. Annette Island Reserve commercial gillnet Chinook salmon catch, 1971-2010.**

	Statistical Week																Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1970																		0
1971																		0
1972																		0
1973																		0
1974																		0
1975																		0
1976																		0
1977		8	7	4	2	0	0	0	0	0	0	1	0	0	0			22
1978	12	11	5	4	0	1	0	0	0	3	0	0	0	0	0			36
1979	20	11	30	19	1	1	6	1		0	0							89
1980	2	4	2	2	13	3	4	1	1	5	1	0	0	0				38
1981	5	18	72	4	18	6	13	50	4	6	1	10	4	0				211
1982	74	32	46	32	49	12	9	7	2	2	1	1	0	0	0			267
1983	4	13	104	31	4	2	4	2	1	1	2	2		0				170
1984			8	11	13	5	0	0	0	0	1	1	0	0	0			39
1985	14	66	46	97	21	10	17	7	4	3	3	0	4	0	0			292
1986	22	23	17	9	19	4	1	1	1	0	0	0	1	0	0			98
1987		52	71	183	79	63	27	10	7		3	8	20	4	0			527
1988		182	11	97	140	46	53	31	12	2	3	1	1	0	0			579
1989	69	85	109	34	31	6	15	5	6	1	2	0	6	0		0		369
1990		78	135	131	75	23	25	28	3	11	8	0	5	2				524
1991		415	150	113	38	18	34	12	3	6	4	0	0	0	1	0		798
1992		101	184	46	36	48	26	2	2	5	3	1	1	0	0	0	0	455
1993		31	52	88	57	14	9	6	2	0	9	0		0	0	1	0	269
1994		49	44	33	21	18	3	6	4	1	3	1	0	0	0	0	0	183
1995	20	53	26	15	3	4	1	0	0	0	0	0	0	0	0	0	0	122
1996	28	79	48	14	31	26	8	1	1	0	0	0	1	0	0	0	0	237
1997	114	124	77	63	33	33	2	6	3	0	5	0	0	0	1	0	0	461
1998	7	90	78	37	20	15	8	3	8	3	1	0	0	0	0	0	0	270
1999	28	191	151	133	90	82	41	6	2	4	1	0	0	0	0	0	0	729
2000	155	242	758	849	488	4	0	0	0	0	0	0	0	0	0	0	0	2,496
2001	1,042	1,037	425	244	243	167	11	0	1	0	0	0	0	0	0	0	0	3,170
2002	397	238	238	76	170	90	42	10	4	0	0	0	0	0	0	0	0	1,265
2003	104	231	114	138	42	38	18	4	3	0	0	0	0	0	0	0	0	692
2004	112	299	451	290	230	74	46	13	5	0	0	0	0	0	0	0	0	1,520
2005	16	359	338	339	42	23	10	2	0	2	0	1	0	0	0	0	0	1,132
2006	68	114	162	67	16	37	10	4	3	1	0	0	0	0	0	12	0	494
2007	171	96	93	193	118	117	20	10	1	1	0	0	0	0	0	0	0	820
2008	145	48	86	134	59	95	31	5	1	2	0	0	0	0	0	0	0	606
2009	9	42	177	190	128	48	10	8	8	6	0	1	0	0	0	0	0	627
2010	54	67	181	188	96	49	23	12	5	3	1	0	0	0	2	0	0	681
Average				9	1	1	2	0	0	1	0	1	0	0	0			15
77-79			49	50	39	16	14	11	4	2	2	2	4	0	0			259
80-89			95	67	40	28	16	7	3	3	3	1	1	0	0	0	0	405
90-99	222	271	284	252	154	69	20	6	3	1	0	0	0	0	0	1	0	1,282
00-09	140	173	162	145	89	44	19	7	3	2	2	1	2	0	0	1	0	749

**Appendix 53. Annette Island Reserve commercial gillnet coho salmon catch, 1971-2010.**

	Statistical Week																	Total	
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41		
1970																			
1971																			
1972																			
1973																			
1974																			
1975																			
1976																			
1977		13	64	58	66	9	56	3	12	0	0	487	0	0	0			768	
1978	129	471	407	334	138	279	0	0	0	0	2	5	288	134	0			2,187	
1979	140	112	97	345	208	268	187	167		111	91							1,726	
1980	31	215	129	225	256	261	106	177	294	259	329	130	95	53				2,560	
1981	10	72	57	33	27	28	79	114	147	133	817	1,509	1,111	955				5,092	
1982	307	323	550	364	281	470	435	721	490	372	314	1,267	787	6	25			6,712	
1983	58	149	823	1,130	427	325	393	819	374	982	893	1,499		15				7,887	
1984			287	208	172	97	81	140	447	1,309	1,683	1,143	2,570	2	101			8,240	
1985	41	447	2,096	1,054	427	602	428	1,262	1,025	1,577	3,323	3,234	3,027	3,478	912			22,933	
1986	105	423	539	645	801	607	957	1,099	1,040	2,037	4,079	6,706	12,991	11,052	9,753			52,834	
1987		103	247	748	405	707	720	353	329		1,685	3,540	5,692	5,081	4,432			24,042	
1988		210	42	176	233	151	162	221	385	659	691	536	1,443	1,471	758			7,138	
1989	86	183	472	581	366	137	289	288	349	597	1,513	2,620	3,710	6,284		3,791		21,266	
1990		326	557	565	522	448	402	916	414	1,658	2,189	3,762	5,361	9,644				26,764	
1991		612	439	976	954	1,354	820	886	636	1,522	2,617	7,554	12,642	9,069	11,060	4,662		55,803	
1992		226	360	153	353	722	955	389	577	968	903	3,250	8,355	7,863	12,392	9,632	7,191	54,289	
1993		181	763	434	1,050	473	501	223	151	364	778	677		3,586	4,181	9,515	4,092	26,969	
1994		161	445	709	1,040	2,421	756	707	615	614	1,359	2,012	5,051	3,481	13,240	9,178	3,160	44,949	
1995	59	513	550	299	305	601	645	135	372	670	3,131	4,185	11,226	5,110	8,221	4,932	708	41,662	
1996	41	223	564	394	479	512	201	198	176	170	60	1,650	4,459	14,115	9,173	3,082	542	36,039	
1997	17	37	190	176	155	138	66	49	35	59	885	578	2,273	4,129	7,892	6,014	2,430	25,123	
1998	84	214	215	354	205	435	251	991	604	510	958	1,997	4,778	6,119	5,144	3,370	2,783	29,012	
1999	23	646	988	1,012	901	1,499	556	167	145	540	524	1,005	2,152	3,263	8,247	4,158	4,370	30,196	
2000	30	71	222	246	237	365	133	190	338	239	316	524	971	1,686	3,462	923	3,206	13,159	
2001	121	584	197	463	588	350	437	338	472	792	1,929	4,141	2,745	5,067	11,385	7,205	4,236	41,050	
2002	55	171	164	122	284	321	827	303	587	176	376	2,461	10,385	6,733	6,118	13,150	11,400	53,633	
2003	62	286	260	392	159	166	181	65	70	31	155	351	5,183	8,845	7,349	5,950	2,728	32,233	
2004	7	20	288	253	211	79	178	468	199	36	33	114	3,092	5,331	6,321	4,919	566	22,115	
2005	8	66	232	351	106	100	53	101	1	68	24	953	2,189	1,681	3,991	6,974	5,394	22,292	
2006	10	54	145	90	36	87	456	178	278	250	1,084	2,369	4,932	7,236	6,473	1,307	419	25,404	
2007	276	144	160	476	328	588	350	422	349	534	421	4,681	2,785	9,200	4,961	2,369	743	28,787	
2008	207	142	859	1,291	1,552	2,035	894	664	1,082	1,419	2,050	3,281	8,949	6,935	6,321	2,064	277	40,022	
2009	4	99	714	830	1,031	611	498	225	1,361	794	528	2,256	4,536	7,242	5,281	4,111	336	30,457	
2010	9	108	726	381	285	215	527	647	399	185	1,198	5,602	12,992	16,523	15,419	17,206	1,683	74,105	
<b>Average</b>																			
<b>77-79</b>				246	137	185	81	57	6	37	31	246	144	67	0			1,560	
<b>80-89</b>			524	516	340	339	365	519	488	881	1,533	2,218	3,492	2,840	2,664			15,870	
<b>90-99</b>			507	507	596	860	515	466	373	708	1,340	2,667	6,255	6,638	8,839	6,060	3,160	37,081	
<b>00-09</b>	78	164	324	451	453	470	401	295	474	434	692	2,113	4,577	5,996	6,166	4,897	2,931	30,915	
<b>85-09</b>	69	246	468	512	509	620	469	434	464	679	1,264	2,577	5,372	6,148	6,829	5,365	3,032	32,327	

**Appendix 54. Annette Island Reserve hours open to commercial gillnet fishing, 1971-2010.**

	Statistical Week																	Total
	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	
1970																		
1971																		
1972																		
1973																		
1974																		
1975																		
1976																		
1977		96	96	96	96	24	72	72	96	72	48	48	72	24	48			960
1978	96	96	72	72	48	72	108	72	72	96	72	72	72	72	12			1,104
1979	96	96	96	96	48	48	48	24		48	72							672
1980	24	72	48	72	96	48	24	72	120	120	72	96	48	48				960
1981	96	96	72	72	72	72	48	96	48	72	48	48	48	48				936
1982	96	120	120	120	120	120	120	120	120	120	120	120	120		24			1,560
1983	144	96	144	120	120	120	144	120	120	120	120	120		144				1,632
1984			120	120	120	120	120	120	144	120	120	120	120	120	120			1,584
1985	96	96	120	96	96	96	120	120	120	120	120	96	72	72	96			1,536
1986	96	72	48	120	120	120	120	120	120	120	120	120	96	96	72			1,560
1987		96	72	96	96	96	96	96	96		48	72	72	84	48			1,068
1988		96	120	120	96	72	48	120	120	72	96	72	48	36	36			1,152
1989	72	72	96	96	159	84	120	120	120	120	120	48	48	48		48		1,371
1990		72	72	72	72	96	120	120	120	120	96	72	72	96				1,200
1991		120	96	96	96	96	96	144	144	144	144	144	144	72	96	72		1,704
1992		96	96	120	120	120	120	96	120	120	96	120	72	96	72	96	78	1,638
1993		72	96	120	120	120	120	120	72	96	120	120		48	48	96	72	1,440
1994		96	96	96	72	120	72	120	120	120	120	120	72	72	120	96	78	1,590
1995	96	120	120	96	120	120	120	120	120	120	120	96	120	96	96	96	72	1,848
1996	72	96	72	96	120	120	96	96	96	96	96	96	96	96	96	48	48	1,536
1997	72	96	96	120	96	96	120	72	96	72	72	72	72	96	120	96	72	1,536
1998	72	96	96	120	72	96	120	120	120	120	120	96	96	120	96	48	48	1,656
1999	72	96	96	96	72	96	96	120	96	120	120	120	96	96	96	72	72	1,632
2000	120	96	96	120	120	120	120	120	120	120	120	72	72	72	96	96	120	1,800
2001	120	120	120	96	120	120	96	120	120	120	120	120	96	96	120	120	120	1,944
2002	120	120	96	96	96	96	120	120	120	120	96	96	120	96	96	96	120	1,824
2003	96	96	72	120	96	120	120	96	96	96	96	120	120	144	120	120	120	1,848
2004	72	96	120	120	120	96	120	120	120	120	120	72	120	120	120	120	96	1,872
2005	72	96	96	120	120	120	120	120	120	120	120	120	120	120	120	120	120	1,944
2006	72	72	120	120	120	120	120	120	96	72	72	120	120	120	120	96	72	1,752
2007	120	96	96	120	120	120	120	128	120	120	120	120	96	120	120	96	72	1,904
2008	72	72	120	120	120	120	96	120	120	120	120	96	120	96	120	120	72	1,824
2009	48	96	120	120	120	120	120	120	120	120	96	72	96	120	120	96	96	1,800
2010	72	72	120	120	120	96	158	120	120	120	96	96	120	96	96	96	72	1,790
<b>Average</b>																		
<b>70-79</b>				88	64	48	76	56	84	72	64	60	72	48	30			912
<b>80-89</b>			96	103	109	95	96	110	113	109	98	91	75	77	66			1,336
<b>90-99</b>			94	103	96	108	108	113	110	113	110	106	93	89	93	80	68	1,578
<b>00-09</b>	91	96	106	115	115	115	115	118	115	113	108	101	108	110	115	108	101	1,851
<b>85-09</b>	87	94	98	108	107	108	109	116	113	112	108	99	94	93	98	92	86	1,639

**Appendix 55. Annette Island Reserve trap pink salmon catch, 1971-1993.**

	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>	<b>31</b>	<b>32</b>	<b>33</b>	<b>34</b>	<b>35</b>	<b>36</b>	<b>37</b>	<b>Total</b>
<b>1970</b>		26,418	13,935	11,903	4,486	3,446	7,509	14,166	20,020	0		101,883
<b>1971</b>												
<b>1972</b>		31,844	61,534	83,498	69,160	43,448	41,974	57,943	24,183	0	0	413,584
<b>1973</b>				5,091	14,558	22,043						41,692
<b>1974</b>			2,859	6,940	17,613	16,597	40,792	24,252	0	0		109,053
<b>1975</b>						21,865	69,051	15,560	1,741			108,217
<b>1976</b>		4,997	14,146	49,281	52,680	69,933	85,940	89,002	58,005	11,817		435,801
<b>1977</b>		3,214	29,573	68,814	111,027	56,561	13,102	4,080	6,416			292,787
<b>1978</b>	37,634	22,856	34,582	43,309	32,680	118,595	208,260	148,834	55,407			702,157
<b>1979</b>	2,243	2,819	15,975	28,967	42,932	20,486	38,171	27,734	10,253			189,580
<b>1980</b>	3,808	13,887	39,644	13,671	38,871	138,732	99,943	53,499	39,987	7,250		449,292
<b>1981</b>		3,957	12,957	26,796	49,745	34,908	39,958	4,155	19,622	2,108		194,206
<b>1982</b>											21,927	21,927
<b>1983</b>		17,042	31,281	43,995	58,777	84,198	249,490	186,009	99,061	32,847		802,700
<b>1984</b>		67,649	109,255	31,040	39,617	95,823	109,291	80,661	63,225	52,897		649,458
<b>1985</b>	8,404	13,248	30,165	17,154	45,534	137,560	112,339	100,631	33,144	24,500		522,679
<b>1986</b>	0	46,414	52,918	86,153	34,156	59,196	64,092	65,908	34,234	15,789		458,860
<b>1987</b>		4,402	11,251	16,667	5,996	19,035	5,706	12,535	4,714	6,506		86,812
<b>1988</b>			1,912	875	6,547	13,894		11,084				34,312
<b>1989</b>		14,200	95,218	62,841	113,606	69,225	74,905	39,550	26,717			496,262
<b>1990</b>		25,192	28,128	47,528	81,403	115,114	58,000	72,282	15,808	8,770		452,225
<b>1991</b>	0	5,278	7,453	29,687	1,777	6,005	9,687	23,603	10,445		0	93,935
<b>1992</b>			25,184	4,908	3,756		20,216	10,041	3,846			67,951
<b>1993</b>			2,159	10,558	10,493	38,239	73,288	63,804	99,563	31,372		329,476
<b>1994</b>												
<b>1995</b>												
<b>1996</b>												
<b>1997</b>												
<b>1998</b>												
<b>1999</b>												
<b>2000</b>												
<b>2001</b>												
<b>2002</b>												
<b>2003</b>												
<b>2004</b>												
<b>2005</b>												
<b>2006</b>												
<b>2007</b>												
<b>2008</b>												
<b>2009</b>												
<b>2010</b>												
<b>Average</b>												
<b>70-79</b>	14,562	15,148	26,531	34,608	42,667	51,171	67,194	48,341	24,001	3,813	0	284,405
<b>80-89</b>	4,202	24,013	41,454	37,005	48,376	69,884	89,223	63,646	37,066	20,488	21,927	371,944
<b>90-93</b>	0	5,278	11,599	15,051	5,342	22,122	34,397	32,483	37,951	31,372	0	163,787

**Appendix 56. Annette Island Reserve trap chum salmon catch, 1971-1993.**

	27	28	29	30	31	32	33	34	35	36	37	Total
1970		67	216	246	65	106	151	188	348	0		1,387
1971												
1972		675	1,108	817	423	444	327	383	341	0	0	4,518
1973				40	95	91						226
1974			137	8	20	26	49	135	0	0		375
1975						53	439	525	91			1,108
1976		48	69	480	466	216	538	344	622	55		2,838
1977		69	235	159	1,544	362	67	57	109			2,602
1978	84	277	95	127	23	104	108	245	281			1,344
1979	147	111	255	114	150	92	173	70	148			1,260
1980	31	120	218	194	54	113	71	102	65	45		1,013
1981		88	231	128	109	79	170	74	290	30		1,199
1982											113	113
1983		268	309	112	78	73	61	194	398	283		1,776
1984		299	337	128	867	346	554	406	1,137	2,210		6,284
1985	118	121	99	53	120	343	164	267	118	160		1,563
1986	0	513	552	239	121	114	15	68	61	105		1,788
1987		142	226	175	70	67	35	105	36	3,336		4,192
1988			50	12	181	94		46				383
1989		206	125	15	23	16	11	45	41			482
1990		180	125	49	128	159	64	36	25	32		798
1991	0	83	93	63	1	9	4	43	7		0	303
1992			256	105	70		79	10	0			520
1993			51	350	122	300	196	75	150	69		1,313
1994												
1995												
1996												
1997												
1998												
1999												
2000												
2001												
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
<b>Average</b>												
<b>70-79</b>	87	195	292	243	316	161	214	228	223	20	0	1,667
<b>80-89</b>	59	227	228	101	189	143	134	138	263	879	113	1,858
<b>90-93</b>	0	83	133	173	64	155	93	43	52	69	0	712

**Appendix 57. Annette Island Reserve trap sockeye salmon catch, 1971-1993.**

	27	28	29	30	31	32	33	34	35	36	37	Total
1970		853	854	674	190	241	58	38	18	0		2,926
1971												
1972		727	2,658	2,138	1,218	637	264	359	138	0	0	8,139
1973				466	291	361						1,118
1974			956	567	599	320	110	63	0	0		2,615
1975						103	452	51	15			621
1976		515	474	1,642	640	739	365	201	428	6		5,010
1977		839	2,580	3,844	4,178	1,399	461	53	95			13,449
1978	2,154	2,000	578	347	196	344	258	124	70			6,071
1979	2,813	1,712	1,115	2,587	2,851	1,934	1,317	727	422			15,478
1980	702	1,388	2,208	442	527	554	180	82	15	0		6,098
1981		617	1,995	3,971	2,868	585	471	15	90	6		10,618
1982											3	3
1983		618	1,195	831	658	447	347	194	168	87		4,545
1984		2,173	2,691	848	7,016	1,529	1,237	678	214	88		16,474
1985	1,343	1,961	1,530	1,581	1,261	1,474	875	675	153	50		10,903
1986	0	807	969	625	309	154	11	122	49	22		3,068
1987		440	1,293	1,564	1,138	1,120	275	199	38	32		6,099
1988			317	132	1,262	263		77				2,051
1989		856	1,044	409	144	175	32	43	27			2,730
1990		3,057	2,398	1,010	777	373	85	170	35	9		7,914
1991	0	246	218	180	4	5	17	30	9		0	709
1992			395	395	124		257	87	0			1,258
1993			76	821	304	1,615	796	340	219	31		4,202
1994												
1995												
1996												
1997												
1998												
1999												
2000												
2001												
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
Average												
70-79	1,890	1,148	1,428	1,412	1,188	663	385	189	133	1	0	6,153
80-89	672	1,316	1,492	1,219	1,715	680	417	241	97	42	3	6,441
90-93	0	246	230	465	144	810	357	152	76	31	0	2,056

**Appendix 58. Annette Island Reserve trap Chinook salmon catch, 1971-1993.**

	27	28	29	30	31	32	33	34	35	36	37	Total
1970		0	0	0	0	0	0	0	0	0		0
1971												
1972		10	10	26	45	14	24	6	0	0	0	0
1973				17	0	8						135
1974			0	0	1	0	14	0	0	0		25
1975						0	2	1	0			15
1976		6	11	9	4	4	8	1	2	0		3
1977		13	19	13	2	1	0	1	0			45
1978	20	50	28	24	8	4	0	1	0			49
1979	110	54	37	31	14	1	0	3	0			135
1980	7	40	46	41	3	2	0	0	0	0		250
1981		2	30	16	27	10	1	0	0	0		139
1982											0	86
1983		50	74	40	11	7	7	4	1	0		0
1984		85	43	9	38	6	1	0	0	0		194
1985	107	145	54	31	23	6	0	0	0	0		182
1986	0	0	0	0	0	0	0	0	0	0		366
1987		0	0	0	0	0	0	0	0	0		0
1988			31	19	41	1		2				0
1989		226	90	3	9	0	0	0	0			94
1990		272	95	32	23	10	6	3	2	0		328
1991	0	10	46	11	0	0	0	3	0		0	443
1992			31	2	2		1	0	0			70
1993			10	22	4	0	0	0	0	0		36
1994												
1995												
1996												
1997												
1998												
1999												
2000												
2001												
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
Average												
70-79	46	25	19	18	9	3	5	1	0	0	0	66
80-89	54	98	46	17	19	4	2	1	0	0	0	139
90-93	0	10	29	12	2	0	0	1	0	0	0	183

**Appendix 59. Annette Island Reserve trap coho salmon catch, 1971-1993.**

	27	28	29	30	31	32	33	34	35	36	37	Total
1970		81	225	258	80	80	315	617	843	0		2,499
1971												
1972		191	666	711	552	750	390	626	802	0	0	0
1973				151	25	148						4,688
1974			76	33	98	155	283	361	0	0		324
1975						57	234	203	68			1,006
1976		81	50	168	117	107	237	178	204	81		562
1977		35	96	111	396	426	75	67	160			1,223
1978	878	762	651	743	117	375	226	322	297			1,366
1979	46	69	824	1,132	358	321	376	232	326			4,371
1980	56	153	285	135	242	283	152	191	96	196		3,684
1981		16	61	242	195	164	268	43	613	45		1,789
1982											309	1,647
1983		443	374	299	152	382	823	1,708	1,430	659		309
1984		175	208	72	402	275	563	551	1,840	1,509		6,270
1985	419	467	270	131	163	259	325	780	486	240		5,595
1986	0	230	198	188	97	17	70	223	207	180		3,540
1987		64	118	236	58	32	68	76	17	263		1,410
1988			16	13	26	11		21				932
1989		136	80	22	26	47	15	68	83			87
1990		190	134	145	138	246	87	188	96	64		477
1991	0	43	109	99	3	8	2	26	28		0	1,288
1992			17	37	29		42	17	0			318
1993			10	67	22	81	102	72	159	97		142
1994												610
1995												
1996												
1997												
1998												
1999												
2000												
2001												
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
Average												
70-79	327	196	359	382	221	270	254	311	311	55	0	1,972
80-89	210	215	162	150	140	159	277	406	597	423	309	2,206
90-93	0	43	45	68	18	45	49	38	62	97	0	590

**Appendix 60.** Southern Southeast Alaska pink salmon spawning escapement index, by district and year, 1971-2010.

Year	District							Index
	101	102	103	105	106	107	108	
1971	705,347	360,362	882,160	289,048	273,365	361,597	28,088	2,899,967
1972	857,950	191,665	630,993	199,950	189,275	362,953	17,595	2,450,381
1973	731,125	239,116	664,877	245,086	314,143	204,450	20,422	2,419,219
1974	816,116	214,252	610,370	140,415	218,975	240,112	9,157	2,249,397
1975	985,487	444,456	934,597	222,222	323,439	341,421	11,919	3,263,541
1976	1,057,034	380,909	1,005,662	135,375	441,301	355,217	19,184	3,394,682
1977	1,869,739	451,216	1,227,963	267,618	307,356	889,461	26,450	5,039,803
1978	1,587,779	384,479	1,331,986	269,479	236,797	396,670	8,154	4,215,344
1979	731,244	412,274	1,219,765	312,308	285,688	414,492	58,611	3,434,382
1980	1,804,146	455,951	1,615,616	235,193	331,736	361,492	35,080	4,839,214
1981	1,509,182	326,355	1,890,146	383,245	298,447	243,659	30,113	4,681,147
1982	1,393,934	276,524	1,396,352	242,842	308,700	360,509	59,058	4,037,919
1983	2,195,161	793,653	2,143,468	484,970	444,492	409,529	51,972	6,523,245
1984	3,164,156	724,695	2,541,125	457,844	332,064	417,251	37,607	7,674,742
1985	3,198,816	789,836	3,658,700	666,355	818,621	769,254	53,200	9,954,782
1986	4,031,740	945,493	4,461,674	652,099	718,178	555,870	59,410	11,424,464
1987	1,832,357	380,091	1,565,552	165,385	215,083	298,788	52,209	4,509,465
1988	1,141,543	382,980	1,067,979	192,571	211,408	258,471	15,513	3,270,465
1989	2,394,180	571,771	2,495,418	450,156	517,710	826,340	76,478	7,332,053
1990	1,587,704	468,224	1,774,069	409,663	466,695	378,066	56,136	5,140,557
1991	1,421,086	505,486	1,971,915	625,381	409,671	582,999	114,009	5,630,547
1992	2,627,018	705,120	1,231,959	142,371	191,229	531,478	56,504	5,485,679
1993	1,771,863	613,350	2,421,258	575,064	563,670	491,424	35,864	6,472,493
1994	1,578,975	343,075	1,777,316	385,675	635,561	510,678	35,744	5,267,024
1995	3,100,005	503,142	2,628,259	534,209	601,543	392,776	26,186	7,786,120
1996	4,227,356	1,584,878	4,266,718	659,129	588,984	547,094	25,950	11,900,109
1997	1,995,727	673,398	1,585,383	609,817	519,010	543,456	44,185	5,970,976
1998	2,437,079	822,939	2,188,009	397,778	559,185	509,025	38,002	6,952,017
1999	2,582,488	1,234,429	3,301,961	1,695,819	1,564,283	830,266	66,598	11,275,844
2000	1,729,224	892,659	1,699,824	332,744	304,683	430,807	12,436	5,402,377
2001	3,706,216	1,151,224	3,139,010	1,054,646	1,009,505	807,365	118,313	10,986,279
2002	3,030,447	1,251,154	2,689,131	683,183	569,850	579,552	41,915	8,845,232
2003	3,165,099	1,134,992	2,670,195	974,983	887,584	790,320	154,196	9,777,369
2004	2,479,292	638,191	3,297,735	641,428	576,230	560,876	62,188	8,255,940
2005	2,894,760	1,219,329	2,628,270	1,032,838	707,776	802,376	110,330	9,395,679
2006	1,357,052	628,582	1,333,582	237,950	343,885	371,613	54,895	4,327,559
2007	3,984,579	1,420,000	3,482,054	451,713	536,251	666,250	50,525	10,591,372
2008	2,128,883	944,900	1,983,046	256,819	383,906	587,304	9,511	6,294,369
2009	2,661,251	1,064,160	2,316,506	379,548	322,207	428,598	29,498	7,201,768
2010	2,354,851	708,492	1,579,859	349,151	431,789	463,329	55,300	5,942,771

These index numbers were revised to reflect the changes made in 2008 to the methods used to estimate the pink salmon index in Southeast Alaska. These are not the index numbers used to calculate the Canadian Annual Allowable Harvest (AAH) of Alaska pink salmon. These estimations are from ADFG aerial surveys and are used as index indicators and are not a true indication of total escapement.

**Appendix 61.** Sockeye salmon escapement to Hugh Smith and McDonald Lakes in Southeast Alaska, 1981-2010.

year	Hugh Smith Escapement		McDonald Lake Escapement	
	Total	Spawning <sup>a</sup>	Total	Spawning <sup>a</sup>
1980	12,714 <sup>b</sup>	12,714	76,732 <sup>c</sup>	76,732
1981	15,545 <sup>b</sup>	15,545	129,653 <sup>b</sup>	129,653
1982	57,224 <sup>b</sup>	57,224	56,153 <sup>c</sup>	56,153
1983	10,427 <sup>b</sup>	10,427	56,142 <sup>b</sup>	56,142
1984	16,106 <sup>b</sup>	15,667	121,224 <sup>b</sup>	121,224
1985	12,245 <sup>b</sup>	11,447	100,557 <sup>c</sup>	100,557
1986	6,968 <sup>d</sup>	6,349	94,673 <sup>c</sup>	94,673
1987	33,097 <sup>b</sup>	31,195	133,386 <sup>c</sup>	133,386
1988	5,056 <sup>b</sup>	4,632	70,498 <sup>c</sup>	67,552
1989	6,513 <sup>b</sup>	4,966	71,176 <sup>c</sup>	67,144
1990	1,285 <sup>b</sup>	1,285	113,684 <sup>c</sup>	113,084
1991	5,885 <sup>b</sup>	5,528	171,481 <sup>c</sup>	170,213
1992	65,593 <sup>d</sup>	65,415	110,796 <sup>c</sup>	108,795
1993	13,530 <sup>d</sup>	12,070	81,729 <sup>c</sup>	79,807
1994	8,958 <sup>d</sup>	8,195	106,484 <sup>c</sup>	105,062
1995	3,456 <sup>d</sup>	3,144	44,738 <sup>c</sup>	43,898
1996	7,124 <sup>e</sup>	6,554	61,720 <sup>c</sup>	61,720
1997	12,182 <sup>e</sup>	12,182	65,771 <sup>c</sup>	65,771
1998	1,138 <sup>e</sup>	897	57,557 <sup>c</sup>	57,557
1999	3,174 <sup>e</sup>	2,878	89,547 <sup>c</sup>	89,261
2000	4,283 <sup>e</sup>	3,989	90,623 <sup>c</sup>	90,623
2001	3,789 <sup>d</sup>	3,551	42,768 <sup>c</sup>	42,768
2002	6,059 <sup>d</sup>	5,880	26,000 <sup>c</sup>	26,000
2003	19,588 <sup>e</sup>	19,568	89,000 <sup>c</sup>	89,000
2004	19,930 <sup>e</sup>	19,734	21,000 <sup>c</sup>	21,000
2005	24,108 <sup>e</sup>	23,872	46,000 <sup>c</sup>	46,000
2006	42,529 <sup>e</sup>	42,112	17,000 <sup>c</sup>	17,000
2007	34,077 <sup>e</sup>	33,743	29,000 <sup>c</sup>	28,756
2008	3,590 <sup>e</sup>	3,588	21,000 <sup>f</sup>	20,879
2009	9,483 <sup>e</sup>	9,483	51,000 <sup>f</sup>	50,730
2010	15,646 <sup>e</sup>	15,646	72,500 <sup>f</sup>	72,500

<sup>a</sup> Spawning escapement equals total escapement minus egg take and/or weir mortalities

<sup>b</sup> Un-validated weir count.

<sup>c</sup> Expanded foot survey index.

<sup>d</sup> Mark-recapture estimate. Returning adults were marked at the weir and recovered in Buschmann and Cobb Creeks. Actual weir counts were 2,312 in 1986; 65,737 in 1992; 11,312 in 1993; 8,386 in 1994; and 3,422 in 1995.

<sup>e</sup> Weir count validated by backup mark-recapture estimate.

<sup>f</sup> Peak survey, multiple-regression model with annual September rainfall index.

**Appendix 62.** Peak escapement counts of live chum in Portland Canal, U.S. systems, 1971-2010.

Year	Halibut Bay					Fish Creek			
	Hidden Inlet 101-11-101	Sandfly Creek 101-15-008	NW 101-15-012	N Head 101-15-014	Tombstone River 101-15-019	Rivers Creek 101-15-028	Salmon River 101-15-050	Hyder <sup>a</sup> 101-15-085	Marx Creek 101-15-090
1971	2,000				1,200			3,600	
1972	5,200				5,000			500	
1973	6,000				5,350			1,100	
1974	3,980				7,000			8,000	
1975	6				400			1,300	
1976	540		5,000		900			2,700	
1977	1,500				15,000	100	200	8,500	
1978	7,700	5	30		5,300			6,836	
1979	1,200				6,500		8	19,581	
1980	2,900				4,580		37	9,199	
1981	350				2,000		40	1,797	
1982	550				1,100			5,795	
1983	3,600			2	18,500			4,525	
1984	800				9,250			5,700	
1985	1,400	19	15		5,000			13,357	
1986	430				10,000		50	10,000	2,000
1987	1,500				12,800		150	28,418	1,968
1988	1,400				40,000	50		23,476	3,904
1989	500				12,100			13,593	1,403
1990	650				4,400		310	3,666	462
1991	300				5,500		37	1,710	307
1992	500				2,600			8,731	10,758
1993					22,800		5,300	14,620	19,391
1994	1,500				7,500		1,172	4,500	9,535
1995	10,000				5,000			3,150	558
1996	2,700				5,200			3,243	457
1997	160				5,500			517	395
1998	4,300				8,000			17,533	10,829
1999	1,600				3,000			1,380	136
2000	600				4,000			7,648	2,638
2001	3,800				4,000			1,770	58
2002	1,400				6,000			5,527	601
2003	1,200				4,000			11,674	1,390
2004	800				15,000		13,043	23,920	12,600
2005	550	1			3,000		60	4,485	2,035
2006	60				4,000			9,100	2,272
2007	10,000				20,000			4,285	254
2008	1,500				400		6	418	156
2009	2,000				10,000			1,680	1,223
2010	50				8,000			2,200	194

<sup>a</sup> Fish Creek weir counts 1991-1995; 9,996, 46,968, 58,451, 32,322, and 9,688 (respectively).

**Appendix 63.** Preliminary release data for coded wire tag marked salmon in Southeast Alaska, 2010.

<b>Wild Stock</b>	<b>Number tagged</b>	<b>Number released</b>
<b>CHINOOK</b>	389,545	390,866
(W) CHILKAT R 115-32	39,785	39,810
(W) STIKINE R 108-40	35,024	35,024
(W) TAKU R 111-32	30,804	30,835
(W) UNUK R 101-75	23,927	23,927
<b>COHO</b>	124,245	124,310
(W) AUKE LK 111-50	6,053	6,053
(W) BERNERS R 115-20	16,109	16,119
(W) CHILKAT R 115-32	26,877	26,932
(W) FORD ARM LK 113-73	10,906	10,906
(W) HUGH SMITH LK 101-30	29,798	29,798
(W) STIKINE R 108-40	11,008	11,008
(W) TAKU R 111-32	23,494	23,494

**Appendix 64.** Northern British Columbia total Area 1 commercial gillnet sockeye salmon catch, 1970-2010.

Year	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	Total
1971			8			7,233	4,138	1,727	3,689	10,058	8,304	4,140	2,782	5,222	1,168	6	5	0	1			48,481
1972				45		5,763	5,763	14,843	9,557	8,768	4,263	2,848	4,268	1,290	348							51,993
1973						2,886	5,371	4,634	16	1,143	984	857	276	19	33	1					11	16,231
1974						2,971	1,648	4,000	1,022	996				489	90	148	9		1		23	11,397
1975					41	476	983	2,633	1,903	1,682	2,248		826	787	261	160	789	1,515	914	1,085	400	16,703
1976						512	515	153	698	3,484					635	938	439				42	7,416
1977						246	280	3,641	747	5,724	5,774	1,443	3,554	452	1,107	35	21	8	29			23,061
1978							17		20	30	39		87	5	279						417	894
1979						338	1,251	1,661	293	312	173	145	47	134								4,354
1980						4,080	3,762	9,524	1,482	186	17	201	1,182	6,992	541							27,967
1981						2,081	3,880	11,347	6,497	2,933	1,508	2,080	2,494	3,117	5,316	748	58		6			42,065
1982									230	6		384										620
1983										410	358	220	28	53		44						1,113
1984									18	539	465	2,478	4,899	24	1	1,610						10,035
1985									208						1,274							1,482
1986										379					622	1,461	1	3				2,466
1987									910		64	66	312	12	40							1,404
1988											336	11	46	7	1							401
1989											661	266	16	676						1		1,620
1990											246	1,879	68	1	20	204						2,418
1991											207	435	165									807
1992											1,122	350	1,268	1,136	824	0	18	0	1			4,719
1993									143		291		1,497	1,655	1,532	168						5,286
1994											456	1,232	2,734	1,662	589	798	65		22	5	1	7,564
1995							206	1,215	8,247	12,453	9,516	1,321	914						1			33,873
1996																						
1997							1,915	5,328	24,950	37,645	35,884	15,849	730					175				122,476
1998																						
1999																						
2000										364												364
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>			8	45	41	2,781	2,489	3,368	2,534	2,714	3,151	2,301	1,607	1,448	374	377	255	512	231	557	179	20,059
<b>AVG 80-89</b>						3,081	3,821	10,436	1,687	766	487	713	1,282	1,554	1,114	564	556	3	4			8,917
<b>AVG 90-99</b>						1,061	3,272	16,599	16,747	6,817	3,511	1,054	1,114	741	293	42	88	8	5	1		25,306
<b>AVG 00-09</b>									364													

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 65.** Northern British Columbia total Area 1 commercial seine sockeye salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1971						125			1,668	107	826	2,627	1,599	356								7,308
1972							543	1,951	115	3,257	858	4,310	714	2,068	229							14,045
1973							499	804		1,189	9,734	1,977	429	195	2							14,829
1974						237	7	3,020	1,516	79					157							5,016
1975						70	246	2,258	1,270	3,046	2,850					5			6			9,751
1976							296	512	34	1,787	2,790											5,419
1977						25	215	409		335	3,420	4,434	3,115	1,092	195							13,240
1978						274	731	2,319	329		507	428	133	76								4,797
1979						72	269	9,783	1,478	6,325	6,122	17,084	23,075	1,071								65,279
1980						263	203	3,806	6,146	5,999	6,024	7,061	11,833	4,344	930							46,609
1981						202	196	1,108	11,661	21,492	26,778	67,956	25,366	15,053	7,165	713	141					177,831
1982									13,577	6,446	30,873	6,355	841									58,092
1983										7,965	5,414	1,984	3,029	6,596	3,950	2,378						31,316
1984										2,675	3,687	4,622	4,743	4,348	1,497	103	4					21,679
1985							148	136	167	8,260	61,541	13,998	13,969	12,948	5,276							116,443
1986										6,328	7,785	9,403	6,140	19	923	553	38	9				31,198
1987										5,532	15,246	1,178	1,000	6,833	3,642							33,431
1988										1,265	25,226	11,922	1,287	876	664	9						41,249
1989										5,003			59,504	20,820								85,327
1990											9,601	50,533			5,157	816	152					66,259
1991											6,073	20,889	29,266	2,129								58,357
1992											2,867	29,343	35,615	6,340	7,501	10	12					81,688
1993											14,219	46,930	66,459	87,745								215,353
1994												25,800	26,971	16,607	36,918							106,296
1995										12,347	17,461	6,893	29,718		5,407							71,826
1996																						
1997										58,741	95,937	93,039	1,090									248,807
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>						134	351	2,632	916	2,016	3,384	4,974	5,064	1,147	370	100			6			15,520
<b>AVG 80-89</b>						233	182	1,683	7,888	7,097	20,286	13,831	12,771	7,982	3,006	751	61		9			64,318
<b>AVG 90-99</b>										35,544	24,360	39,061	31,520	28,205	13,746	413	82					121,227
<b>AVG 00-09</b>																						

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 66.** Northern British Columbia total Area 1 commercial gillnet pink salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1971		12			26	86	33	153	2,137	3,598	1,903	5,757	17,012	10,423	731	108	8	14	22	2		42,025
1972			37			5,060	5,006	1,744	3,453	1,613	2,163	10,733	2,624	4,878				127	3	4		37,445
1973					24	225	535	1	374	373	1,699	1,480	91	1,038	39	19	2	1		15		5,916
1974					1,884	344	1,359	279	348				36	2,993	263					2		7,508
1975				20	167	374	739	412	299	690		497	32	27	205	2,632	2,565	5,526	7,820	1,256		23,261
1976						142	28	7	74	1,213												1,464
1977						3	5	5	324	2,857	6	122	52	20	1,004	25	73	104	169			4,769
1978										26				140						1		167
1979					5	327	263	115	37	172	123	147										1,189
1980					15	1,049	3,537	164	68		376	476	569	1,361								7,615
1981					39	636	1,312	2,464	1,528	2,615	2,372	678	1,230	454	507	146		150				14,131
1982								2		6	99											107
1983									10	362	110	15	54		12							563
1984								302	13	52	43	29	17	1,008	1,123	403						2,990
1985								4						80								859
1986									228					49		1,106	1,919				8	3,310
1987									254	24	11	66	36	20								414
1988										1	14	1	1,368	346	34			1		5	2	1,771
1989										278	4	4	93									380
1990										168	822	260	7,982		1,376							10,615
1991										20	177	1,258										1,455
1992										172	125	354	543	1,082	312	563	72	11				3,234
1993									5,537	53	271	283	548	121								6,813
1994										53	365	71	261	222	360				46	1	1	1,380
1995						49	159	463	1,787	7,547	1,320	765					1					12,091
1996							6									165	168	18	16			373
1997						12	74	1,030	13,098	25,341	6,395	820					117					46,887
1998														680								680
1999																						
2000								251														251
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>		12	37	20	421	820	996	340	881	1,318	1,179	3,123	3,308	2,788	448	696	662	1,154	1,603	256		13,749
<b>AVG 80-89</b>					27	843	2,425	587	350	477	379	181	481	474	419	552	1,919	51	4	5	775	3,214
<b>AVG 90-99</b>					31	80	747	6,807	4,765	1,534	543	2,267	633	542	364	90	21	9	1			9,281
<b>AVG 00-09</b>								251														

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 67. Northern British Columbia total Area 1 commercial seine pink salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1971							232	8	201	4,421	2,717	275				1						7,855
1972						22,280	50,036	1,224	13,138	5,003	21,964	6,990	15,207	18,474					3			154,319
1973						21	255		353	2,775	756	6,781	4,354	127				12				15,434
1974					132	4	4,135	1,858	16					52,782	10,378							69,305
1975					21	324	7,269	916	4,848	1,054					1,730		484					16,646
1976						528	43	3	2,395	911												3,880
1977						14	21		562		7,404	12,759	10,431	6,273	1,668						5	39,137
1978					1,734	1,627	1,723	695		8,541	1,502	794	1,064									17,680
1979					5	257	1,315	7,118	23,167	14,867	32,579	36,038	10,510									125,856
1980					1	356	1,550	968	11,792	8,905	14,564	22,962	20,436	16,965								98,499
1981					2	96	119	12,380	37,063	47,885	99,630	26,257	17,477	14,600	5,933	2,519						263,961
1982								2,528	1,380	6,603	5,834	1,645										17,990
1983									11,353	50,819	3,630	13,939	10,871	26,243	16,566							133,421
1984									3,865	8,873	6,202	15,371	28,773	281,111	273,680	60,126						678,001
1985									12,550	60,708	85,931	36,596	22,154	18,684								236,623
1986									19,496	28,639	63,818	58,465	26,196	16,289	151,320	359,017	140,177				5	863,422
1987									12,192	41,492	2,759	8,090	38,923	30,585					4			134,045
1988									1,637	8,031	39,996	11,562	13,420	23,210	85,714							183,570
1989									72,609			43,502	34,081									150,192
1990										23,776	197,039			169,302	701,355	258,065	9,672					1,359,209
1991										18,007	119,999	100,460	1,923									240,389
1992										3,942	84,955	95,481	8,088	64,404	99,825	85,354						442,049
1993										13,839	41,435	30,762	32,378									118,414
1994											22,121	19,937	20,602	13,075								75,735
1995									11,040	57,868	29,230	52,694		7,483								158,315
1996															222,824	172,678	112,852					508,354
1997									43,928	151,360	129,053	133										324,474
1998												2,558			65,927							68,485
1999																						
2000														310								310
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010															120,000	68,000						188,000
<b>AVG 70-79</b>					473	3,132	8,100	1,721	5,561	4,765	11,438	11,013	6,974	19,414	4,592	1	484	12	3	5		50,012
<b>AVG 80-89</b>					2	226	835	5,292	18,394	29,106	35,818	23,839	23,592	53,461	106,643	140,554	140,177		4		5	275,972
<b>AVG 90-99</b>									27,484	44,799	89,119	43,146	15,748	63,566	272,483	172,032	61,262					366,158
<b>AVG 00-09</b>															310							

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 68.** Northern British Columbia total Area 1 commercial gillnet chum salmon catch, 1970-2010.

Year	Statistical Week														Total								
	22	23	24	25	26	27	28	29	30	31	32	33	34	35		36	37	38	39	40	41	42	
1971	3			1,986	2,111	1,293	1,637	3,959	1,705	378	1,166	2,617	1,578	122	108	133	288	1,638	4,747	3,351	1,420	30,240	
1972		60			8,746	3,331	1,719	3,126	2,953	3,423	2,579	2,157	1,783				68	3,912	7,467			41,324	
1973				605	719	502	1	223	96	2,445	693	241	2,856	436	122	401	844	4,233	3,431	4,262		22,110	
1974				2,461	616	1,105	264	255				85	653	581			399	1,449	2,308	2,931		13,107	
1975			37	788	272	386	298	342	164			130	46	8	69	477	286	3,500	1,075			8,057	
1976					49	25	11	65	548				1	4	4					396		1,103	
1977					67	78	9	129	122		12			167			10	2	237		855	1,688	
1978								2					10					1,111	820			1,943	
1979				26	367	317	113		2	23	4											852	
1980				560	464	610	155	151		187	35	430	106									2,698	
1981				780	2,013	2,587	434	83	122	247	8	24	19	39	30							6,386	
1982							34	100	43	65												242	
1983								37	131	5	133	50		4								360	
1984								1	28	120	19	35		3	2					67		275	
1985						5							1					466	1,079	3,916	9,803	15,270	
1986								223					8		44	148				5,405	27,495	18,853	52,176
1987							20		10	9	7	8	2				1,128	386				1,570	
1988								2			10	66	29	57				787	938			1,889	
1989									17		131						315	326				789	
1990									111	130	5		1	95			197		145			684	
1991									20	86	57								147	220		530	
1992									112	32	172	341	180		15	5	191	89				1,137	
1993								575	17	85	22	265	301									1,265	
1994									358	590	142	51	29	219	1		690	292	703			3,075	
1995				243		248	817	1,393	1,813	603	606					40	990					6,753	
1996						12										129	200	515				856	
1997				245		675	2,868	5,248	8,002	2,991						86						20,115	
1998												116					120	141	148	887		1,412	
1999																	69	34	1,096			1,199	
2000							242															242	
2001																							
2002																							
2003																							
2004																							
2005																							
2006																							
2007																							
2008																							
2009																							
2010																							
<b>AVG 70-79</b>		60	37	1,173	1,618	880	507	1,157	699	1,567	764	1,029	984	230	178	238	316	2,264	2,560	3,515	1,138	13,380	
<b>AVG 80-89</b>				670	1,239	1,599	157	88	50	106	49	102	28	26	25	148	722	491	2,474	10,493	14,328	8,166	
<b>AVG 90-99</b>					244	312	1,843	2,405	1,490	739	178	138	118	205	8	65	351	203	462	887		3,703	
<b>AVG 00-09</b>								242															

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 69.** Northern British Columbia total Area 1 commercial seine chum salmon catch, 1970-2010.

Year	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	Total
1971				2			370	23	67	345	77	37			2			5,019	198			6,140
1972					910	148	41	753	678	1,842	438	1,229	879				143	574	365			8,000
1973						38	47	127	302	255	1,169	1,599	4				200	5,301	17,582	4,716		31,340
1974				133	13	534	411	39					262	1,872			31	1,810	854	63		6,022
1975				146		53	256	251	410	149				1,415		23	69	508				3,280
1976					171	69	25	546	281													1,092
1977				21	212	747		176		113	332	915	528	248					214		63	3,569
1978				528	659	564	87		177	260	50	114						1,492	49			3,980
1979				35	401	1,186	214	544	276	1,003	993	678										5,330
1980				123	54	383	567	1,009	1,726	739	2,017	421	1,021									8,060
1981				184	339	191	1,373	1,758	702	1,726	594	865	972	669	923							10,296
1982							1,435	5,753	3,644	839	500											12,171
1983								587	697	75	266	125	101	426								2,277
1984								1,022	1,317	478	1,202	648	637	462	238							6,004
1985					9			1,577	3,313	2,992	898	791	429					80	10		29,872	39,971
1986								6,868	2,829	3,320	3,875	20	38	8,533	466	3,624			4,576	19,632		53,781
1987								328	839	134	658	1,742	1,502				17	63				5,283
1988								322	940	1,986	498	536	861	1,069								6,212
1989								1,239				1,295	2,075									4,609
1990									1,638	3,875			1,570	36	219					670		8,008
1991									191	1,028	1,154	53										2,426
1992									965	2,511	2,759	776	921	2	36							7,970
1993									4,696	4,556	2,598	611										12,461
1994										5,660	3,234	1,108	883									10,885
1995								1,045	1,527	2,419	10,697		1,477									17,165
1996																						
1997									5,714	10,519	10,700	170										27,103
1998												1,070										1,070
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>				144	307	444	200	327	276	636	510	762	418	1,178	2	23	111	1,937	4,014	1,659	63	7,639
<b>AVG 80-89</b>				154	134	287	1,125	2,046	1,779	1,365	1,180	803	695	2,232	542	3,624	17	72	2,293	19,632	29,872	14,866
<b>AVG 90-99</b>								1,045	2,455	4,367	5,190	631	1,213	19	128					670		10,886
<b>AVG 00-09</b>																						

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 70.** Northern British Columbia total Area 1 commercial gillnet Chinook salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1971						157	420	44	50	280	229	78	458	240	190	4	2	2	1		1	2,156
1972				2	1		221	507	294	105	72	29	37	12	14						3	1,297
1973						58	87	77		10	11	56	8	1	56	3				1	4	372
1974						296	163	178	29	15			26	16	21		1		2		9	756
1975	5			11	4	106	282	466	131	104	60		9	12	18	27	269	216	362	509	127	2,718
1976				7			44	13	22	26	68			3	61	112	29	2		3	141	531
1977	7	8	6	22	1	50	30	19	125	24	92	66	29	92	3	157	9	6	18	1		765
1978	2					2	3	21			1	2		1		11					39	82
1979						3	161	64	41		5	1	5									280
1980						46	123	217	18	7	3	2	19	297	36	5		2				775
1981						63	99	240	59	27	9	67	89	62	22	2	2		7			748
1982												21										21
1983										4	4	18				1						27
1984									95	38	17	31	23			6	180					390
1985									1						2							3
1986										18						20						49
1987										35	2		145	246								428
1988										10	1		56			2				3	1	73
1989											1	3	1	9					1			15
1990											3	25			1	5						34
1991												2	3							3		8
1992											6	3	6	17	53							85
1993										70	23		4		4		26					127
1994											6		9	5		6						26
1995							2	6	41	25	78	3										155
1996																						
1997									105	71	148	99	24	8	22							477
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>		8	6	11	2	96	157	154	99	81	67	39	91	48	51	48	62	57	96	129	46	995
<b>AVG 80-89</b>						55	111	229	43	20	5	24	56	154	20	6	91	2	4	3	6	253
<b>AVG 90-99</b>							2	55	56	81	36	11	6	15	19	6	26			3		130
<b>AVG 00-09</b>																						

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 71. Northern British Columbia total Area 1 commercial seine Chinook salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1971						3			85	9	61	269	358	9								794
1972							265	264	12	79	22	22		2	187					4		857
1973							28	64		26	97	20	5	46	1				34			321
1974						149	12	511	171	17	14				3,433	83						4,390
1975			28			140	230	1,981	1,156	683	115					50						4,383
1976							691	382	51	266	93											1,483
1977						13	132	308		132		255	448	2,172	1,059	414					34	4,967
1978						218	440	618	140		515	208	35	5						8		2,187
1979						68	214	1,121	83	917	445	710	2,048	847								6,453
1980						110	168	553	984	641	378	508	1,525	956	335							6,158
1981						92	344	320	1,450	1,945	1,568	2,090	917	1,583	2,798	248	1					13,356
1982									1,421	1,179	3,121	2,683	713									9,117
1983										376	474	49	72	319	371	770						2,431
1984										342	680	761	854	1,746	81	117	2					4,583
1985							2	4		1,503	6,518	909	924	725	526							11,111
1986										1,211	1,888	2,380	1,195		14		13	24				6,725
1987										537	1,557	696	229	1,462	3,036					11		7,528
1988										129	1,205	910	1,039	786	587	16						4,672
1989										2,227			1,959	2,977								7,163
1990											753	4,250			187	20	27	5				5,242
1991											451	1,081	1,808	51								3,391
1992											176	1,812	865	332	554	1						3,740
1993											1,026	694	394	321								2,435
1994												706	507	119	680							2,012
1995										78	29	76	169		36							388
1996																						
1997										14	3	13										30
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>				28		99	252	656	243	266	170	247	579	514	1,170	182			34	6	34	2,871
<b>AVG 80-89</b>						101	171	292	1,285	1,009	1,932	1,221	943	1,319	969	288	5	24		11		7,284
<b>AVG 90-99</b>										46	406	1,233	749	206	364	11	27	5				2,463
<b>AVG 00-09</b>																						

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 72. Northern British Columbia total Area 1 commercial gillnet coho salmon catch, 1970-2010.**

Year	Statistical Week																					Total
	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
1971	62			392	2,338	164	900	5,774	13,176	6,434	6,588	9,465	4,629	300	443	160	299	180	462	242	297	52,305
1972		40			7,027	12,367	10,714	11,129	2,932	3,421	4,083	1,126	432				317	274	163			54,025
1973				553	1,580	2,360	9	251	209	845	154	65	1,155	16	1	2	6	38	128	91		7,463
1974				3,413	1,374	3,321	343	372				4	143	100	3	107	77	450	56			9,763
1975			28	508	2,157	3,164	2,748	2,580	1,608			37	36	20	160	936	76	219	862	425		15,564
1976					827	615	201	362	559				7	20	11			5	86			2,693
1977					4	4	13	265	400	2	23	6		158		4	31		1		182	1,093
1978					7			8					28	1				147	219			410
1979				32	557	237	248			25	65											1,164
1980				377	5,149	10,123	401	19		148	185	140	72									16,614
1981				346	1,211	2,156	330	150	126	1,046	339	170	66		11		2					5,953
1982							46	18	13	13												90
1983								19	33	557	8	22		3								642
1984							126	2	15	22	7	1	9	36						3		221
1985							8												15	3	46	114
1986								87														914
1987								52	1		6	2	1	14	12	46			399	312	42	304
1988											26	105	13	1			119	123				538
1989									16	1	7	11					161	174				370
1990									2	158	7		3	93			26					326
1991									13	78	58								42	29		220
1992									82	45	175	126	100	1	213	83	38					863
1993								419			21	47	99	19								605
1994									76	389	87	92	23	95			90	7	38			897
1995					9	71	202	346	397	137	152					5	32					1,351
1996																22	13	27				62
1997					88	496	790	727	2,126	572	86					11						4,896
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>		40	28	980	1,763	2,779	1,897	2,962	2,699	2,145	1,825	1,784	916	108	279	61	163	226	242	130	240	16,053
<b>AVG 80-89</b>				362	3,180	6,140	182	58	32	297	85	65	23	7	20	46	94	117	214	120	39	2,576
<b>AVG 90-99</b>				49	284	496	497	449	230	84	88	56	52	213	30	40	25	35				1,153
<b>AVG 00-09</b>																						

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 73.** Northern British Columbia total Area 1 commercial seine coho salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40		41
1971							165	9	139	373	1,633	34				29			4		2,386	
1972						1,279	2,076	660	1,725	538	1,010	63	27	76				262	13	2	7,731	
1973						30	120		59	520	18	45	184					1	3	5	986	
1974					87	3	760	162	3					105	214				8	152	1,494	
1975					10	76	1,110	1,022	714	215					199		8	2	3		3,359	
1976							480	323	12	434	160										1,409	
1977							24	245		178		216	326	1,016	460	174				27	2,666	
1978					268	577	723	254		298	387	161	44							38	2,751	
1979					13	173	509	686	5,143	2,267	1,372	1,980	2,567								14,710	
1980					24	464	1,940	1,396	1,051	1,384	1,298	3,787	506	36							11,886	
1981					45	98	508	897	1,806	2,028	3,797	312	431	689	159	99					10,869	
1982								3,103	1,473	3,178	1,629	351									9,734	
1983									1,925	1,179	160	485	230	298	486						4,763	
1984									750	919	1,277	1,014	1,528	499	865	381					7,233	
1985									9,994	7,558	1,602	365	807	327					2		20,655	
1986									3,872	3,947	2,423	1,616	23	11	42	535	6,435			391	19,702	
1987									2,493	5,885	1,075	248	1,901	1,540				45	18		13,205	
1988									228	651	986	200	472	473	153						3,163	
1989									7,096			222	413								7,731	
1990										2,768	12,173			258	625	1,041	45				16,910	
1991										585	1,835	1,317	51								3,788	
1992										207	3,025	1,744	333	381	29	896					6,615	
1993										1,048	2,344	460	410								4,262	
1994											14,303	5,747	995	1,105							22,150	
1995									667	735	1,833	3,430		530							7,195	
1996															13	190	422				625	
1997									40	131	184										355	
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>					95	330	733	423	1,033	591	563	701	645	214	196	29	8	88	13	32	1	4,166
<b>AVG 80-89</b>					35	281	1,224	1,799	3,069	2,970	1,583	860	701	484	341	338	6,435	45	10	391	407	10,894
<b>AVG 90-99</b>									354	912	5,100	2,540	447	569	222	709	234					7,738
<b>AVG 00-09</b>																						

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 74.** Department of Fisheries and Oceans commercial effort by gillnet and seine, Areas 1,3,4,5, 1970-2010.

YEAR	GEAR	AREA 1		AREA 3		AREA 4		AREA 5	
		BOAT DAYS	DAYS* FISHING	BOAT DAYS	DAYS FISHING	BOAT DAYS	DAYS FISHING	BOAT DAYS	DAYS FISHING
1980	GN	0	0	2980	20	5726	13	852	15
	SN	0	0	912	20	6	2	158	15
1981	GN	0	0	2127	26	13170	26	552	11
	SN	0	0	1189	26	401	8	49	11
1982	GN	0	0	3155	34	8799	18	548	17
	SN	0	0	1649	34	827	6	197	17
1983	GN	6	12	2377	22	4699	15	501	14
	SN	108	12	2157	22	0	0	55	14
1984	GN	18	27	2929	23	7705	22	435	15
	SN	543	27	1580	20	761	6	355	14
1985	GN	74	24	813	21	12504	26	169	16
	SN	241	24	1099	17	819	9	241	12
1986	GN	345	27	1125	25	6095	21	529	23
	SN	328	35	1221	24	94	8	389	22
1987	GN	39	13	1015	19	5803	17	192	13
	SN	156	13	1780	18	215	7	269	12
1988	GN	56	18	727	18	14141	23	305	17
	SN	190	16	888	15	273	4	229	15
1989	GN	20	11	1525	26	8638	28	428	22
	SN	78	11	1059	18	70	18	87	17
1990	GN	12	17	977	26	8583	32	282	21
	SN	215	17	556	15	60	20	296	15
1991	GN	16	13	1813	36	10931	25	375	24
	SN	64	5	2958	18	178	7	228	18
1992	GN	68	21	2527	31	12110	25	368	24
	SN	239	16	1016	18	197	10	128	17
1993	GN	26	16	3692	43	10909	22	183	22
	SN	15	15	1816	16	329	12	71	13
1994	GN	82	16	3443	23	8130	20	430	12
	SN	164	7	698	9	0	0	5	1
1995	GN	270	29	4305	31	12062	19	434	22
	SN	322	7	2536	15	484	9	154	13
1996	GN	19	18	4433	36	13487	25	507	26
	SN	79	15	1117	20	975	14	347	19
1997	GN	536	23	2759	23	9558	21	269	20
	SN	313	8	809	15	172	11	25	13
1998	GN	5	11	1197	16	1041	6	47	3
	SN	12	2	204	9	0	0	4	0
1999	GN	1	5	3300	17	238	3	0	0
	SN	0	0	1001	15	26	2	6	2
2000	GN	15	4	2321	17	5150	19	164	3
	SN	0	0	282	12	544	9	54	11
2001	GN	2	1	1031	11	5380	19	86	12
	SN	0	0	244	13	393	9	57	11
2002	GN	2	2	2882	19	3559	13	43	11
	SN	7	2	294	15	218	15	64	15
2003	GN	0	0	3417	17	2484	8	27	5
	SN	0	0	210	15	118	9	32	11
2004	GN	0	3	3241	13	1581	6	78	5
	SN	0	0	448	13	218	13	28	7
2005	GN	0	0	2645	16	198	2	0	0
	SN	0	0	291	18	0	0	19	6
2006	GN	7	5	3487	15	6376	17	71	13
	SN	0	0	236	7	682	16	3	6
2007	GN	0	0	1694	9	1796	7	11	2
	SN	0	0	478	15	85	9	82	15
2008	GN	0	0	595	7	2213	9	18	7
	SN	0	0	61	3	274	14	10	1
2009	GN	0	0	1517	8	187	2	0	0
	SN	0	0	115	10	33	4	15	5
2010	GN	0	0	1394	9	581	3	21	2
	SN	10	4	26	3	0	0	2	1
<b>AVG 99-08</b>	GN	59	16	1646	25	8790	23	376	18
	SN	192	16	1495	20	330	8	235	16
	<b>TOTAL</b>	<b>251</b>	<b>32</b>	<b>3140</b>	<b>45</b>	<b>9120</b>	<b>31</b>	<b>611</b>	<b>34</b>
<b>AVG 90-99</b>	GN	104	16	2979	27	8362	18	278	16
	SN	121	7	1244	15	291	7	102	11
	<b>TOTAL</b>	<b>225</b>	<b>23</b>	<b>4223</b>	<b>42</b>	<b>8652</b>	<b>26</b>	<b>380</b>	<b>26</b>
<b>AVG 80-89</b>	GN	1	1	2190	12	2436	9	36	6
	SN	2	1	240	11	202	9	31	8
	<b>TOTAL</b>	<b>3</b>	<b>2</b>	<b>2431</b>	<b>24</b>	<b>2638</b>	<b>18</b>	<b>67</b>	<b>14</b>

\*DAYS FISHING: REPRESENTS HOURS FISHING AS A PORTION OF A 24-HOUR DAY.

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 75.** Department of Fisheries and Oceans commercial salmon harvest, troll annual catch, Area 1, 1970-2010.

<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>	<b>CHINOOK</b>
1970	727	209,191	74,485	713	74,047
1971	1,135	178,912	49,809	629	68,173
1972	702	210,223	124,621	1,755	57,846
1973	463	130,549	31,380	871	53,943
1974	9,403	156,066	44,504	858	69,594
1975	8,249	109,217	23,877	755	91,543
1976	1,151	62,959	1,123	555	49,105
1977	2,043	95,839	65,829	850	45,685
1978	799	264,149	57,445	2,810	69,527
1979	4,688	269,953	113,006	2,710	56,044
1980	4,925	290,862	748,418	9,427	68,194
1981	8,837	197,574	264,065	4,421	69,684
1982	3,850	147,153	56,250	2,346	86,494
1983	3,966	357,218	193,850	5,321	94,649
1984	17,893	334,722	1,177,558	50,564	117,987
1985	32,970	330,552	686,594	106,369	89,169
1986	21,421	625,371	415,552	28,171	81,801
1987	45,463	308,693	1,508,960	25,938	83,918
1988	51,931	212,991	2,045,818	117,971	90,233
1989	113,510	342,233	1,377,337	32,264	106,238
1990	27,178	648,250	1,164,900	19,209	94,884
1991	32,293	657,394	1,646,495	28,433	124,845
1992	16,371	257,969	766,321	43,833	82,992
1993	36,803	208,407	894,778	167,864	115,557
1994	31,655	459,430	219,710	29,532	96,492
1995	49,202	200,862	1,350,050	134,814	49,318
1996	18,650	250,909	710,615	22,445	8
1997	121,065	123,332	263,764	35,229	54,610
1998				73	908
1999		864	31,013	556	
2000	1,163	5,739	66,333	2,046	381
2001	2,902	27	175,163	2,362	1,449
2002	1,903	91,045	31,635	499	51,904
2003	3,283	130,384	93,985	187	86,475
2004	2,142	155,290	30,238	56	116,056
2005		199,722	39,467		154,156
2006		139,760	34,854		150,715
2007	2,321	108,276	56,975	571	83,235
2008	466	72,854	36,216		52,147
2009	687	133,807	61,010		75,470
2010		90,740	21,384		66,351
<b>AVG 70-79</b>	<b>2,936</b>	<b>168,706</b>	<b>58,608</b>	<b>1,251</b>	<b>63,551</b>
<b>AVG 80-89</b>	<b>30,477</b>	<b>314,737</b>	<b>847,440</b>	<b>38,279</b>	<b>88,837</b>
<b>AVG 90-99</b>	<b>41,652</b>	<b>311,935</b>	<b>783,072</b>	<b>48,199</b>	<b>68,846</b>
<b>AVG 00-09</b>	<b>1,858</b>	<b>103,690</b>	<b>62,588</b>	<b>954</b>	<b>77,199</b>

1970-95 catch from historic fishslip records

1996-2004 non-chinook catch from regionally finalised records

2005-10 non-chinook from Fish Management Hail Catch

Chinook 2000-10 from Technical Report summed in CTC Year (Oct.1 to Sept.30)

**Appendix 76. Northern British Columbia total Area 3(1-4) commercial gillnet sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982									11,829	10,879	10,486	8,982	6,424	4,798	706	863	87	22				55,076
1983										4,088	35,333	9,792	2,594	5,310	1,051	274						58,444
1984									11,075	15,050	12,483	2,255	2,504	1,638	448	50	149					45,653
1985								3,262	8,186	4,431	9,916	6,537	2,618	4,247	2,882							42,078
1986									6,222	2,588	5,208	11,139	5,382	466	1,516	582	108					33,210
1987									1,921	2,015	6,852	9,496	1,965	682	938							23,870
1988									2,205	17,571	9,244	842	4,927	791	989							36,570
1989						2,448	3,284	4,408	16,606	15,564	367	742	708	179	102							44,408
1990						1,973	970	4,631	6,701	2,539	5,869	6,723	5,051	5,192	1,532							41,181
1991							10,524	5,631	13,101	2,501	18,232	23,896	4,410	1,337	621	396						80,650
1992								44,423	72,817	1,664	15,972	24,024	5,664	7,346	2,897							174,808
1993						4,373	34,258	52,571	63,510	26,925	21,305	10,397	2,176	2,214	159		298					218,185
1994					1,145	6,734	16,283	18,793	60,498	10,308	4,572	8,035	3,146	1,370								130,884
1995				1,862	12,041	24,495	44,806	26,928	83,564	57,391	16,428	2,889	7,480	3,273								281,157
1996				1,980	5,944	31,974	83,941	73,833	19,100	20,193	21,116	29,052	9,310		283							296,726
1997				540	1,215	16,979	39,422	86,861	51,610	12,403	3,188											212,217
1998					2,223	11,558	11,079	17,968	5,156													47,984
1999					2,650	1,879	5,974	6,422	446	2,439	662	430	84	32	3							21,021
2000					1,972	18,933	13,182	9,016	5,688	3,046	3,116	387		44								55,385
2001		2,711			1,926	3,391	10,986	3,162	1,280	787	40											24,281
2002					780	5,719	4,802	49,726	16,948	14,519	1,867	858										95,220
2003					3,667	1,361	16,175	49,500	23,363	4,160	18,127	11,029	2,743									130,124
2004					362	2,773	7,536	25,257	22,194	15,555	5,943	5,838										85,459
2005					284	628	3,870	14,305	4,149	5,195	2,706											31,136
2006					2,183	2,344	11,193	33,249	19,372	16,441	7,201	1,775										93,758
2007					1,376	5,963	3,673	6,114	7,562	1,818	6,028	815										33,348
2008						2,655	2,460	1,928	7,447	315	1,345	1,653										17,802
2009						1,107	6,207	6,979	11,928													26,221
2010									2,409													2,409
<b>AVG 70-79</b>						8,860	12,178	10,720	18,022	18,103	9,626	5,526	2,623	808	189	107	55					72,085
<b>AVG 80-89</b>						2,448	3,835	10,567	15,449	10,478	5,811	3,357	2,043	976	436	86	22					48,581
<b>AVG 90-99</b>				1,461	3,946	15,486	30,876	38,693	25,400	18,235	12,334	7,214	4,514	1,412	227	298						150,481
<b>AVG 00-09</b>		2,711		1,511	3,019	8,093	20,316	11,279	8,354	5,654	3,102	1,594		44								59,273

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 77. Northern British Columbia total Area 3(1-4) commercial seine sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982									38,173	98,890	103,282	47,764	84,554	8,246	1,340	485	214	29				382,975
1983									9,238	146,709	30,792	8,959	21,784	5,369	86							222,936
1984									31,005	52,803	13,233	6,296	9,188	5,171	1,510	650						119,855
1985									17,829	144,652	44,609	31,411	24,159	1,058								263,717
1986									14,715	33,987	35,409	14,707	9,759	1,864	73							110,514
1987									17,184	62,686	29,994	40,825	16,660	6,229								173,577
1988									36,182	55,471	59,814	76,498	6,727	5,703								240,395
1989									63,349	44,980	70,573	33,538	6,372									218,811
1990									7,059	17,021	33,968	28,177	27,807	1,706								115,739
1991									107,980	180,018	195,928	107,524	17,397	2,211	543							611,601
1992									63,739	10,782	73,448	103,602	30,311	31,246								313,127
1993									38,008	174,052	261,454	112,803	38,582	3,753	2,679	2,811						634,142
1994										17,714	47,709	22,040	43,731	7,432								138,626
1995									32,134	109,652	325,834	264,941	115,648	62,865	9,133							920,208
1996									99,604	28,158	164,380	98,720	81,744	29,655	1,261							503,521
1997									16,931	97,668	102,921	54,344	13,416	7,604								292,884
1998									2,416				5,555									7,971
1999									5,332	9,853	9,584	5,739	3,605	1,964	1,013							37,090
2000									11,842	19,160	1,882	13,066										45,950
2001									3,702	8,014	14,383	12,429	9,848									48,376
2002									9,575	9,120	7,285	6,595	1,771	335								34,680
2003									8,096	10,126	7,065	1,875	512	191								27,865
2004									5,711	15,585	16,496	15,712	11,507									65,011
2005									2,142	1,480	6,133	3,340	1,583	58								14,736
2006									12,870	8,712	11,856											33,437
2007									11,093	33,455	34,097	9,963	1,142									89,751
2008									933	3,063	311											4,307
2009									1,525	4,055	294	48										5,923
2010									284		1,243											1,527
<b>AVG 70-79</b>							908	3,359	8,581	20,747	21,952	29,199	10,200	7,215	925	123	266					85,922
<b>AVG 80-89</b>									31,995	39,919	70,036	37,267	33,383	11,591	3,391	487	330	29				200,355
<b>AVG 90-99</b>									49,556	51,112	111,397	115,566	59,625	29,062	8,206	1,374	2,811					357,491
<b>AVG 00-09</b>									6,749	11,277	9,980	7,879	4,394	195								37,004

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 78. Northern British Columbia total Area 3(1-4) commercial gillnet pink salmon catch, 1970-2010.**

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1982									4,418	911	1,921	3,113	2,164	9,759	2,918	10,729	2,520	1,596				40,048	
1983										5,217	37,565	22,474	5,066	17,436	7,164	2,178							97,100
1984									5,330	17,103	22,259	10,174	10,405	8,360	2,798	249	295					76,975	
1985								19	2,356	566	1,735	10,989	2,627	4,831	4,849							27,970	
1986									621	1,626	1,413	23,067	25,497	8,079	28,303	23,433	13,650					125,689	
1987									708	1,167	16,290	21,046	8,032	3,011	14,280							64,533	
1988									61	3,671	2,140	948	5,351	1,615	4,538							18,323	
1989							202	472	10,873	15,069	484	566	4,613	1,552	1,635							35,465	
1990						63	37	698	1,056	2,088	3,475	4,899	3,701	7,753	6,250				212			30,231	
1991							14	168	5,388	2,013	14,420	21,400	6,936	2,530	2,736	3,564						59,169	
1992									2,257	17,981	2,293	15,381	18,736	7,689	12,725	10,315						87,378	
1993						5	202	3,660	15,821	13,077	6,580	2,767	690	2,012	139		2,663					47,616	
1994						63	798	3,476	3,961	20,631	4,690	2,830	5,459	2,842	786							45,537	
1995					31	154	5,029	26,202	8,856	37,390	76,925	21,410	7,880	23,332	12,333							219,542	
1996					24	52	2,841	28,706	15,407	7,904	5,432	11,845	28,331	13,449		3,826						117,817	
1997						3	445	1,463	7,759	15,504	8,953	3,013										37,139	
1998						19	256	318	1,245	1,725												3,564	
1999								45	1,136	235	7,115	1,510	1,743	871	391	176						13,222	
2000						19	164	468	2,283	1,460	453	5,575	1,220		792							12,434	
2001		81			4	4		250	1,104	421	523				362							2,751	
2002									3,047	3,379	15,395	8,625	5,334									35,780	
2003								5,003	78,183	26,927	3,968	46,628	48,712	8,095								217,516	
2004					2	49	41	1,079	14,627	19,568	13,725	25,322										74,412	
2005						5	51	16,158	10,031	8,395	32,824											67,463	
2006					4	36	151	2,674	5,522	10,568	11,867	4,925										35,747	
2007						1	228	634	5,418	1,020	20,918	742										28,961	
2008							9	277	295	2,517		2,338										5,436	
2009									451	7,189	28,625											36,265	
2010											10,023											10,023	
<b>AVG 70-79</b>							925	3,048	3,231	8,132	12,935	8,310	9,728	12,335	7,151	4,717	2,478	671	320			58,920	
<b>AVG 80-89</b>							202	246	4,200	11,834	10,898	10,653	7,597	6,236	8,308	10,905	4,410	1,596				64,539	
<b>AVG 90-99</b>					28	51	1,203	6,699	7,861	10,286	15,886	9,823	7,804	8,189	4,707	2,522	2,663	212				66,122	
<b>AVG 00-09</b>		81			3	19	737	10,408	7,609	9,204	19,291	11,664	4,657		792							51,677	

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 79.** Northern British Columbia total Area 3(1-4) commercial seine pink salmon catch, 1970-2010.

Year	Statistical Week														Total								
	20	21	22	23	24	25	26	27	28	29	30	31	32	33		34	35	36	37	38	39	40	
1982									7,171	14,844	74,297	69,446	87,206	222,680	88,322	116,005	46,696	25,584				752,251	
1983										27,452	1,893,227	638,381	292,873	734,464	244,457	6,915							3,837,768
1984										235,060	443,764	168,311	139,749	198,419	74,312	21,538	23,500						1,304,653
1985										30,643	107,702	401,330	315,840	355,514	36,374								1,247,403
1986										28,851	204,331	423,284	488,610	651,873	147,382	18,103	3,598						1,966,031
1987										62,715	477,416	484,085	528,046	249,837	133,614								1,935,713
1988										33,546	26,826	48,419	103,587	88,441	106,669								407,487
1989										234,183	244,077	1,051,028	507,378	325,522	26,302								2,388,490
1990										10,791	57,335	160,271	193,736	312,534	81,186								815,852
1991										592,995	1,513,152	2,672,817	1,841,072	402,383	148,819	63,434							7,234,671
1992										72,144	23,792	262,423	469,190	90,588	211,268								1,129,404
1993										43,576	284,447	317,534	242,002	296,424	65,543	114,302	58,133						1,421,960
1994											35,819	117,359	48,004	88,010	16,088								305,279
1995									17,871	88,685	569,637	1,226,998	573,062	493,496	47,350								3,017,099
1996									38,900	59,492	130,036	308,584	379,047	106,177		18,235							1,040,470
1997									4,356	53,729	215,871	130,484	40,914	10,524									455,878
1998											5,511		105,007										110,518
1999											23,550	246,991	406,662	520,285	429,376	586,019	384,586						2,597,469
2000											35,435	45,049	10,371	34,156									125,010
2001											73,271	93,014	238,862	43,314	95,395								543,856
2002											58,131	157,836	278,296	510,411	228,242	61,200							1,294,117
2003											206,475	220,392	179,534	53,013	23,426	10,207							693,047
2004											42,020	173,884	166,821	127,641	35,200								545,566
2005											56,470	129,148	342,934	334,461	127,314	3,273							993,600
2006											11,973	47,093	55,274										114,340
2007											437,185	572,276	679,555	263,920	68,000	4,144							2,025,079
2008											1,117	4,160	1,880										7,157
2009											35,167	309,693	13,391	18,998	49,365	11,266							437,879
2010												1,532	20,624										22,155
<b>AVG 70-79</b>						100,162	162,683	16,671	79,707	93,295	87,360	91,888	45,473	7,084	4,812	1,777							445,294
<b>AVG 80-89</b>							2,138		49,351	85,404	350,368	335,000	278,125	325,747	98,273	32,776	18,694	25,584					1,444,146
<b>AVG 90-99</b>									20,376	105,608	341,898	622,570	441,232	247,723	165,182	145,139	58,133						1,812,860
<b>AVG 00-09</b>										95,724	175,254	196,692	173,239	89,563	18,018								677,965

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 80.** Northern British Columbia total Area 3(1-4) commercial gillnet chum salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982									895	614	1,247	493	636	2,715	712	1,927	675	1,089				11,002
1983										1,255	5,455	1,488	1,110	1,163	6,949	3,298						20,718
1984									4,769	10,689	10,217	1,579	4,503	2,498	1,158	259	466					36,136
1985								520	2,286	401	1,011	1,009	372	592	1,549							7,741
1986									2,429	1,015	787	4,621	2,335	404	2,242	3,643	2,593					20,069
1987									380	103	791	1,701	755	468	3,328							7,527
1988									930	15,805	2,102	1,286	1,520	2,014	3,642							27,300
1989						861	1,724	1,848	6,807	2,484	61	86	1,963	510	153							16,497
1990					581	407	1,061	459	704	1,123	963	328	358	188				89				6,261
1991						986	740	1,372	161	1,418	2,396	637	172	1,265	5,576							14,724
1992							1,503	10,494	410	2,455	5,810	874	1,111	1,918								24,576
1993						179	1,409	4,423	19,219	5,421	3,901	1,762	661	428	11		1,296					38,709
1994						5,447	14,162	23,882	18,358	47,456	11,256	2,205	1,460	2,016	708							126,950
1995					1,688	7,464	20,355	39,905	9,022	20,410	4,926	2,507	91	3,136	973							110,477
1996					248	943	4,720	29,567	13,143	5,661	1,923	4,775	4,556	2,105		1,423						69,064
1997					18	175	1,937	7,984	9,124	6,876	1,060	283										27,457
1998						791	4,506	3,340	7,591	3,338												19,566
1999						67	43	598	1,456	67	1,767	224	88	48	45	59						4,461
2000						55	150	1,115	2,418	2,334	350	934	142		71							7,569
2001		1,107			261	187	2,254	1,589	587	371		4										6,359
2002					7	244	370	8,918	2,582	2,168	505	729										15,522
2003					164	474	2,161	10,580	4,024	1,490	4,219	3,568	1,053									27,731
2004					40	285	1,850	5,241	9,297	5,728	3,312	6,108										31,860
2005					15	30	116	17,847	20,145	6,492	19,037											63,682
2006					11	115	1,310	11,921	5,652	2,653	1,947											23,608
2007					31	97	634	1,200	2,277	403	1,258	243										6,144
2008							283	765	1,826	3,770		1,085	2									7,732
2009							143	5,281	7,720	7,953												21,096
2010																						
<b>AVG 70-79</b>							2,567	3,924	3,072	4,199	3,539	2,577	1,468	3,927	2,280	2,123	1,285	722	258			24,443
<b>AVG 80-89</b>						861	1,724	1,184	3,032	4,234	3,196	1,417	1,628	2,015	2,474	2,313	1,406	1,089				19,567
<b>AVG 90-99</b>					651	1,956	5,392	11,300	9,024	9,050	3,314	2,325	1,087	1,172	730	2,352	1,296	89				44,225
<b>AVG 00-09</b>					75	186	927	6,446	5,653	3,336	4,375	1,810	399		71							21,130

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 81.** Northern British Columbia total Area 3(1-4) commercial seine chum salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982									1,992	3,061	12,215	5,757	1,928	10,112	2,673	2,553	691	545				41,527
1983									4,004	34,745	6,750	4,204	3,108	5,026	584							58,421
1984									35,690	35,363	13,126	9,453	9,274	1,423	1,286	592						106,206
1985									5,883	14,262	16,181	14,440	15,685	1,113								67,563
1986									6,775	11,949	23,093	13,255	25,993	3,700	131	595						85,492
1987									2,588	6,602	18,256	13,595	14,209	8,641								63,891
1988									23,030	15,352	11,536	10,346	17,633	19,747								97,645
1989									19,736	6,748	25,048	15,250	26,182	1,070								94,035
1990									2,376	6,651	3,480	6,347	2,330	480								21,665
1991									12,551	22,157	18,805	21,892	4,615	3,597	6,300							89,918
1992									7,282	2,363	11,712	23,347	3,258	10,187								58,149
1993									7,430	44,613	71,962	29,853	14,761	7,149	16,579	16,222						208,568
1994										36,048	24,872	13,708	12,918	3,495								91,041
1995								18,543	24,725	87,582	47,175	13,376	22,314	3,506								217,221
1996								23,757	21,333	17,125	26,507	17,937	3,511	1,606								111,775
1997								1,516	25,464	34,260	7,979	2,394	399									72,012
1998									8,891			28,153										37,044
1999									12,598	19,387	15,071	6,905	6,794	5,250	5,113							71,119
2000									14,951	13,109	621	1,519										30,200
2001									5,253	4,163	5,077											14,493
2002									4,760	3,764	1,522											10,046
2003																						
2004													8,368	766								9,134
2005											15,940											15,940
2006										24,362	13,004											37,367
2007												10,931										10,931
2008																						
2009																						
2010																						
<b>AVG 70-79</b>							941	3,558	2,824	4,391	3,965	4,361	3,858	3,397	873	255	626	453	39			21,925
<b>AVG 80-89</b>									5,578	12,238	14,721	13,241	9,578	13,744	4,881	1,085	603	545				68,094
<b>AVG 90-99</b>									14,605	13,628	30,021	25,285	16,391	7,878	4,809	7,399	16,222					97,851
<b>AVG 00-09</b>										8,321	12,268	6,231	4,943	766								18,302

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 82. Northern British Columbia total Area 3(7-17) commercial gillnet sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982						67,051	50,074	41,427	15,339	10,509		11,474		955	478	510	33	5				197,856
1983										3,946	4,577	14,736	9,765	10,817	2,947	308						47,096
1984							26,661		7,151	7,568	12,084	7,450	9,175	4,672	2,348	336	230					77,677
1985								7,107	492		15,903	19,526	17,329	1,826	1,603							63,787
1986									6,882	8,750	2,577	1,356	3,389	1,561	1,871	605	49					27,040
1987									5,366		690	4,079	4,446	8,023	2,965							25,569
1988									4,561	4,002	918	4,524	1,987	285								16,276
1989						2,789	1,968	3,017	11,815	5,740	116		6,043	598	236							32,320
1990						2,564	1,294	3,417	1,710	1,270	1,573	854	676		879	91			7			14,335
1991							8,913	9,659	36,479	5,956	6,730	11,680	6,601	1,656	1,668	162						89,505
1992								116,686	143,136	23,390	40,406	43,865	20,043	16,296	13,572		1,146	49				418,590
1993						2,472	6,102	16,364	46,559	53,990	4,937	22,805	39,725	72,983	17,761	8,862	3,959	169				296,689
1994						492	1,675	6,682	8,966	26,347	2,236	551	1,500	116	1,308	1,277	219					51,368
1995					1,110	8,675	15,235	42,073	24,558	16,707	16,789	11,308	3,785	4,627	3,333							148,198
1996					743	5,948	21,566	41,959	42,611	25,790	19,556	23,811	10,703	2,431		669						195,788
1997					513	1,840	8,141	15,724	11,910	610	41											38,781
1998						3,133	22,386	22,848	13,982	8,073	236	7,296	3,719	454	550	458						83,136
1999						5,774	14,973	115,891	73,666	12,276	18,197	18,319	33,462	10,162	8,108	987						311,815
2000						1,814	8,629	33,746	46,913	9,545	13,817	23,206	22,886	6,208	348							167,112
2001		4,842				2,594	7,008	36,391	8,147	130	910	1,997	4,482									66,502
2002						57,285	39,753	41,905	178,232	92,055	46,878	69,936	25,321	7,451								558,814
2003						25,250	30,266	86,626	124,470	59,503	37,895	25,927	35,033	8,264								433,234
2004						1,722	5,730	36,810	68,582	32,985	47,156	13,107	13,548	5,663								225,303
2005						956	4,279	20,704	33,261	23,815	28,100	11,200	8,014									130,330
2006						2,776	13,188	25,118	56,652	37,880	21,155	13,483										170,252
2007						2,700	15,286	25,097	27,195	15,529		7,632										93,438
2008							6,825	6,727	3,604	5,231	3,178	2,431										27,996
2009						6,571	5,418	21,886	13,679	13,259	24,400											85,213
2010						3,499	5,092	22,215	22,874	7,257		2,302										63,240
<b>AVG 70-79</b>			49	319	9,295	40,756	36,004	30,677	16,976	20,851	14,107	8,399	3,721	1,068	1,527	226	791	163	81			145,311
<b>AVG 80-89</b>						28,775	25,030	17,184	6,950	5,525	4,715	7,458	7,350	3,586	1,649	440	91	5				56,427
<b>AVG 90-99</b>					789	3,862	11,143	39,130	40,358	17,441	11,070	15,610	13,357	13,591	5,897	1,787	1,775	75				164,820
<b>AVG 00-09</b>		4,842			13,326	13,766	29,352	55,890	32,609	26,152	18,359	15,650	9,749	6,208	348							195,819

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 83.** Northern British Columbia total Area 3(7-17) commercial seine sockeye salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982						464	1,045	766	1,207	1,858				5,453	589	166	38					11,586
1983										4,946	75,380	22,657	8,424	7,327	3,742	27						122,503
1984										5,289	6,635	9,334	3,249	1,391	366	1,620	101					27,985
1985										489	13,174	6,215	5,718	13,569	1,112							40,277
1986										1,288	5,647	8,085	6,114	2,875	1,417	291						25,716
1987											24,395	24,819	17,928	6,950	55							74,146
1988											3,385	1,463	4,935	672								10,455
1989										11,653	79,852	35,266	17,162	2,977	82							146,993
1990										1,670	9,303	17,967	16,470									45,410
1991										15,631	17,917	38,114	17,678	14,809	1,779	287						106,214
1992										5,368	2,259	7,916	44,002	12,135	14,070							85,751
1993										33,907	55,251	46,573	29,740	31,947	761	2,544	881					201,604
1994											2,783	8,260	6,738	7,209	2,623							27,612
1995								7,318	19,510	41,381	28,940	15,160	7,725	2,130								122,165
1996								3,924	8,110	2,383	10,419	6,564	646		173							32,220
1997								743	5,151	20,647	1,955	4,677	5,603									38,777
1998									1,315	324	4,602	7,126	1,437	557	105							15,466
1999									4,238	15,827	5,129	11,517	1,931	1,784	1,336							41,762
2000									6,150	7,071	5,081	9,682	8,714	159								36,857
2001									1,804	4,827	10,016	13,796	9,560	586								40,589
2002									6,477	6,961	4,254	3,224	840	127								21,884
2003									11,985	12,889	9,762	7,395	3,949	2,210								48,190
2004									9,808	21,368	19,086	37,810	18,899									106,971
2005									1,525	341	13,299	8,085	2,989	657	545							27,441
2006									6,612	3,458	3,817											13,888
2007									7,711	6,447	9,768	7,537	3,530									34,991
2008									825	1,201	416											2,442
2009									1,872	1,217	727	133										3,949
2010										670	463											1,133
<b>AVG 70-79</b>					774	1,595	1,063	1,180	1,957	3,575	5,324	7,223	1,937	1,248	2,086	239	50	4				16,479
<b>AVG 80-89</b>						1,451	749	766	724	4,529	26,965	14,007	8,799	4,591	1,052	526	1,415					54,234
<b>AVG 90-99</b>									3,995	10,545	16,807	16,987	15,967	9,271	3,386	889	881					71,698
<b>AVG 00-09</b>										5,477	6,578	7,623	10,958	6,926	748	545						33,720

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 84.** Northern British Columbia total Area 3(7-17) commercial gillnet pink salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982						17	24	64	29	819		6,259		3,407	2,688	7,280	756	735				22,078
1983										10,559	35,952	69,136	56,700	33,736	19,290	1,421						226,794
1984							151		5,910	29,055	31,205	20,544	42,444	14,241	9,027	4,183	272					157,031
1985								55	105		18,222	77,265	40,116	8,306	2,534							146,603
1986									253	2,381	3,554	5,083	18,320	26,292	33,971	19,239	9,846					118,939
1987									2,639		10,723	42,458	20,778	21,728	20,168							118,493
1988									187	660	595	8,937	4,489	1,735								16,604
1989									185	13,055	21,130	593		23,713	9,655	6,058						74,389
1990						19			85	470	786	1,412	897	1,674		3,472	974			340		10,129
1991									302	13,763	22,331	44,866	47,797	33,484	3,433	9,076	1,382					176,434
1992									501	9,867	5,910	21,871	17,967	7,446	14,667	17,664		2,081	321			98,296
1993								16	1,000	15,551	26,568	4,307	12,258	14,349	25,620	13,811	24,865	23,350	670			162,364
1994						27		174	511	960	7,612	299	299	1,549	417	758	2,934	152				15,691
1995				11			291	17,635	13,315	19,275	29,703	27,638	20,961	10,763	4,106							143,698
1996					1		81	2,063	11,559	7,669	8,900	14,852	11,843	4,502		2,904						64,373
1997							71	588	2,707	613	140											4,119
1998							69	438	657	1,725	3,617	26,192	12,369	3,868	4,063	1,555						54,553
1999							3	190	6,551	6,457	54,941	47,923	154,771	69,961	67,524	12,873						421,193
2000							35	415	5,834	4,228	3,462	75,787	80,184	31,894	5,136							206,975
2001		71					584	1,428			1,816	20,408	16,474									40,781
2002							58	3,603	9,582	14,082	93,492	79,674	19,502									219,993
2003							7,342	139,439	59,594	83,324	63,033	88,387	19,977									461,098
2004					5		69	1,229	14,530	57,374	32,218	51,919	9,189									166,534
2005							155	19,916	21,647	83,464	71,339	31,178										227,699
2006				3	16		298	2,792	10,374	12,389	22,862											48,735
2007					6		324	2,076	7,958		63,971											74,336
2008							70	337	506	1,605	2,091	5,028										9,637
2009					1		2	1,444	10,348	43,893	101,227											156,914
2010					3		44	213	4,999	11,119	3,749											20,127
<b>AVG 70-79</b>				1	37		83	355	3,667	9,828	16,070	33,286	30,626	10,020	6,120	4,098	2,111	1,560	162			74,363
<b>AVG 80-89</b>					49		90	101	2,843	9,321	12,807	27,134	26,136	14,231	12,243	8,031	2,953	735				98,045
<b>AVG 90-99</b>				11	16		101	2,331	7,540	9,895	17,006	21,758	28,716	16,654	15,059	6,784	8,528	444				115,085
<b>AVG 00-09</b>		71		3	7		894	17,268	15,597	37,545	45,551	50,340	29,065	31,894	5,136							161,270

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 85. Northern British Columbia total Area 3(7-17) commercial seine pink salmon catch, 1970-2010.**

Year	Statistical Week														Total								
	20	21	22	23	24	25	26	27	28	29	30	31	32	33		34	35	36	37	38	39	40	
1982								27	399	8,381				152,789	27,277	26,872	10,850	5,212					231,807
1983										102,345	883,467	1,077,393	668,915	310,024	179,754	4,170							3,226,070
1984										253,754	205,578	116,948	152,620	64,664	8,906	7,416	1,079						810,966
1985										5,932	66,997	422,155	256,910	434,365	23,290								1,209,650
1986										12,928	99,464	211,328	310,819	279,953	162,062	48,316	14,772						1,139,641
1987											439,422	601,447	311,591	205,816	2,768								1,561,043
1988											15,236	24,887	38,419	41,544									120,086
1989										124,041	423,095	525,797	260,241	86,411	8,280								1,427,866
1990										6,113	41,462	61,825	116,977										226,377
1991										167,634	937,960	1,846,858	562,554	310,065	105,322	16,174							3,946,567
1992										13,628	19,400	62,795	188,765	70,772	80,456								435,817
1993										82,195	104,616	106,355	113,851	92,169	4,622	64,111	15,808						583,729
1994											8,703	22,810	12,224	20,984	5,603								70,324
1995									6,530	23,839	131,081	98,296	97,853	42,782	19,870								420,251
1996									8,590	16,841	14,227	128,198	77,434	27,671		2,569							275,530
1997									1,351	13,507	27,617	9,442	15,444	14,500									81,861
1998										4,387	25,524	90,449	117,829	47,862	13,478	1,707							301,236
1999										24,011	345,180	219,343	704,539	280,179	526,370	354,156							2,453,778
2000										14,174	22,834	23,284	55,285	46,054	1,459								163,091
2001										14,481	70,967	307,201	87,802	152,319	12,903								645,673
2002										36,304	177,347	219,604	330,076	169,153	22,532								955,017
2003										356,389	233,435	138,156	139,442	142,388	96,100								1,105,910
2004										61,876	137,499	147,534	130,269	50,469									527,647
2005										18,724	34,827	432,722	277,248	105,671	15,157	10,061							894,411
2006										7,408	16,281	17,684											41,372
2007										114,764	306,631	274,901	267,736	86,329	11,210								1,061,572
2008										1,011	1,632	2,507											5,150
2009										61,427	89,455	30,929	12,955		12,429								207,194
2010										1,956		2,865											4,821
<b>AVG 70-79</b>					2	180	28	594	4,757	34,771	96,524	174,967	85,213	21,636	6,528	3,897	1,261	1					243,207
<b>AVG 80-89</b>							2	27	1,718	69,499	252,726	348,035	234,316	162,286	58,905	21,694	8,900	5,212					1,023,076
<b>AVG 90-99</b>									5,490	39,128	165,577	264,637	200,747	100,776	107,960	87,743	15,808						879,547
<b>AVG 00-09</b>										68,656	109,091	159,452	162,602	107,483	24,541	10,061							560,704

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 86. Northern British Columbia total Area 3(7-17) commercial gillnet chum salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982						344	511	980	220	316		462		942	697	2,542	996	719				8,727
1983										7,246	6,199	6,407	3,039	4,544	15,226	6,114						48,775
1984							6,380		21,074	15,529	10,016	3,442	9,130	19,029	16,189	3,352	712					104,851
1985								780	113		1,064	2,717	2,411	1,237	3,257							11,578
1986									2,059	2,278	620	1,696	4,419	4,617	4,991	13,174	2,921					36,775
1987									661		271	1,682	753	3,093	9,157							15,616
1988									1,976	1,865	485	9,263	2,143	1,197								16,930
1989						826	738	450	4,654	2,185	22		4,644	2,570	1,551							17,639
1990						312	347	357	869	438	800	157	432		783	966		380				5,840
1991							627	1,135	2,494	1,052	258	305	1,106	243	4,939	1,368						13,527
1992								1,521	4,724	1,067	2,177	2,677	1,087	3,047	7,519		7,802	1,814				33,437
1993						118	107	679	6,183	4,847	1,874	3,528	2,939	4,436	13,966	41,279	25,158	1,054				106,168
1994						2,337	2,005	4,147	11,203	15,684	486	214	720	103	519	5,147	1,378					43,943
1995					938	4,826	5,633	10,182	4,620	2,319	2,101	1,543	696	741	810							34,407
1996					88	635	1,263	6,622	6,353	4,849	1,227	3,492	1,479	1,145		1,688						28,841
1997					8	3	83	682	2,219	297	34											3,326
1998						107	3,174	4,699	8,067	2,685	1,894	14,482	10,031	3,172	6,560	5,187						60,056
1999						145	323	1,665	3,931	1,844	4,982	2,550	3,345	2,251	2,993	595						24,624
2000						43	105	517	4,075	1,410	160	3,615	5,654	2,332	506							18,418
2001		344				318	387	1,486	798		175	602	771									4,881
2002						436	212	2,635	7,064	6,212	2,808	3,215	1,614	224								24,420
2003						1,127	943	4,626	9,995	2,322	3,656	4,277	7,762	1,714								36,422
2004						190	406	2,762	8,188	7,120	13,289	6,553	10,228	2,379								51,114
2005						4	76	564	6,432	29,378	31,858	15,878	3,636									87,826
2006						15	166	2,910	16,260	8,064	2,304	3,424										33,144
2007						61	211	1,456	2,193	3,358		507										7,785
2008								592	1,241	3,474	2,640		1,359									
2009							73	646	12,150	5,440	4,027	4,047										
2010							43	268	2,800		12,227											15,338
<b>AVG 70-79</b>			128	162	825	3,326	4,919	8,508	8,220	10,923	11,330	7,931	11,545	10,551	14,190	12,056	6,867	4,287	1,164	220		87,466
<b>AVG 80-89</b>						579	2,128	736	6,039	8,254	5,316	4,603	6,133	6,531	9,009	6,296	1,437	719				44,634
<b>AVG 90-99</b>					344	1,060	1,507	3,169	5,066	3,508	1,583	3,216	2,426	1,892	4,761	8,033	11,446	1,083				35,417
<b>AVG 00-09</b>		344			307	280	1,778	6,484	7,716	7,749	4,248	4,117	2,149	2,332	506							33,001

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 87.** Northern British Columbia total Area 3(7-17) commercial seine chum salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1982						17	109	181	562	617				6,382	997	359	266	213				9,704
1983										5,395	25,556	8,560	9,858	2,555	3,503	98						55,523
1984										23,053	9,856	18,039	11,601	5,173	918	1,270	235					70,145
1985										2,600	9,825	10,300	9,541	11,425	505							44,196
1986										2,808	4,350	6,364	8,846	11,760	6,017	1,970	1,153					43,267
1987											5,965	15,642	8,021	7,600	181							37,409
1988											5,171	4,868	4,600	4,013								18,652
1989										10,911	10,320	10,027	11,007	4,491	194							46,951
1990										2,712	3,708	1,727	6,604									14,751
1991										5,718	9,110	14,699	5,067	5,006	2,947	770						43,317
1992										1,482	1,328	2,768	6,993	6,391	3,767							22,730
1993										6,004	21,667	18,865	21,293	4,965	402	8,817	3,579					85,591
1994											6,381	3,927	4,561	4,254	1,570							20,692
1995									2,904	9,494	17,306	4,017	1,401	1,019	2,962							39,104
1996									3,005	3,966	1,606	7,358	3,446	1,599		1,864						22,843
1997									418	3,649	7,656	1,299	1,070	911								15,002
1998										5,854	14,796	42,789	35,558	21,615	7,700	2,915						131,227
1999										7,775	9,525	4,452	8,403	3,868	4,882	4,685						43,590
2000										5,508	4,550	1,302	2,570	1,880	193							16,003
2001										869	2,273	6,701										9,844
2002										1,851	2,066	662										4,580
2003																						
2004														2,252								2,252
2005											2,774											2,774
2006											4,577	2,508										7,085
2007												4,092										4,092
2008																						
2009																						
2010																						
<b>AVG 70-79</b>					1,762	1,545	2,123	2,980	2,922	7,957	4,701	4,846	3,447	3,240	5,864	530	379	50				25,555
<b>AVG 80-89</b>						41	103	181	1,353	6,438	9,635	9,759	8,608	5,559	1,759	924	551	213				38,152
<b>AVG 90-99</b>									2,109	5,184	9,308	10,190	9,440	5,514	3,461	3,810	3,579					43,885
<b>AVG 00-09</b>										2,743	3,248	3,053	2,411	1,880	193							6,661

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 88. Northern British Columbia total Area 3 commercial gillnet sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970			1	38	569	2,491	17,368	23,159	19,354	14,822	15,411	1,420	9,597	3,737	547	103	55	22	2			108,696
1971				66	287	1,084	2,371	11,534	13,457	38,895	52,251			8,543	7,550	1,613	545	114	13	6		138,329
1972				3	91	1,384	7,064	38,223	22,079	28,845	41,787	13,417	28,332	4,490	3,237	510	161	20	10			190,570
1973		2	35	871	8,205	128,579	124,324	91,613	18,294	80,570	35,839	25,330	3,677	91		459	8					517,897
1974		3	73	472	2,826	40,221	16,488	45,114	56,215	79,898	51,179	21,926			568	177	80					315,240
1975			22	28	806	2,473	30,311	7,335	12,806	85	27,446	5,197	472	1,489	114	74	166	28				88,852
1976				213	1,096	3,594	49,277	48,700	24,548	13,289	5,536	5,307	1,016			302	83		81			153,042
1977			39	11	425	57,955	55,988	70,284	75,989	62,626	38,166	20,264	12,389	3,092	1,054	7	5,484	821		22		404,616
1978			160	131	33,542	36,163	13,789	25,371	24,780	5,906	11,280	19,051	1,805	700	316	83	33	30				173,140
1979				141	122	16,310		9	9,431	42,940	14,993	7,091			2,239		675					93,951
1980				40	32	107	137	381	15,196	30,508	9,029	7,684	3,087	3,429	889	409	51					70,979
1981					158	16,485	21,417	223	32,806	55,481	11,429	4,622	6,665	3,971	46							153,303
1982						67,051	50,074	41,427	27,168	21,388	10,486	20,456	6,424	5,753	1,183	1,373	119	27				252,932
1983									8,034	39,910	24,529	12,359	16,127	3,998	583							105,540
1984							26,661		18,226	22,618	24,568	9,705	11,680	6,310	2,797	386	380					123,330
1985								10,369	8,678	4,431	25,819	26,063	19,946	6,073	4,485							105,865
1986									13,104	11,338	7,785	12,495	8,771	2,027	3,386	1,187	157					60,250
1987									7,287	2,015	7,541	13,575	6,411	8,705	3,904							49,439
1988									6,766	21,573	10,161	5,366	6,914	1,077	989							52,846
1989						5,237	5,251	7,424	28,421	21,303	483	742	6,751	777	338							76,728
1990						4,537	2,264	8,047	8,411	3,810	7,442	7,577	5,727	5,192	2,411	91		7				55,516
1991							19,437	15,290	49,580	8,457	24,962	35,576	11,012	2,993	2,290	558						170,155
1992								161,109	215,954	25,054	56,379	67,890	25,707	23,642	16,469		1,146	49				593,398
1993						6,845	40,359	68,935	110,069	80,915	26,242	33,203	41,902	75,197	17,920	8,862	4,257	169				514,874
1994						1,637	8,409	22,965	27,759	86,845	12,544	5,123	9,535	3,261	2,678	1,277	219					182,252
1995					2,972	20,716	39,730	86,879	51,486	100,271	74,179	27,736	6,674	12,107	6,605							429,355
1996					2,723	11,892	53,540	125,900	116,444	44,889	39,749	44,927	39,756	11,741		952						492,514
1997					1,053	3,055	25,121	55,146	98,772	52,220	12,444	3,188										250,998
1998						5,356	33,944	33,928	31,950	13,229	236	7,296	3,719	454	550	458						131,120
1999						8,424	16,851	121,865	80,088	12,722	20,636	18,981	33,892	10,246	8,140	990						332,836
2000						3,786	27,562	46,928	55,929	15,233	16,864	26,322	23,272	6,208	392							222,497
2001		7,553			4,520	10,399	47,377	11,308	1,410	787	910	2,037	4,482									90,783
2002					58,065	45,472	46,706	227,958	109,002	61,397	71,803	26,179	7,451									654,034
2003					28,917	31,626	102,801	173,970	82,866	42,055	44,054	46,062	11,007									563,358
2004					2,084	8,503	44,346	93,839	55,178	62,711	19,050	19,386	5,663									310,761
2005					1,240	4,906	24,575	47,566	27,964	33,295	13,905	8,014										161,466
2006					4,959	15,532	36,311	89,901	57,252	37,596	20,684	1,775										264,010
2007					4,075	21,248	28,770	33,309	23,091	1,818	13,660	815										126,786
2008							9,480	9,187	5,531	12,678	3,493	3,776	1,653									45,797
2009						6,571	6,525	28,092	20,658	25,188	24,400											111,434
2010						3,499	5,092	22,215	22,874	9,667		2,302										65,649
<b>AVG 70-79</b>		3	48	206	4,880	29,025	35,220	36,134	27,695	36,788	29,389	13,223	8,184	3,163	1,953	370	729	173	27	14		218,433
<b>AVG 80-89</b>				40	95	22,220	20,708	11,965	17,517	19,869	14,721	12,524	8,901	5,425	2,202	788	177	27				105,121
<b>AVG 90-99</b>					2,249	7,808	26,628	70,007	79,051	42,841	27,481	25,150	19,769	16,093	7,133	1,884	1,874	75				315,302
<b>AVG 00-09</b>				#DIV/0!	14,837	16,449	37,445	76,206	43,888	29,276	22,882	14,930	8,921	6,208	392							255,093

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 89. Northern British Columbia total Area 3 commercial seine sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970							923	274	2,344	3,372	3,228	5	2,572	2,429	218	73	2	7				15,447
1971								410	1,996	3,098	9,065			29,108	10,116	1,212	347					55,352
1972								1,360	3,147	1,360	6,425	14,985	7,094	3,536	1,014	25	43	2	2			38,993
1973						3,152	3,894	7,487	1,584	10,549	9,977	3,488	1,484	23		6	1					41,645
1974					504	1,073	6,657	29,547	37,030	64,302	66,424				209	4	4					205,754
1975					19	205	736	3,145		11,930	20,241	3,083	1,457			84	11					40,911
1976						123	1,038	718	138	12,709	29,703	22,769				14						67,212
1977					2,500	1,520	4,239	18,374	72,307	87,720	89,232	35,823	9,251	177		66	4					321,213
1978			774		1,349	1,520	8,567	32,885	15,613	22,307	21,338	6,322	2,499	739	4	5						113,922
1979					471	3		1,106	68,280	29,121	24,289			496		38						123,804
1980								18,520	25,396	26,522	21,210	3,653	2,398	398	281	4,234						102,612
1981					2,438	452		40,258	96,113	63,484	37,504	6,866	3,722									250,837
1982					464	1,045	766	39,380	100,748	103,282	47,764	84,554	13,700	1,929	651	252	29					394,561
1983									14,184	222,088	53,449	17,383	29,110	9,111	114							345,439
1984									36,294	59,438	22,567	9,545	10,579	5,537	3,130	750						147,840
1985									18,317	157,826	50,824	37,129	37,728	2,170								303,994
1986									16,003	39,633	43,494	20,821	12,634	3,280	364							136,230
1987									17,184	87,081	54,813	58,753	23,609	6,284								247,723
1988									36,182	58,856	61,277	81,433	7,399	5,703								250,850
1989									75,002	124,832	105,838	50,700	9,349	82								365,804
1990								8,730	26,324	51,935	44,647	27,807	1,706									161,149
1991									123,611	197,935	234,042	125,202	32,205	3,990	830							717,815
1992									69,106	13,041	81,364	147,604	42,446	45,316								398,878
1993									71,915	229,303	308,027	142,543	70,529	4,514	5,223	3,692						835,746
1994									20,497	55,969	28,778	50,940	10,054									166,238
1995									39,452	129,163	367,216	293,881	130,808	70,590	11,264							1,042,373
1996									103,528	36,268	166,762	109,139	88,308	30,301		1,434						535,741
1997									17,675	102,819	123,568	56,299	18,093	13,207								331,661
1998										3,731	324	4,602	12,680	1,437	557	105						23,437
1999										9,569	25,680	14,713	17,256	5,535	3,749	2,349						78,852
2000										17,991	26,231	6,963	22,748	8,714	159							82,807
2001										5,507	12,840	24,399	26,225	19,408	586							88,965
2002										16,052	16,081	11,539	9,819	2,611	462							56,564
2003										20,080	23,015	16,828	9,271	4,460	2,401							76,055
2004										15,519	36,953	35,582	53,522	30,406								171,982
2005										3,667	1,820	19,432	11,425	4,572	716	545						42,177
2006										19,483	12,170	15,672										47,325
2007										18,803	39,902	43,865	17,500	4,672								124,742
2008										1,758	4,264	727										6,749
2009										3,398	5,272	1,021	181									9,872
2010										954	1,706											2,660
<b>AVG 70-79</b>				774	1,333	1,158	3,419	9,485	23,527	25,678	29,967	11,307	6,900	1,853	191	66	6	2				102,425
<b>AVG 80-89</b>					1,451	749	766	32,719	43,542	94,304	49,874	37,084	15,023	3,833	908	1,745	29					254,589
<b>AVG 90-99</b>							#DIV/0!	53,551	61,657	117,065	120,997	75,592	34,500	10,144	1,988	3,692						429,189
<b>AVG 00-09</b>									12,226	17,855	17,603	18,837	10,692	865	545							70,724

1970-2009 catch from historic fishslip records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 90. Northern British Columbia total Area 3 commercial gillnet pink salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						79	2,814	10,013	26,372	49,697	36,211	56,868	91,424	68,486	37,187	7,513	6,172	1,916	225			394,977
1971								2	19	1,288	18,107				8,374	17,523	25,276	9,845	850	187	11	81,482
1972								47	2,254	5,213	7,952	29,679	7,698	27,595	9,782	8,831	4,067	2,464	1,587	492		107,661
1973						12		70	271	509	17,889	15,121	22,778	13,902	1,375		364	71	6	4		72,372
1974						83		176	2,018	4,188	5,471	7,789	9,853			2,522	2,382	946	1		4	35,433
1975						25		49	1,292	3,865		14,932	3,508	1,175	7,482	2,934	1,709	717	253			37,941
1976					7			37	177	1,302	2,255	344	3,131	1,019		6	20,412	20,893		1,190		50,773
1977								29	680	18,778	49,874	94,484	54,901	69,279	22,349	5,184	134	1,301	8,438		22	325,453
1978			580		1	22	163	4,421	7,510	3,934	31,577	71,725	16,828	16,281	22,599	8,797	3,305	345				188,088
1979				2		5		1	1,221	23,281	9,662	2,448			3,273		173					40,066
1980						5			761	6,003	28,730	21,682	21,492	23,494	11,481	12,501	17,937		2,112			146,198
1981						82	96	6	10,841	54,242	17,910	7,186	9,792	13,219	90	10	3	1				113,478
1982						17	24	64	4,447	1,730	1,921	9,372	2,164	13,166	5,606	18,010	3,275	2,331				62,126
1983										15,776	73,518	91,610	61,766	51,172	26,454	3,600						323,894
1984										151	11,240	46,158	53,464	30,718	52,850	22,601	11,825	4,432	568			234,006
1985									74	2,461	566	19,957	88,254	42,742	13,137	7,382						174,573
1986									874	4,007	4,967	28,150	43,817	34,370	62,275	42,672	23,496					244,628
1987									3,347	1,167	27,013	63,503	28,810	24,738	34,448							183,026
1988									248	4,331	2,735	9,885	9,839	3,351	4,538							34,927
1989								202	657	23,928	36,200	1,077	566	28,326	11,206	7,693						109,854
1990						81		37	783	1,526	2,874	4,887	5,795	5,375	7,753	9,722	974		552			40,360
1991								14	470	19,151	24,344	59,286	69,196	40,419	5,964	11,812	4,946					235,603
1992									2,759	27,848	8,203	37,252	36,703	15,135	27,393	27,979		2,081	321			185,674
1993						5	218	4,660	31,372	39,645	10,887	15,025	15,038	27,631	13,950	24,865	26,013	670				209,980
1994						90	973	3,987	4,920	28,243	4,989	3,128	7,008	3,259	1,545	2,934	152					61,228
1995					42	154	5,320	43,837	22,171	56,665	106,628	49,048	28,841	34,094	16,439							363,240
1996					24	54	2,921	30,768	26,965	15,573	14,332	26,697	40,174	17,951		6,730						182,190
1997						3	516	2,051	10,466	16,117	9,093	3,013										41,258
1998						19	324	756	1,903	3,451	3,617	26,192	12,369	3,868	4,063	1,555						58,117
1999							3	235	7,686	6,691	62,056	49,433	156,514	70,831	67,915	13,049						434,415
2000						19	199	884	8,118	5,688	3,915	81,362	81,404	31,894	5,928							219,409
2001		152			4	4	835	2,532	421	523	1,816	20,770	16,474									43,532
2002							58	6,650	12,961	29,477	102,117	85,008	19,502									255,773
2003							12,346	217,623	86,521	87,292	109,661	137,099	28,072									678,614
2004					2	53	110	2,308	29,157	76,942	45,943	77,241	9,189									240,946
2005						5	206	36,074	31,678	91,859	104,163	31,178										295,162
2006					7	52	449	5,466	15,896	22,957	34,729	4,925										84,482
2007						7	552	2,710	13,377	1,020	84,889	742										103,297
2008							80	614	800	4,123	2,091	7,365										15,073
2009						1	2	1,895	17,537	72,518	101,227											193,180
2010						3	44	213	4,999	21,142		3,749										30,150
<b>AVG 70-79</b>			580	5	1	38	423	2,113	6,898	17,960	25,791	25,879	31,603	19,161	11,118	7,850	4,589	1,675	420	12		133,425
<b>AVG 80-89</b>						35	118	312	7,043	19,291	22,424	35,073	30,360	19,844	17,281	14,443	5,891	1,166				162,671
<b>AVG 90-99</b>					33	58	1,147	9,031	15,401	20,181	31,303	28,423	35,653	22,083	19,178	7,865	9,415	515				181,207
<b>AVG 00-09</b>					4	20	1,484	27,676	21,647	39,240	59,055	49,521	30,928	31,894	5,928	#DIV/0!						212,947

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 91. Northern British Columbia total Area 3 commercial seine pink salmon catch, 1970-2010.**

Year	Statistical Week														Total							
	20	21	22	23	24	25	26	27	28	29	30	31	32	33		34	35	36	37	38	39	40
1970							120	343	5,167	19,295	80,232	24,719	102,716	154,418	19,471	5,765	728	1,985	2			414,961
1971								5	165	956	18,043			104,958	28,704	27,453	13,107	95				193,486
1972									1,517	18,625	50,883	333,228	215,569	162,705	104,383	34,945	3,098	12,401	7,761	1,149		946,264
1973								25	593	2,201	28,676	27,617	41,004	42,412	1,470		205	15				144,218
1974						68	26	526	6,676	15,553	25,202	22,826			2,474	90	1,126					74,567
1975						393	5	1,630	670		25,688	62,829	10,475				8,181	181				124,286
1976							19	103	488		12,462	45,671	34,885			14,199	342		501			108,670
1977							214	537	14,138	122,962	577,819	722,535	303,725	50,383	1,259		539	61				1,794,172
1978				2	4,501	231	34,727	97,472	140,852	464,967	746,166	555,992	311,689	115,440	7,439	6,066						2,485,544
1979								1,050	100,161	41,562	39,339				2,907	294						185,313
1980									13,985	99,068	82,030	199,013	109,960	78,519	50,330	82,596	19,599					735,100
1981						3		31,919	168,090	191,607	93,732	34,110	14,652									534,113
1982							27	7,570	74,297	69,446	87,206	375,469	115,599	142,876	57,546	30,796						984,058
1983									129,797	2,776,694	1,715,774	961,789	1,044,488	424,211	11,085							7,063,838
1984									488,814	649,342	285,259	292,369	263,083	83,218	28,955	24,579						2,115,619
1985									36,575	174,699	823,485	572,750	789,880	59,664								2,457,053
1986									41,779	303,796	634,612	799,429	931,826	309,443	66,418	18,370						3,105,672
1987									62,715	916,838	1,085,532	839,636	455,653									3,496,756
1988									33,546	42,062	73,306	142,005	129,985	106,669								527,573
1989									358,224	667,172	1,576,825	767,618	411,933	34,582								3,816,356
1990									16,904	98,797	222,095	310,713	312,534	81,186								1,042,229
1991									760,629	2,451,111	4,519,674	2,403,626	712,448	254,141	79,608							11,181,238
1992									85,773	43,192	325,218	657,955	161,360	291,724								1,565,221
1993									125,770	389,063	423,889	355,854	388,593	70,166	178,413	73,941						2,005,689
1994										44,522	140,169	60,228	108,993	21,691								375,603
1995								24,401	112,524	700,718	1,325,295	670,915	536,278	67,220								3,437,350
1996								47,490	76,333	144,263	436,781	456,481	133,848		20,804							1,316,000
1997								5,707	67,236	243,487	139,927	56,358	25,024									537,739
1998								9,898	25,524	90,449	222,836	47,862	13,478	1,707								411,754
1999								47,561	592,171	626,006	1,224,824	709,555	1,112,389	738,742								5,051,247
2000								49,609	67,883	33,655	89,441	46,054	1,459									288,101
2001								87,752	163,982	546,063	131,116	247,714	12,903									1,189,529
2002								94,435	335,184	497,901	840,487	397,395	83,732									2,249,134
2003								562,865	453,827	317,690	192,455	165,814	106,307									1,798,957
2004								103,896	311,383	314,355	257,910	85,669										1,073,213
2005								75,194	163,976	775,656	611,709	232,985	18,430	10,061								1,888,011
2006								19,381	63,373	72,958												155,712
2007								551,949	878,907	954,456	531,656	154,329	15,354									3,086,651
2008								2,128	5,792	4,388												12,307
2009								96,594	399,147	44,320	31,953	49,365	23,695									645,074
2010								3,487		23,489												26,976
<b>AVG 70-79</b>				2	1,654	104	4,433	14,627	53,314	160,682	213,406	173,273	105,934	29,314	8,321	4,280	2,017	551				647,148
<b>AVG 80-89</b>						3	27	17,825	144,183	587,854	655,698	460,687	449,549	146,678	66,386	30,023	30,796					2,483,614
<b>AVG 90-99</b>							#DIV/0!	25,866	473,285	824,950	641,979	313,649	238,999	203,855	73,941							2,692,407
<b>AVG 00-09</b>								164,380	284,345	356,144	335,841	172,416	37,411	10,061								1,238,669

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 92. Northern British Columbia total Area 3 commercial gillnet chum salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970	1	1	20	92	382	1,397	5,134	14,885	20,929	14,166	7,684	9,132	10,793	27,490	22,228	13,243	5,615	3,456	2,012			158,660
1971			3	58	86	633	1,226	1,105	1,509	11,448	8,223		1,098	3,252	5,406	11,976	5,293	1,696	220	3		53,235
1972		8	49	78	367	1,501	1,834	15,611	19,345	16,847	47,388	12,541	31,311	23,219	33,420	39,250	32,078	19,165	7,655			301,667
1973	1	60	399	395	1,590	7,115	16,277	16,847	2,863	23,667	13,133	18,556	17,439	23,754		22,045	3,122	1,329	160			168,752
1974		2	91	259	358	1,416	2,848	16,364	21,341	26,232	21,841	1,692			40,477	22,770	5,465			21		161,177
1975			3	20	117	552	1,660	2,837	3,696		2,131	476	134	1,629	721	3,580	2,891	1,068				21,515
1976		1	9	90	117	356	1,516	2,059	2,495	822	147	470	146		3	5,764	4,084		559			18,638
1977	6	5	11	45	15	4,378	10,177	23,882	26,848	22,772	11,757	3,883	5,276	5,945	9,158	118	12,509	2,659	1			139,445
1978			64		1,943	5,588	7,609	10,447	9,993	1,536	6,643	12,409	2,904	3,731	2,662	1,376	711	1,375				68,991
1979				7		3,877		1	3,909	18,608	7,084	1,106			3,374		3,064					41,030
1980								1,591	22,443	43,930	33,084	19,313	34,827	29,765	22,490	3,310	1,337					212,090
1981				5	566	886	11	12,620	5,689	699	296	679	1,479	4								22,934
1982					344	511	980	1,115	930	1,247	955	636	3,657	1,409	4,469	1,671	1,807					19,729
1983									8,500	11,653	7,895	4,149	5,707	22,176	9,412							69,493
1984						6,380		25,842	26,217	20,233	5,021	13,633	21,527	17,347	3,610	1,178						140,987
1985							1,301	2,399	401	2,075	3,726	2,783	1,829	4,806								19,319
1986								4,488	3,293	1,407	6,317	6,754	5,021	7,233	16,817	5,514						56,844
1987								1,041	103	1,062	3,383	1,508	3,561	12,485								23,143
1988								2,907	17,670	2,587	10,549	3,663	3,211	3,642								44,230
1989						1,687	2,461	2,298	11,460	4,669	83	86	6,607	3,081	1,704							34,136
1990						893	754	1,418	1,328	1,142	1,923	1,120	760	358	972	966		469				12,101
1991							1,613	1,875	3,866	1,214	1,676	2,701	1,743	415	6,205	6,944						28,251
1992								3,024	15,219	1,477	4,632	8,487	1,961	4,159	9,438		7,802	1,814				58,013
1993						298	1,516	5,102	25,402	10,268	5,775	5,289	3,600	4,864	13,977	41,279	26,453	1,054				144,877
1994						7,784	16,168	28,029	29,560	63,140	11,742	2,419	2,180	2,119	1,227	5,147	1,378					170,893
1995					2,626	12,290	25,988	50,087	13,641	22,729	7,026	4,049	787	3,877	1,782							144,884
1996					336	1,578	5,982	36,189	19,497	10,509	3,151	8,268	6,035	3,250		3,111						97,905
1997					25	177	2,020	8,666	11,343	7,174	1,094	283										30,783
1998						898	7,680	8,039	15,658	6,022	1,894	14,482	10,031	3,172	6,560	5,187						79,622
1999						212	366	2,263	5,387	1,911	6,749	2,773	3,433	2,298	3,037	654						29,085
2000						98	255	1,631	6,493	3,745	510	4,550	5,796	2,332	578							25,987
2001		1,451			579	574	3,740	2,386	587	371	175	605	771									11,240
2002					443	456	3,005	15,981	8,794	4,976	3,720	2,343	224									39,942
2003					1,290	1,417	6,787	20,575	6,346	5,146	8,496	11,329	2,767									64,153
2004					230	691	4,612	13,429	16,417	19,016	9,865	16,335	2,379									82,974
2005					19	106	680	24,279	49,523	38,350	34,915	3,636										151,508
2006					25	281	4,220	28,181	13,716	4,957	5,371											56,752
2007					92	308	2,089	3,393	5,635	403	1,765	243										13,929
2008							875	2,006	5,300	6,410		2,444	2									17,038
2009						73	789	17,431	13,160	11,980	4,047											47,479
2010						43	268	2,800		12,227												15,338
<b>AVG 70-79</b>	<b>3</b>	<b>13</b>	<b>72</b>	<b>116</b>	<b>553</b>	<b>2,681</b>	<b>5,365</b>	<b>10,404</b>	<b>11,293</b>	<b>15,122</b>	<b>12,603</b>	<b>6,696</b>	<b>9,715</b>	<b>12,409</b>	<b>12,811</b>	<b>12,617</b>	<b>8,152</b>	<b>4,906</b>	<b>2,014</b>	<b>121</b>	<b>3</b>	<b>113,311</b>
<b>AVG 80-89</b>					<b>5</b>	<b>866</b>	<b>2,559</b>	<b>1,236</b>	<b>9,368</b>	<b>11,140</b>	<b>7,413</b>	<b>5,754</b>	<b>7,524</b>	<b>7,884</b>	<b>9,330</b>	<b>7,524</b>	<b>2,425</b>	<b>1,807</b>				<b>64,291</b>
<b>AVG 90-99</b>					<b>996</b>	<b>3,016</b>	<b>6,898</b>	<b>14,469</b>	<b>14,090</b>	<b>12,559</b>	<b>4,566</b>	<b>4,987</b>	<b>3,392</b>	<b>2,723</b>	<b>5,400</b>	<b>9,041</b>	<b>11,878</b>	<b>1,112</b>				<b>79,641</b>
<b>AVG 00-09</b>					<b>383</b>	<b>445</b>	<b>2,705</b>	<b>12,929</b>	<b>12,597</b>	<b>9,536</b>	<b>7,651</b>	<b>5,186</b>	<b>1,990</b>	<b>2,332</b>	<b>578</b>	<b>#DIV/0!</b>						<b>51,100</b>

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 93.** Northern British Columbia total Area 3 commercial seine chum salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970							2,588	1,138	497	1,350	4,295	1,263	2,142	10,746	711	236	89	442	15			25,512
1971								231	622	1,882	2,466			3,067	1,513	1,882	704	38		2,829		15,234
1972								1,424	5,225	4,694	15,100	8,817	4,476	5,370	2,828	141	1,131	608	712			50,526
1973						1,754	3,737	5,724	2,631	31,558	4,755	9,203	7,207	4,674		234	11					71,488
1974					142	844	2,328	7,687	17,473	7,779	1,419				14,879	1,401	231					54,183
1975					3	976	1,009	1,254		916	539	56	359					323				5,435
1976						156	449	425	98	1,806	3,770	807				29			39			7,579
1977					575	2,610	18,340	18,612	29,756	22,483	26,249	17,824	7,390	1,592		735	85					146,251
1978				1,762	4,554	5,831	17,522	12,245	5,991	12,673	5,543	8,281	4,976	1,105	47	84						80,614
1979					698	39		2,516	10,366	4,980	2,311			205		553						21,668
1980								12,747	22,456	21,329	23,537	16,214	2,640	534	873	532						100,862
1981					64	97		5,491	5,281	4,315	3,162	1,512	1,052									20,974
1982					17	109	181	2,554	3,678	12,215	5,757	1,928	16,494	3,670	2,912	957	758					51,231
1983								9,398	60,300	15,310	14,062	5,662	8,529	682								113,944
1984									58,743	45,219	31,165	21,054	14,447	2,342	2,556	826						176,351
1985								8,483	24,086	26,480	23,980	27,111	1,618									111,759
1986								9,583	16,299	29,457	22,101	37,753	9,716	2,101	1,749							128,759
1987								2,588	12,567	33,898	21,616	21,809	8,822									101,300
1988								23,030	20,523	16,404	14,947	21,645	19,747									116,297
1989								30,648	17,068	35,075	26,258	30,673	1,264									140,986
1990								5,088	10,359	5,207	12,952	2,330	480									36,416
1991								18,269	31,267	33,504	26,959	9,621	6,544	7,070								133,235
1992								8,764	3,691	14,480	30,340	9,650	13,954									80,879
1993									13,433	66,280	90,826	51,145	19,726	7,551	25,397	19,800						294,159
1994									42,429	28,798	18,269	17,172	5,064									111,733
1995								21,447	34,219	104,888	51,193	14,776	23,333	6,468								256,325
1996								26,762	25,299	18,730	33,865	21,384	5,110		3,469							134,618
1997								1,934	29,113	41,915	9,278	3,464	1,310									87,014
1998								14,745	14,796	42,789	63,711	21,615	7,700	2,915								168,271
1999								20,374	28,913	19,523	15,307	10,662	10,133	9,798								114,709
2000								20,458	17,660	1,924	4,088	1,880	193									46,203
2001								6,122	6,436	11,779												24,337
2002								6,612	5,830	2,184												14,626
2003																						
2004												10,620	766									11,386
2005										18,714												18,714
2006									28,940	15,512												44,452
2007										15,023												15,023
2008																						
2009																						
2010																						
<b>AVG 70-79</b>					1,762	1,288	2,098	5,352	5,171	11,463	7,725	6,568	5,828	5,226	3,262	567	442	299	255	2,829		47,849
<b>AVG 80-89</b>						41	103	181	6,931	17,389	23,392	22,025	16,367	17,929	6,249	1,825	1,016	758				106,246
<b>AVG 90-99</b>							#DIV/0!	16,714	18,811	36,327	32,946	25,831	12,053	7,237	9,730	19,800						141,736
<b>AVG 00-09</b>								11,064	15,516	9,284	7,354	1,323	193	#DIV/0!								24,963

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 94. Northern British Columbia total Area 3 commercial gillnet chinook salmon catch, 1970-2010.**

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1970	29	243	505	926	2,427	2,632	924	1,035	572	475	131	161	201	191	337	284	106	41	922			12,142	
1971	45	267	660	1,237	1,284	1,705	1,283	400	255	1,168	1,200		33	136	125	400	374	206	77			10,855	
1972	2	107	406	565	1,916	1,461	1,908	1,763	1,106	1,114	1,183	230	316	113	248	331	172	227	218			13,386	
1973	35	149	595	583	1,403	2,773	2,638	1,748	186	717	479	298	142	180		125	41	11	65			12,168	
1974	20	51	365	904	1,059	2,059	666	1,570	1,284	713	308	84			134	192	137			1		9,547	
1975	35	169	360	801	811	1,701	2,161	1,570	1,089		540	22	8	20	36	145	52	67				9,587	
1976	23	45	76	523	1,316	1,267	2,609	1,594	1,018	181	33	15	5	25	148	59	3	91	2	3		9,036	
1977	28	17	133	303	1	1,577	1,249	1,249	1,195	744	398	180	177	131	117	7	328	263	1	6		8,104	
1978			1	12	1,409	1,846	663	705	442	105	259	527	148	113	136	90	23	87				6,566	
1979				9		2,006	2		264	488	175	27			209		333					3,513	
1980						23	46	30	370	524	345	164	195	205	122	108	27					2,159	
1981	3				6	1,077	924	1	1,105	941	160	27	37	96	6	1				1		4,385	
1982					9	3,686	3,211	2,291	897	321	67	141	16	57	80	161	132	75				11,144	
1983									214	467	323	202	112	149	188							1,655	
1984						77	2,570	27	931	757	595	151	217	226	183	13	58					5,805	
1985								559	207	228	340	188	70	30	30							1,652	
1986									605	334	131	181	143	165	279	214	158					2,210	
1987				6			78	8	275	115	157	413	24	167	118	9						1,370	
1988					24		30	37	198	286	102	70	45	12	2							806	
1989					73	1,533	634	200	452	145	3		88	64	17	1						3,210	
1990					22	946	346	343	325	127	115	27	23	4	31	17			111			2,437	
1991					30	4	895	709	1,141	222	244	145	88	59	66	22						3,625	
1992						54	11	971	1,372	478	412	286	107	109	115		9	1				3,925	
1993					9	285	1,115	838	823	267	148	157	211	148	61	29	37	13				4,141	
1994						385	655	437	455	696	183	19	77	90	39	18	6					3,060	
1995					508	702	1,046	827	265	237	250	102	103	35	9							4,084	
1996					379	1,089	1,411	1,137	383	237	150	184	148	806		18						5,942	
1997					98	550	737	1,077	454	276	63	13										3,268	
1998						166	1,272	587	334	69	7	16	30	2								2,482	
1999						300	568	1,507	1,001	197	155	130	108	186	62	19						4,234	
2000							129	660	1,018	749	167	55	137	116	37	1						3,069	
2001					254	702	1,974	308	5	5	1	17	28									3,293	
2002					818	844	885	1,392	656	185	216	78	24									5,100	
2003					957	667	1,152	1,042	595	208	116	224	41									5,002	
2004					395	637	1,423	2,235	715	602	160	179	68									6,414	
2005																							
2006					460	1,766	1,426	1,230	552	347	110	27										5,919	
2007					358	1,196	1,139	1,075	318	22	24	40										4,173	
2008							243	143	44	38	11	15										494	
2009						242	277	463	285	190	116											1,573	
2010						199	168	215	110	2												694	
<b>AVG 70-79</b>	27	131	345	586	1,292	1,903	1,410	1,293	741	634	471	172	142	112	153	161	165	134	251	22	3	9,490	
<b>AVG 80-89</b>	3				24	1,070	1,070	394	560	387	237	184	104	113	99	87	94	75		1		3,440	
<b>AVG 90-99</b>					174	448	806	843	655	281	173	108	99	160	55	20	17	42				3,720	
<b>AVG 00-09</b>					540	865	961	950	465	261	102	79	60	116	37	1						3,893	

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 95.** Northern British Columbia total Area 3 commercial seine chinook salmon catch, 1970-2010.

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1970							474	157	119	109	75	29	95	123	103	10	25	12	1			1,332	
1971								111	282	859	4,143			318	471	238	484	26				6,932	
1972								662	1,771	659	1,333	790	187	81	145	2	48	31	13			5,722	
1973						447	1,338	1,203	227	689	373	222	151	23		15						4,688	
1974					304	491	929	2,123	1,803	476	374				81	17	65					6,663	
1975							862	2,300	2,321		1,345	492	67	42			28	59				7,516	
1976						157	359	514	30	230	416	196				1			62			1,965	
1977			3			466	662	1,350	1,473	2,403	1,927	1,930	977	365	21		44	24				11,645	
1978					1,753	2,121	2,350	3,717	3,898	1,092	3,711	3,362	1,474	586	185	6	12					24,267	
1979						504	7		618	6,238	2,090	1,947			126		21					11,551	
1980									2,009	3,043	1,874	1,039	726	469	14	25	19					9,218	
1981						263	433		1,953	2,449	1,155	850	108	187								7,398	
1982						825	500	510	8,047	3,407	3,350	5,867	1,212	3,156	248	695	455	243				28,515	
1983									5	936	6,289	2,965	1,703	1,461	1,213	26						14,598	
1984										4,086	5,199	1,915	2,318	843	420	170	119					15,070	
1985										4,531	3,959	4,280	1,619	1,187	96							15,672	
1986										5,122	4,507	3,348	2,106	1,910	717	75	37					17,822	
1987										1,896	6,294	4,723	2,514	1,096	1,629	1						18,153	
1988										2,147	2,355	1,441	1,074	679	339							8,035	
1989										7,344	2,323	1,131	4,391	1,877	234							17,300	
1990										1,881	2,593	2,423	1,953	478	58							9,386	
1991										6,387	7,860	7,042	4,395	841	353	309						27,187	
1992									2	3,045	750	2,186	1,971	1,160	1,510							10,624	
1993										18	4,249	8,678	1,872	1,140	95	257	215					16,524	
1994										76	1,941	1,639	673	639	290							5,258	
1995									1,006	2,804	2,813	1,297	901	654	164							9,639	
1996									635	418	490	235	587	139		4						2,508	
1997										985	357	360	184	70								1,957	
1998																							
1999																							
2000																							
2001																							
2002																							
2003																							
2004																							
2005																							
2006																							
2007																							
2008																							
2009																							
2010																							
<b>AVG 70-79</b>			3		1,753	768	793	1,199	1,335	1,542	1,570	1,062	450	220	162	41	91	30	25			8,228	
<b>AVG 80-89</b>						544	467	510	3,004	3,496	3,731	2,756	1,777	1,287	546	165	158	243				15,178	
<b>AVG 90-99</b>									548	1,952	2,632	2,983	1,567	640	412	190	215					10,385	
<b>AVG 00-09</b>																							

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 96. Northern British Columbia total Area 3 commercial gillnet coho salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						26	679	980	1,123	413	1,245	728	2,042	7,614	10,275	6,648	8,500	13,440	8,263			61,976
1971						1		4	45	894	3,212			685	2,012	7,157	10,491	9,112	6,136	2,839	26	42,614
1972								22	1,079	2,175	2,996	4,606	1,323	4,909	808	2,422	5,804	9,555	9,317	9,989		55,005
1973						27	462	503	160	929	762	1,086	1,000	311		3,775	2,346	443	1,111		1	12,916
1974						203	303	2,886	983	630	420	572			1,448	5,274	4,808	16		7		17,550
1975							172	1,680	1,868		2,893	250	31	412	434	3,317	7,518	6,105				24,680
1976						1	56	222	1,368	470	107	209	58		56	2,508	2,786	8	4,410	15	13	12,287
1977						196	50	48	401	2,009	1,418	745	1,658	1,123	4,479	238	12,845	5,617	157	5		30,989
1978			37		75	627	858	2,995	2,695	393	1,532	6,747	2,410	2,004	1,827	1,939	1,763	4,435	3			30,340
1979						13		567	4,693	1,621	471				1,830	4,765						13,960
1980						20		25	937	2,530	2,328	812	1,341	1,839	3,627	2,754	1,444					17,657
1981					2	211	332	6	1,011	2,662	511	440	809	1,910	58	96	63	55	42	24		8,232
1982					7	240	251	902	2,474	985	935	1,260	502	2,842	1,117	2,600	2,103	3,929				20,147
1983							2	19	10	1,542	4,873	3,376	4,481	3,844	4,697	2,926						25,770
1984							145	81	553	1,236	2,146	1,508	4,448	5,430	5,368	3,377	3,809					28,101
1985								540	2,661	601	1,971	2,916	1,669	474	730							11,562
1986								57	675	883	918	2,844	1,837	1,029	2,656	4,724	4,413					20,036
1987								62	203	571	1,372	209	694	1,398	207							4,716
1988								92	1,661	343	430	399	287	201								3,413
1989						296	1,942	617	4,766	3,043	121		1,108	1,095	400							13,388
1990						804	330	1,019	637	506	619	511	787	203	827	506			1,067			7,816
1991							775	1,047	1,354	558	892	1,612	1,231	1,240	2,313	1,140						12,162
1992								1,453	2,868	790	1,093	2,010	750	1,878	2,207	122	710	2,079				15,960
1993						156	3,289	5,112	3,083	1,099	793	1,242	980	767	794	926	1,653	629				20,523
1994						55	1,475	1,697	2,376	5,754	5,808	1,000	2,389	1,021	879	1,870	674					24,998
1995					629	772	5,696	4,453	1,652	1,408	3,093	1,154	1,116	982	1,712							22,667
1996					250	385	2,121	5,798	3,496	2,406	1,632	3,189	3,172	2,061		861						25,371
1997					2	6	70	901	2,109	1,889	308	150										5,435
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004								2	53				865									920
2005																						
2006																						
2007					7	591	2,542	4,202	3,159	213	931	820										12,465
2008																						
2009																						
2010																						
<b>AVG 70-79</b>			37		75	137	325	1,155	1,139	1,492	1,782	1,348	1,730	1,851	2,754	4,073	6,538	5,388	4,296	573	20	30,232
<b>AVG 80-89</b>				5	192	534	281	1,324	1,535	1,472	1,662	1,680	1,944	2,025	2,383	2,366	1,992	42	24			15,302
<b>AVG 90-99</b>				294	363	1,965	2,685	2,197	1,801	1,780	1,359	1,489	1,165	1,455	904	1,012	1,258					16,867
<b>AVG 00-09</b>				7	591	2,542	2,102	1,606	213	931	820	865										6,693

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 97. Northern British Columbia total Area 3 commercial seine coho salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970							8	36	358	258	454	53	1,005	8,314	1,536	401	509	1,604	3			14,539
1971									30	79	1,452			4,863	2,117	4,336	2,393	62		8		15,340
1972								209	823	95	1,240	1,701	903	828	776	100	955	709	611			8,950
1973						1	36	308	23	966	509	781	647	74		154	3					3,502
1974						38	15	335	572	475	687	1,036			444	98	299					3,999
1975						6	1	476	828		1,059	1,022	199	532			188	950				5,261
1976							1	6	293	71	716	1,755	2,743			83	5		616			6,289
1977							35	119	198	934	2,220	3,710	5,037	2,110	560		1,419	697				17,039
1978				121	333	458	4,468	7,047	2,165	8,540	14,613	11,549	5,169	2,573	137	185						57,358
1979						2		87	10,158	3,770	8,245				789	344						23,395
1980								3,281	4,101	3,378	3,452	2,489	1,263	842	799	1,184						20,789
1981						51	12	1,201	2,139	1,461	2,978	1,648	798									10,288
1982						12	26	56	10,550	11,176	9,392	9,393	4,147	14,196	2,788	4,378	2,646	2,794				71,554
1983								184	3,905	50,878	27,021	20,062	14,393	13,660	238							130,341
1984									9,058	8,755	5,715	8,721	6,007	3,248	5,028	2,784						49,316
1985									1	9,564	5,614	9,510	8,172	6,690	725							40,276
1986									7,568	13,244	15,821	12,812	10,729	7,905	2,521	2,031						72,631
1987									1,418	11,102	17,792	9,199	3,705	3,872	6							47,094
1988									4,458	2,519	2,562	1,691	2,626	1,179								15,035
1989									37,534	1,765	3,452	21,212	8,529	1,627								74,119
1990								26	2,037	6,768	6,792	12,798	4,618	1,149								34,188
1991								94	21,514	25,751	23,067	17,309	8,992	4,744	2,302							103,773
1992								15	6,797	1,118	7,112	10,078	4,314	6,353								35,805
1993								1	15	5,198	26,887	6,189	4,409	843	2,181	2,247						47,970
1994									45	14,081	13,412	5,928	4,925	2,832								41,223
1995									2,515	4,170	10,398	7,642	7,220	4,888	1,493							38,326
1996									4,691	2,276	6,844	4,918	8,739	2,531		821						30,820
1997									289	211	150	39	28									717
1998																						
1999																						
2000																						
2001																						
2002																						
2003															6,919							6,919
2004												3,608	10,878	7,091								21,577
2005																						
2006																						
2007									2,436	4,634	17,952	9,825	4,800	660								40,307
2008																						
2009															645	1,408						2,053
2010																						
<b>AVG 70-79</b>				121	76	79	745	1,026	1,689	2,065	3,657	3,155	3,127	1,256	758	630	804	410	8			15,567
<b>AVG 80-89</b>					32	19	56	3,043	9,092	10,811	9,770	9,015	6,894	3,983	2,162	2,161	2,794					53,144
<b>AVG 90-99</b>							14	1,830	4,643	8,796	11,248	8,538	4,338	2,902	1,768	2,247						41,603
<b>AVG 00-09</b>									2,436	4,634	10,780	10,352	4,179	2,996								17,714

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 98.** Department of Fisheries and Oceans commercial salmon effort by gillnet and seine, Areas 3 (1-4) and 3(7-17) 1970-2010.

YEAR	GILLNET				SEINE			
	AREA 3 (1-4) BOAT DAYS	DAYS FISHING	AREA 3 (7-17) BOAT DAYS	DAYS FISHING	AREA 3 (1-4) BOAT DAYS	DAYS FISHING	AREA 3 (7-17) BOAT DAYS	DAYS FISHING
1973	798	26	4,040	45	139	26	305	34
1974	1,698	25	4,017	32	652	18	208	25
1975	888	21	2,401	21	324	21	142	17
1976	562	15	2,731	22	175	15	8	15
1977	714	24	5,493	35	890	24	656	33
1978	974	34	3,513	40	863	34	636	40
1979	880	15	1,051	12	674	15	69	12
1980	1,117	16	1,863	17	667	17	245	17
1981	661	17	1,466	19	822	17	367	19
1982	688	28	2,467	30	1,317	28	332	30
1983	1,030	22	1,347	22	1,195	22	962	22
1984	780	21	2,149	23	1,014	20	566	20
1985	365	21	448	21	743	17	356	17
1986	521	25	604	25	803	24	418	24
1987	395	17	620	19	1,054	16	726	17
1988	459	18	268	11	807	15	81	8
1989	690	26	835	26	695	18	364	18
1990	547	24	430	22	398	15	158	8
1991	842	26	971	36	2,117	18	841	18
1992	916	26	1,611	32	775	18	241	18
1993	1,734	29	1,812	43	372	16	427	16
1994	2,104	19	1,339	23	516	9	182	9
1995	2,689	28	1,690	31	2,424	15	452	15
1996	2,706	32	1,727	35	974	20	143	20
1997	1,959	22	800	23	678	15	131	15
1998	392	8	805	16	32	2	172	9
1999	236	17	3,064	17	440	15	561	15
2000	887	24	1,488	24	277	14	191	19
2001	485	17	591	17	196	20	165	20
2002	688	24	2,103	25	260	25	205	24
2003	1,258	26	2,321	26	121	24	207	24
2004	1,123	18	2,108	18	262	19	402	19
2005	560	13	2,011	14	152	18	280	18
2006	1,209	22	1,138	21	161	10	75	10
2007	681	14	854	14	416	22	287	22
2008	329	7	543	7	34	4	26	4
2009	409	8	1,107	10	65	16	50	14
2010	47	3	883	9	9	3	8	3
<b>AVG 73-79</b>	931	23	3,321	30	531	22	289	25
<b>AVG 80-89</b>	671	21	1,207	21	912	19	442	19
<b>AVG 90-99</b>	1,413	23	1,425	28	873	14	331	14
<b>AVG 00-09</b>	763	17	1,426	18	194	17	189	17

\*DAYS FISHING: REPRESENTS HOURS FISHING AS A PORTION OF A 24-HOUR DAY.

Data: 1973-1999 from 1999 Report, 2000-2008 from Run Reconstruction Database, 2009-10 from FOS Hails

**Appendix 99.** Department of Fisheries and Oceans commercial salmon harvest, troll annual catch, Area 3, 1970-2010.

<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>	<b>CHINOOK</b>
1970	335	31,446	24,598	976	10,783
1971	728	34,974	10,822	852	12,597
1972	611	53,588	26,835	1,136	13,454
1973	729	15,783	6,200	584	11,087
1974	327	20,526	5,175	1,421	9,889
1975	171	18,057	2,334	292	9,345
1976	412	17,756	1,801	299	4,929
1977	1,607	34,421	18,366	1,919	3,660
1978	142	46,409	37,577	2,065	3,991
1979	176	14,835	2,199	945	6,949
1980	423	39,313	72,294	1,670	6,501
1981	655	38,425	11,540	605	6,275
1982	5,217	51,459	30,497	976	8,719
1983	1,198	128,615	117,000	2,584	12,328
1984	1,397	74,732	104,296	4,962	7,408
1985	3,028	47,221	48,906	3,645	5,131
1986	3,980	118,882	115,100	6,271	11,131
1987	5,593	33,861	157,168	2,733	4,665
1988	11,178	23,633	154,209	17,792	2,213
1989	5,395	63,163	179,423	5,788	4,222
1990	3,183	77,107	116,413	2,152	7,574
1991	2,436	96,943	68,484	3,886	5,409
1992	3,426	69,083	85,856	7,870	3,602
1993	4,099	38,142	149,748	35,512	5,110
1994	3,777	152,801	68,528	12,983	5,799
1995	22,901	30,341	190,084	18,701	2,505
1996					
1997					
1998					
1999					
2000					
2001	117	8,221	989	2	
2002		3,795	42	3	
2003	28	22,261	3,307	5	
2004	234	24,799	2,296		
2005		6,877	8		
2006		1,129	36		
2007					
2008			0		
2009		24,898	458		
2010		14,304	2,022		
<b>AVG 70-79</b>	524	28,780	13,591	1,049	8,668
<b>AVG 80-89</b>	3,806	61,930	99,043	4,703	6,859
<b>AVG 90-99</b>	6,637	77,403	113,186	13,517	5,000
<b>AVG 00-09</b>	126	13,140	892	3	

1970-95 catch from historic fishslip records

1996-2004 non-chinook catch from regionally finalised records

2005-10 non-chinook from Fish Management Hail Catch

Chinook 2000-10 from Technical Report summed in CTC Year (Oct.1 to Sept.30)

**Appendix 100.** Northern British Columbia total Area 4 commercial gillnet sockeye salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970							22,956	30,986	38,889	50,904	187,435		93,613	103,802	4,911	1,047						534,543
1971								7,446	28,613	132,895	210,416	136,513	250,056	44,844	17,887							828,670
1972								15,619	36,274	41,345	99,930	153,644	117,620	125,610	50,476	4,560						645,078
1973							29,057	33,333	99,044	509,257	270,155	160,968	93,151	26,396								1,221,361
1974								24,632	142,845	126,608	374,125	390,500	89,650		4,146							1,152,506
1975								48,018	33,037		155,267	85,461	69,306	35,429	2,570							429,088
1976									17,778	26,268	114,760	170,028	160,333	18,096	8,449	26,376	62,354	14,697	13,186			632,325
1977									41,100	192,348	134,167	276,774	140,938	18,678	3,625							807,630
1978								49,411	180,907	89,726	55,536		9,180	6,532	1,067							392,359
1979									89,425	290,172	372,125	153,041	265,942	39,463								1,210,168
1980									102,861	116,931	40,729	78,149										338,670
1981									212,886	545,969	366,236	125,530	78,312	27,652	5,921							1,362,506
1982									144,071	225,483	482,542	296,991	99,837	61,231								1,310,155
1983										21,497	98,328	62,005	36,953	49,889	11,857	3,450						283,979
1984										28,755	186,546	164,066	136,661	22,289	33,419	7,088	2,432					581,256
1985								66,835	200,982	464,770	346,596	252,731	122,854	184,085	78,682							1,717,535
1986									12,726	43,770	191,957	100,297	17,020	38,678	28,901	11,403						444,752
1987										29,848	75,943	106,759	76,846	102,936	59,499	17,468	2,090					471,389
1988									17,948	76,056	283,825	313,629	177,316	390,121	88,320	52,401	7,356					1,406,972
1989							14,648	26,679	191,870	152,298	93,983	57,467	51,515	15,443	4,695							608,598
1990							9,563	14,244	21,865	68,260	290,536	219,364	96,255	59,908	16,832	5,705						802,532
1991									33,751	136,218	185,126	260,304	205,806	63,592	40,459	15,478	5,435					946,169
1992									116,387	153,141	134,870	396,113	284,992	268,617	85,077	82,550	1,552					1,523,299
1993									86,497	313,911	266,936	308,630	295,213	179,000	97,377	23,714	8,890					1,580,168
1994									11,600	43,848	111,294	137,658	216,084	64,198	50,480	14,871						650,033
1995							16,365	176,823	176,774	587,616	218,250	89,045	43,085	40,483	13,659							1,362,100
1996							36,020	154,575	436,508	571,373	815,613	259,557	163,696	31,889								2,469,231
1997							23,220	62,277	222,436	292,012	255,349	166,679										1,021,973
1998								23,010	34,729	28,584												86,323
1999																						
2000									93,953	212,355	326,850	547,704	14,374	34,244	12,235							1,241,715
2001									115,550	187,370	361,671	220,958	193,783	16,026								1,095,358
2002									21,694	131,838	169,987	63,850	87,500	14,135								489,004
2003									17,925	28,913	250,934	38,437		35,909								372,117
2004										27,079	25,167	49,044			25,086							126,376
2005																						
2006										96,370	134,435	148,264	65,384	44,968	53,162	97,276						639,859
2007										144,742	57,620	100,598	27,167									330,127
2008										3,769	177,182	189,679	85,465	51,872								507,966
2009																						
2010											15,382	47,416										62,798
AVG 70-79							26,007	33,667	68,675	150,582	189,640	200,104	117,625	69,340	15,011	12,468	62,354	14,697	13,186			785,373
AVG 80-89							14,648	37,154	111,117	211,703	220,483	136,399	102,426	62,024	25,877	5,346						852,581
AVG 90-99							21,292	75,463	171,048	249,563	335,307	217,093	125,492	57,953	27,851	5,396						1,160,203
AVG 00-09							62,280	98,242	198,871	164,445	91,184	32,046	30,161	97,276								600,315

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 101. Northern British Columbia total Area 4 commercial seine sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970							294						53		2							349
1971								39				14,679	7,320	651	562							23,251
1972											10,251	3,142	14,346									27,739
1973									390		66,666	4,280	5,482	27	43							76,888
1974									178	3,304	4,214	116,145	91,674	11,765								227,280
1975									64	436		42,612	8,564	147	4,414							56,237
1976					6					13		6,810	7,070	3,092								16,991
1977										792	318	2,974	41,621	301	2,177	8						48,191
1978									882	6,991	1,641	2,957			48							12,519
1979									545		936	6,060	5,216									12,757
1980										2,846	952	1,096	382				8					5,284
1981										265	100,118	83,655	2,935		112							187,085
1982										191	5,203	332,366	41,291									379,051
1983																						
1984									87		4,049	164,785	3,621		947							173,489
1985												172,008	128,613		15,502							316,123
1986												12,890	382	34	1,276	885						15,467
1987												31,636	824	6,090	6,532							45,082
1988												49,257	2,151	48,397	187							99,992
1989													9,477	2,626	758	35						12,896
1990											1,368	490	3,709	230	9,663	6,820						22,280
1991						478	993			999				19,010	23,332	356						45,168
1992										2,101	734	8,872	24,961	79,948	11,795		963					129,374
1993										754	855	65,338	26,782	9,825								103,554
1994										189	779	652	919	126	372	76	20	15				3,148
1995										152,821	60,115	46,523	18,234	29,891	7,930							315,514
1996										11,068	390,478	311,860	126,859	99,845	6,053	112						946,275
1997												5,193	59,622	19,431	14,019							98,265
1998																						
1999																						
2000											29,584	22,162	521,000	161,849	15,515	88						750,198
2001											39,594	271,268	62,199	99,087								472,148
2002											3,810	36,072	6,300	2,165	4,487	996						53,830
2003											19,408	5,548	30,221	12,507	18,237	1,735						87,657
2004											658	1,621		12,901	6,586	1,926						23,693
2005																						
2006											54,114	23,633	80,991	39,763	4,245	13,471	7,197	1,703				225,117
2007												6,662	626	6,841	3,792							17,921
2008												56,286	74,126	74,130								204,542
2009																						
2010																						
AVG 70-79					6		294	412	2,307	12,302	26,576	22,287	4,696	1,467	191							50,220
AVG 80-89								87	1,101	27,581	119,258	27,412	14,770	4,873	1,940	460	8					137,163
AVG 90-99						478	993		3,258	90,928	65,124	40,804	32,109	13,148	2,193	520	20	15				207,947
AVG 00-09										24,528	52,907	110,780	51,155	8,810	3,643	7,197	1,703					229,388

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 102.** Northern British Columbia total Area 4 commercial gillnet pink salmon catch, 1970-2010.

Year	Statistical Week														Total								
	20	21	22	23	24	25	26	27	28	29	30	31	32	33		34	35	36	37	38	39	40	
1970							1,554	2,632	4,580	17,235	75,975	85	308,692	202,772	115,640	35,312							764,477
1971									12	207	13,176	64,224	86,719	327,916	82,886	199,402	51,521						826,063
1972								325	4,098	8,711	7,071	28,996	64,571	138,353	168,245	48,798	16,618	4,300					490,086
1973								72	1,538	53,221	116,723	127,928	160,255	71,510									531,247
1974								519	1,881	3,237	15,426	73,388	96,952		24,853								216,256
1975								728	2,501		38,016	33,999	107,452	175,294	29,700	14,622							402,312
1976									416	1,743	2,123	17,227	43,066	36,402	630	449	52,081	20,398	1,680				176,215
1977									5,396	23,847	64,772	368,968	430,502	105,973	35,144	5,986							1,040,588
1978								2,362	10,369	11,910	28,940		51,206	120,163	43,879	11,181	4,188						284,198
1979									3,301	104,164	190,833	98,006	159,988	47,386									603,678
1980									12,456	28,693	18,533	101,489					4,803						165,974
1981									17,792	157,276	246,001	146,557	120,417	111,969	46,733								846,745
1982									10,905	9,345	19,051	28,681	20,469	54,156			5,594						148,201
1983									815	6,241	49,596	72,630	118,193	235,370	110,549	46,018							639,412
1984									2,717	32,146	93,261	133,648	49,799	251,099	49,978	16,641							629,289
1985								2,117	9,675	35,019	66,682	178,845	226,870	293,447	137,379								950,034
1986									2,387	3,307	30,854	63,963	55,691	386,264	404,592	157,646	9,237						1,113,941
1987									2,994	15,200	152,840	206,699	535,762	396,978	130,254	11,360							1,452,087
1988									198	2,310	22,504	37,684	19,072	154,246	72,707	115,333	19,114		12,125				455,293
1989							37	1,605	23,321	88,665	116,664	51,068	161,808	101,204	62,103	8,638							615,113
1990							217	1,421	2,637	10,235	67,649	139,469	274,328	218,036	127,339	33,753	12,206						887,290
1991								212	10,256	53,627	214,088	413,574	233,338	147,763	46,061	25,988							1,144,907
1992								2,947	7,285	24,801	88,425	173,506	395,827	177,368	204,261	2,087							1,076,507
1993								4,437	36,142	106,385	59,477	91,784	68,695	55,968	17,663	8,070							448,621
1994								1,593	5,851	18,140	56,036	68,314	32,556	28,655	10,605								221,750
1995							776	19,508	13,858	127,205	108,503	130,113	113,060	73,866	32,316								619,205
1996							3,896	19,754	20,823	47,203	111,327	48,228	105,444	52,375									409,050
1997							113	1,093	11,178	40,992	97,481	108,139											258,996
1998								584	3,502	11,413													15,499
1999																							
2000									2,711	6,254	10,498	20,290	1,479	671	649								42,552
2001								1,128	8,069	21,515	34,778	78,704	21,971										166,165
2002								319	4,898	11,130	10,142	52,917	40,012										119,418
2003								4,392	5,740	87,264	34,839		72,204										204,439
2004									6,066	4,321	44,704			22,028									77,119
2005																							
2006									7,493	20,148	71,875	35,316	18,889	11,659	19,277								184,657
2007										11,352	21,356	208,853	87,334										328,895
2008								2	5,557	10,537	11,819	25,434											53,350
2009																							
2010										81		15,035											15,116
<b>AVG 70-79</b>							1,554	1,106	3,409	24,919	55,306	90,313	150,940	136,197	62,622	45,107	31,102	12,349	1,680				533,512
<b>AVG 80-89</b>							37	1,307	8,537	39,840	83,117	100,265	160,362	211,466	132,115	43,236	6,545	12,125					701,609
<b>AVG 90-99</b>							1,251	5,728	12,392	48,889	100,373	146,641	174,750	107,719	73,041	17,475	12,206						564,647
<b>AVG 00-09</b>								1,946	4,997	20,943	29,841	67,983	38,189	11,453	9,963								147,074

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 103.** Northern British Columbia total Area 4 commercial seine pink salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970					120			7			361		59		450							997
1971								24		11,557	9,693	1,538	1,442									24,254
1972									16,279	34,444	127,480					185	10	32				178,430
1973						4		27,976	11,456	26,357	1,646	1,049			80							68,568
1974						75	1,229	810	18,996	35,309	25,694							38				82,151
1975									49,714	19,561	1,650	41,620										112,545
1976			5				4		7,750	16,800	5,117						115					29,791
1977								1,102	217	14,209	323,506	1,014	2,148	79								342,275
1978						5,077	24,440	7,169	29,952				9,863		4,504							81,005
1979						492		3,067			12,870	23,840										40,269
1980							2,398	1,700	4,326	2,839						1,478						12,741
1981							33	131,241	163,464	968												295,706
1982							7	1,104	123,768	46,195												171,074
1983																						
1984									5,989	315,496	6,297			44,882								372,664
1985									169,042	422,761			156,987									748,790
1986										169,360	6,235	860	65,996	38,995								281,446
1987									175,318	317	10,731	66,173	87,941									340,480
1988									38,771	3,306	108,699		2,265									153,041
1989											164,377	154,564	35,079	6,583								360,603
1990							461	2,016	3,657	1,650	78,909	43,068	4									129,765
1991					28		1,794				333,493	317,807	6,789									659,911
1992							267	519	13,008	134,376	454,490	75,855		4,664								683,179
1993							70	37	67,194	46,033	15,467											128,801
1994								118	1,070	1,369	1,699	471	1,230	417	247	15						6,636
1995									124,846	128,823	250,361	155,825	227,979	60,503								948,337
1996							4,227	77,819	206,191	280,092	561,363	77,950										1,207,642
1997								29	5,954	106,874	52,897	43,899										209,653
1998																						
1999												50,291	252,564									302,855
2000									4,418	5,582	111,820	138,297	12,023									272,140
2001								4,946	87,942	188,831	392,130	312,791										986,640
2002								6,446	35,850	32,420	38,616	156,244	110,825									380,401
2003								67,610	40,370	395,986	171,093	383,172	29,170									1,087,401
2004								2,810	6,013		43,772	32,465	10,045									95,105
2005																						
2006								19,276	18,773	73,487	22,960	2,079	4,086	1,817	246							142,724
2007									11,329	7,778	156,541	121,814	7,862									305,323
2008									2,726	26,749	62,126											91,601
2009												428,098	37,270									465,368
2010																						
AVG 70-79			5		120	1,412	6,694	5,610	21,194	60,051	21,833	11,244	527	2,292	318	10	74	38				96,029
AVG 80-89							813	35,009	141,455	81,505	72,511	94,646	47,233	22,789	1,478							304,061
AVG 90-99					28		1,364	29,341	60,842	117,251	206,768	104,665	64,218	2,541	247	15						475,198
AVG 00-09								20,218	25,928	104,405	124,882	196,870	30,183	1,817	246							425,189

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 104.** Northern British Columbia total Area 4 commercial gillnet chum salmon catch, 1970-2010.

Year	Statistical Week														Total									
	20	21	22	23	24	25	26	27	28	29	30	31	32	33		34	35	36	37	38	39	40		
1970							1,322	793	754	2,227	4,879		4,810	5,459	4,231	5,462	2,269	794	183				33,183	
1971									210	873	3,702	2,980	2,402	7,871	3,489	7,172	4,176	2,348	1,347	1,242			37,812	
1972								2,104	6,995	10,309	7,473	11,524	10,808	21,896	20,712	9,285	7,449	5,234	1,895				115,684	
1973						1,977		2,420	1,455	18,438	16,385	11,852	16,484	9,147	315	2,656	946	252	24				82,351	
1974								3,451	4,714	8,295	13,334	9,908	6,467	204	3,506		7	1,056					50,942	
1975								1,388	1,410		3,701	1,699	2,478	2,503	1,416	1,891	736						17,222	
1976									817	561	531	2,333	2,543	949	84	111	2,062	1,246	382				11,619	
1977									5,314	8,376	6,510	12,275	11,568	5,398	3,676	2,515	84						55,716	
1978							10,721		14,852	4,782	9,755		2,997	5,561	1,383	804	1,998	1,247					54,100	
1979									2,760	6,012	14,004	9,075	14,754	4,871	30	13							51,519	
1980									17,855	26,721	9,808	15,232			161	112	581						70,470	
1981									10,930	8,649	4,650	3,360	2,445	3,025	2,157	5							35,221	
1982										3,553	4,098	9,598	10,858	2,684	4,131	23		833					35,778	
1983										5,288	4,904	2,114	2,598	4,349	2,741	2,228							24,222	
1984										3,388	19,182	30,043	16,590	8,740	15,697	3,605	1,005						98,250	
1985							5,014		7,635	11,245	14,216	10,928	12,556	15,705	7,904								85,203	
1986									3,188	4,304	9,906	10,067	2,863	7,597	7,878	4,548	786						51,137	
1987									748	1,236	3,484	2,039	4,511	6,709	4,194	1,268							24,189	
1988									3,745	18,860	63,501	28,207	18,341	25,750	19,616	25,195	6,561						209,776	
1989							863		6,384	24,145	10,055	4,206	2,102	5,893	3,377	935							59,402	
1990							863		2,590	1,908	4,099	7,625	4,564	5,500	2,711	2,398	866	372					33,496	
1991									911	4,237	13,447	13,385	9,560	3,939	1,933	2,208	1,254						50,874	
1992									3,040	3,463	10,344	15,124	20,292	10,517	5,365	4,980	416	1,641					75,182	
1993									9,093	34,018	42,655	26,452	30,234	11,628	4,333	2,613	1,214						162,240	
1994									10,791	21,209	33,583	48,165	32,387	10,791	2,217	1,798							160,941	
1995							3,245		50,743	27,045	58,169	16,142	3,980	1,793	1,599	1,673							164,389	
1996								7,642	26,349	19,914	27,956	10,700	4,658	4,743	4,241								106,203	
1997								673	10,173	19,381	14,135	6,871	5,159										56,392	
1998									2,993	8,510	5,802												17,305	
1999																								
2000										3,842	5,090	6,680	4,375	487	13								20,487	
2001									1,729	6,152	4,028	655	955	376									13,895	
2002										750	3,521	4,512	2,058	1,145	673								12,659	
2003										626	730	5,336	2,040	1,570									10,302	
2004											3,561	1,694	5,766		110								11,131	
2005																								
2006										6,703	495	581	4		44	3							7,830	
2007											332	135	176	24	80	91	61						899	
2008											61	5	31	9	4	16	6	11					144	
2009																								
2010																								
AVG 70-79							1,650	3,480	3,928	6,653	8,027	7,706	7,531	6,386	3,884	3,323	2,192	1,740	766	1,242			51,015	
AVG 80-89							863	5,048	10,034	15,428	11,902	9,163	7,560	8,912	5,530	2,083	733						69,365	
AVG 90-99							3,106	12,965	15,521	23,354	18,058	13,854	6,987	3,200	2,612	938	1,007						91,891	
AVG 00-09								1,035	4,085	2,694	2,240	1,114	523	50	37	34	11						9,668	

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 105.** Northern British Columbia total Area 4 commercial seine chum salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970					11			1			85		16									113
1971								27		358	329	20	104									838
1972									1,130	971	1,519				2	1	8					3,631
1973						19		3,912	1,456	904	265	44		27								6,627
1974						132	618	740	4,606	1,945	1,854											9,895
1975							2		1,028	180	15	4,130										5,355
1976			20				4		1,356	660	138						9					2,187
1977							1,635	33	635	8,298	59	75	35									10,770
1978						1,200	4,504	278	1,291			53		15								7,341
1979						151		213		1,548	761											2,673
1980							1,445	362	992	352					26							3,177
1981							20	4,137	3,410	169												7,736
1982							13	672	21,081	5,027												26,793
1983																						
1984								475	27,044	457			1,047									29,023
1985									15,603	8,893		3,107										27,603
1986										4,771	106	28	1,130	823								6,858
1987									2,446	24	209	1,505	1,413									5,597
1988									13,080	718	3,824		120									17,742
1989										1,777	2,319	699	52									4,847
1990							181	438	34	25	1,258	204										2,140
1991				8	119		95			709	765	51										1,747
1992							6	15	230	3,033	9,570	1,248		73								14,175
1993							38	16	21,324	7,213	2,532											31,123
1994								25	19	133	63	70	76	26	32	16						460
1995								16,528	6,969	391	222	52	710									24,872
1996							1,759	16,868	7,985	9,762	887	360	26									37,647
1997									258	1,017	1,872	1,225										4,372
1998																						
1999																						
2000								1,533	1,302	2,631	1,002	553										7,021
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>			20		11	376	1,353	743	1,643	1,858	558	864	52	21	2	1	9					4,943
<b>AVG 80-89</b>							493	1,412	11,951	2,551	1,479	1,740	882	438	26							14,375
<b>AVG 90-99</b>				8	119		416	5,648	5,260	3,082	2,139	561	216	50	32	16						14,567
<b>AVG 00-09</b>								1,533	1,302	2,631	1,002	553										7,021

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 106.** Northern British Columbia total Area 4 commercial gillnet Chinook salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						582	525	1,077	848	542	2,176	53	597	146	64	195	89	21	69			6,984
1971						566	510		426	1,018	2,102	2,006	920	717	243	150	177	87	33			8,955
1972							311	772	2,193	1,369	1,053	1,633	512	664	456	85	62	77	339			9,526
1973							907	1,214	1,101	5,934	2,486	1,447	509	409	1	33	15	21	11			14,088
1974								888	2,712	1,802	2,965	2,225	589	12	38		5	59				11,295
1975								1,290	1,825		2,888	419	342	178	66	138	26					7,172
1976								705	521	601	1,562	836	200	12	2	29	109	33				4,610
1977								1,096	1,684	1,354	1,530	4,236	306	101	105	4	1					10,417
1978								1,540	2,532	1,656	1,230		150	140	66	60	34	67				7,475
1979									2,040	2,983	3,344	1,103	1,582	339			1					11,392
1980									2,870	2,566	660	1,226	18				26					7,366
1981									5,214	7,772	3,508	789	395	163	255							18,096
1982									3,720	2,917	3,680	2,797	585	430	6		81					14,216
1983									129	783	1,212	507	283	399	108	114						3,535
1984									1,144	4,378	2,355	1,019	152	315	278	28						9,669
1985								3,187	5,959	6,636	3,196	1,827	616	857	294							22,572
1986									1,550	1,931	3,098	1,755	151	223	249	323	14					9,294
1987									1,804	2,403	1,800	861	890	792	146	20						8,716
1988									2,611	3,900	5,829	5,155	1,719	1,913	324	239	46					21,736
1989								1,780	3,172	4,629	3,058	547	268	261	171	71	13					13,970
1990								1,809	2,767	2,283	2,305	2,952	1,266	752	310	111	37	30				14,622
1991									1,551	5,040	3,949	2,622	1,839	456	192	60	57					15,766
1992									3,668	3,475	3,203	4,483	1,776	1,129	216	129	3					18,082
1993									2,148	5,182	2,316	2,669	2,358	930	255	77	19					15,954
1994						542	1,189	720	2,397	3,194	2,431	1,689	356	172	52							12,742
1995						308	1,129	2,707	2,154	3,647	866	318	140	61	37							11,367
1996					1,082	1,420	1,639	3,361	5,658	3,545	2,250	487	276	140								19,858
1997						961	2,236	3,741	3,037	2,454	1,664	504										14,598
1998						389	509	851	810	618												3,178
1999						981		3,431														4,413
2000								1,299	2,256	4,109	3,688	3,170	1,925	11	2							16,459
2001						2,974	3,428	3,412	4,043	3,408	1,442	554	77									19,337
2002						1,879		1,832	2,097	1,616	718	213	45									8,400
2003						3,609	1,456	496	540	1,954	270		59									8,383
2004						1,695	950		792	394	828				3							4,662
2005																						
2006						268	1,687	214	1,628	1,063	714	140	100	11	70							5,894
2007						2,612	1,563		1,253	383	392	107	25	14		3						6,352
2008						174	167	124	2,843	824	681	328	141	4	3							5,290
2009						1,308	1,535															2,842
2010							769			176		116										1,061
<b>AVG 70-79</b>						574	563	1,130	1,548	1,945	2,020	1,331	1,027	311	116	96	44	55	97			9,191
<b>AVG 80-89</b>							1,780	2,990	3,092	3,827	2,521	1,277	526	408	183	91	40					12,917
<b>AVG 90-99</b>						1,032	724	1,706	2,391	3,337	2,803	2,492	1,280	577	192	78	29	30				13,058
<b>AVG 00-09</b>						1,501	1,864	1,507	1,389	2,293	1,775	1,026	592	77	9	29	3					8,624

1970-2009 catch from historic fishslip records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 107.** Northern British Columbia total Area 4 commercial seine Chinook salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970					42			18			6											66
1971								9		989	272	8	43									1,321
1972									229	46	78					1	1					355
1973						5		793	364	115	14	16		1								1,308
1974	4					31	264	91	532	1,253	250											2,425
1975		5					14		2,025	386	2	199										2,631
1976			31				30		279	117	58								2			517
1977							46	10	48	1,063	4	337										1,508
1978						258	1,052	53	403			25										1,791
1979						44		176		1,464	645											2,329
1980							158	72	157	7					9							403
1981							3	3,030	2,047	43												5,123
1982							23	215	9,650	1,981												11,869
1983																						
1984								32	4,682	63		1	713									5,491
1985									5,778	3,044		393										9,215
1986										1,191	25	1	111	127								1,455
1987									1,591		16	165	376									2,148
1988									966	2	377											1,345
1989											459	79	9	5								552
1990								18	10		639	321										988
1991							1				301	183	2									487
1992									20	1,056	1,594	498										3,168
1993								3	2,635	954	74											3,666
1994									2	1												3
1995								1,419	414	28	8		1									1,870
1996							69	811	532	126	8	9										1,555
1997									19	23	9	28										79
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
AVG 70-79	4	5	31		42	85	281	164	554	679	148	117	43	1		1	1		2			1,425
AVG 80-89							61	837	3,553	904	219	128	302	66	9							4,178
AVG 90-99							35	563	519	365	376	208	2									1,477
AVG 00-09																						

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 108.** Northern British Columbia total Area 4 commercial gillnet coho salmon catch, 1970-2010.

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1970							208	517	801	739	5,360		7,031	14,279	9,431	8,812	8,668	5,468	2,249			63,563	
1971									30	310	2,362	4,771	6,681	22,749	8,201	19,948	7,464	5,118	4,984			82,618	
1972								380	2,778	4,262	2,415	7,026	7,457	12,316	9,783	5,345	7,312	4,399	5,900			69,373	
1973								323	200	4,432	4,718	6,810	7,313	8,585		3,324	1,671	1,174	390			38,940	
1974								1,413	980	1,094	2,242	4,345	6,312		3,601			4,052				24,039	
1975								831	1,597		5,440	1,612	2,294	4,517	1,655	3,428	1,738					23,112	
1976									1,386	867	811	3,730	3,743	1,358	99	37	4,367	6,668	2,917			25,983	
1977									293	942	2,340	5,064	14,075	3,057	4,942	3,731	231	18				34,693	
1978								5,976	6,638	3,135	7,100		7,633	9,877	3,356	2,454	5,183	3,966				55,318	
1979									879	4,244	10,496	7,881	14,677	3,907								42,084	
1980									5,078	4,172	3,735	6,533					1,410					20,928	
1981									1,553	5,093	4,557	4,267	6,502	3,267	3,793							29,032	
1982									8,175	6,235	6,926	8,270	3,731	8,423			1,696					43,456	
1983										3,621	7,516	4,880	5,503	7,974	5,797	3,298						38,589	
1984										3,674	4,894	8,252	2,994	8,579	3,193	2,433						34,694	
1985								4,582	8,503	12,514	6,503	5,094	6,228	7,340	4,681							55,445	
1986									906	3,139	6,413	5,394	2,099	6,804	9,859	9,120	1,142					44,876	
1987									355	905	2,098	1,386	4,190	5,478	3,181	751						18,344	
1988									281	1,060	3,991	3,880	1,722	4,561	2,395	5,380	920					24,190	
1989							536	4,947	9,409	11,148	1,258	2,020	3,222	2,550	3,379	1,083						39,552	
1990							667	2,132	1,406	3,826	9,491	10,463	12,302	7,377	5,904	2,786	5,422	1,702				63,478	
1991									514	3,722	7,898	9,071	10,920	4,256	4,682	3,168	2,679					46,910	
1992									1,774	1,443	3,798	3,820	8,115	6,057	3,326	2,719	406	819				32,277	
1993									6,214	7,756	9,200	5,595	6,998	2,844	1,049	533	866					41,055	
1994									1,150	4,065	10,288	25,775	14,556	5,456	2,463	1,392						65,145	
1995							1,270	8,344	5,108	6,149	3,288	1,392	774	1,222	1,098							28,645	
1996							1,234	8,121	9,603	9,599	9,660	3,203	2,097	2,574								46,115	
1997							126	1,726	5,624	4,193	3,193	1,591										16,453	
1998																							
1999																							
2000																							
2001																							
2002																							
2003																							
2004																							
2005																							
2006																							
2007										841	619	2,557	628										4,645
2008																							
2009																							
2010																							
<b>AVG 70-79</b>							208	1,573	1,558	2,225	4,328	5,155	7,722	8,961	5,134	5,885	4,579	3,858	3,288			45,972	
<b>AVG 80-89</b>							536	3,270	3,968	5,449	4,778	4,782	4,337	5,868	4,908	2,934	1,416					34,911	
<b>AVG 90-99</b>							824	3,747	4,841	6,869	8,737	7,155	4,827	3,242	2,120	1,684	3,121	1,702				42,510	
<b>AVG 00-09</b>										841	619	2,557	628									4,645	

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 109.** Northern British Columbia total Area 4 commercial seine coho salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970					33			75														162
1971										830	669	158	116									1,773
1972									466	243	1,918				7	3	13					2,650
1973						18		752	568	584	26	60		20								2,028
1974						21	129	48	975	1,393	1,084								4			3,654
1975							2		1,981	557	8	2,256										4,804
1976			12				1		395	373	243						118					1,142
1977							7	3	48	2,922	20	59	21									3,080
1978						419	2,293	166	886			77		22								3,863
1979						58		530		2,932	1,688											5,208
1980							459	235	230	67					114							1,105
1981							5	2,098	1,717	106												3,926
1982							17	511	15,795	5,390												21,713
1983																						
1984									111	9,407	120			1,960								11,598
1985										6,955	6,454		1,429									14,838
1986											5,580	102	20	835	274							6,811
1987										2,719		65	461	1,480								4,725
1988										1,484	26	544		1								2,055
1989											1,695	818	44	88								2,645
1990							83	71	124	32	2,360	436	5									3,111
1991							16				824	1,370	237									2,447
1992							2	2	31	1,505	6,215	2,304		8								10,067
1993							1	6	3,259	2,481	472											6,219
1994								2	3	21	7	1	2			5						41
1995									2,317	848	125	137	58	151								3,636
1996							554	5,168	5,810	2,754	428	76	1									14,791
1997									6	21	1	147										175
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007									280	142	2,887	2,287	352									5,949
2008																						
2009																						
2010																						
AVG 70-79			12		33	129	486	262	760	1,229	631	522	55	21	7	3	66	4				2,836
AVG 80-89							160	739	5,472	2,535	602	682	864	181	114							7,713
AVG 90-99							131	1,261	1,440	991	1,306	627	79	8		5						5,061
AVG 00-09									280	142	2,887	2,287	352									5,949

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 110.** Department of Fisheries and Oceans commercial salmon harvest, troll annual catch and effort, Area 4, 1970-2010.

<b>YEAR</b>	<b>SOCKEYE</b>	<b>COHO</b>	<b>PINK</b>	<b>CHUM</b>	<b>CHINOOK</b>
1970	10,456	22,456	16,964	198	21,712
1971	821	29,058	2,856	266	27,810
1972	345	76,941	20,192	593	41,817
1973	1,754	31,867	4,639	403	26,673
1974	1,001	17,468	1,982	183	18,806
1975	1,965	23,216	4,148	156	25,599
1976	632	29,088	601	104	22,710
1977	397	14,542	8,456	298	9,698
1978	51	14,473	13,742	338	4,374
1979	488	20,121	4,351	469	6,600
1980	122	12,081	10,831	308	3,314
1981	265	14,856	7,238	270	3,881
1982	5,794	34,980	12,591	590	8,493
1983	602	94,936	29,847	758	11,159
1984	4,687	51,946	73,913	2,836	9,998
1985	1,471	46,435	29,419	2,394	4,128
1986	2,466	110,926	32,600	3,009	5,841
1987	3,208	43,277	51,024	1,005	2,880
1988	1,713	24,965	25,101	2,991	2,290
1989	1,304	22,405	19,994	746	910
1990	431	63,305	28,970	397	3,270
1991	1,067	76,475	85,168	1,397	4,733
1992	4,699	65,966	95,242	3,718	5,877
1993	273	17,259	9,856	4,230	2,326
1994	214	13,581	2,299	372	590
1995	597	4,324	6,727	802	373
1996	3,167	26,227	28,500	1,456	0
1997	2,621	12,860	17,345	1,071	1,472
1998					
1999					
2000					
2001	666		1,709	45	2,300
2002		4,133	183	3	
2003					
2004	49	22,255	2,787		
2005		27,250	1,415		81
2006		10,536	960		
2007	280	36,859	6,094	21	
2008		892	84		
2009		12,296	624		
2010		14,406	955		
<b>AVG 70-79</b>	1,791	27,923	7,793	301	20,580
<b>AVG 80-89</b>	2,163	45,681	29,256	1,491	5,289
<b>AVG 90-99</b>	1,634	35,000	34,263	1,680	2,330
<b>AVG 00-09</b>	332	16,317	1,732	23	1,191

1970-95 catch from historic fishslip records

1996-2004 non-chinook catch from regionally finalised records

2005-10 non-chinook from Fish Management Hail Catch

Chinook 2000-10 from Technical Report summed in CTC Year (Oct.1 to Sept.30)

**Appendix 112.** Northern British Columbia total Area 5 commercial gillnet sockeye salmon catch, 1970-2010.

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1970				87		7,067	3,281	12,467	13,496	30,472	15,513	17,167	9,507	1,560	1,012	245	65	18				111,959	
1971								393	606	17,957	10,403	4,592	4,300	5,819	2,471	242	143	30		4		46,960	
1972								1,123	5,394	4,257	8,842	9,579	6,854	14,509	2,297	1,371	352	46				54,624	
1973						49		365	793		2,070	7,412	3,483	3,437	2,772		235	9	17			20,642	
1974								4,050	565	589	2,278	907			1,186	1,385	636					11,596	
1975								1,264	1,242	1,654		4,112		15	41	128	458	192				9,106	
1976								2,072	4,983	1,399	671	3,299	977	742	1,172	1,663	1,301	230	68			18,577	
1977									1,524	2,112	2,621	3,146	2,362	5,867	1,734	1,647	184	74	173			21,444	
1978								5,476	6,346	4,855	232	3,005	7,584	1,317	1,474	446	313	109	7			31,164	
1979			44			990			7,752	3,369	2,269	1,021	2,677	1,136	84	16	269	46				19,673	
1980						11				5,377	5,551	1,907	3,114	2,623	2,759	1,823	737	110				24,012	
1981								9,351	8,571	4,666	463	1,264					645	211				25,171	
1982								1,330	10,660	6,874	3,867	6,858	2,408		1,076	3,113	385					36,571	
1983										1,915	1,794	3,100	712	814	1,382	661						10,378	
1984										2,096	2,201	3,546	2,067	1,620	386		16					11,932	
1985										2,704	1,358	1,136	1,278	1,547	3,639	1,095						12,757	
1986										1,144	1,478	1,278	723	3,782	2,089	1,438	802	295	96			13,125	
1987										2,094	2,898	4,302	1,693	2,301	1,183	78						14,549	
1988										964	4,086	2,983	820	526	761	405	293					10,838	
1989								2,226	2,724	3,731	1,665	52	1,185	2,394	283	238						14,498	
1990								1,545	1,261	1,102	1,018	12,592	1,563	2,082	264							21,427	
1991									830	2,132	9,282	4,446	2,108	1,236	244	219	152					20,649	
1992									7,751	3,959	2,630	11,224	10,409	4,646	3,067	3,299						46,985	
1993									2,764	4,952	3,780	4,890	7,216	1,613	2,321	621						28,157	
1994									2,065	2,425	3,428	4,560	8,914	2,851								24,243	
1995								1,543	7,997	3,656	2,511	9,283	1,220	48	335	1						26,594	
1996								4,473	6,188	3,341	22,344	12,475	10,829	3,753	354							63,757	
1997								2,163	2,904	5,047	2,407	3,132	1,051									16,704	
1998									952	1,953	471											3,376	
1999																							
2000																							
2001										1,520	2,097	2,649	437									6,703	
2002										2,195	1,538		101									3,834	
2003										1,774	1,363	3,090	177									6,403	
2004										2,130	1,183	2,038										5,351	
2005																							
2006										4,332	2,307	560	717									7,916	
2007											303											303	
2008				26				364	736													1,126	
2009																							
2010											1,944	441										2,385	
<b>AVG 70-79</b>			44	87		2,702	2,519	4,146	3,593	7,490	5,840	5,712	4,537	1,884	1,104	524	177	51	2	4		34,575	
<b>AVG 80-89</b>						11	4,302	5,363	3,579	2,946	2,324	2,024	2,104	1,532	1,114	537	158	96				17,383	
<b>AVG 90-99</b>							2,431	3,635	3,174	5,319	7,825	5,414	2,318	1,098	1,380	77						27,988	
<b>AVG 00-09</b>				26			364	1,556	2,292	1,906	663	717										4,519	

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 113. Northern British Columbia total Area 5 commercial seine sockeye salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						25	195	546	1,597	2,816	3,510	2,228	5,649	671	295	35	120					17,687
1971										569	439	2,241	2,851	4,789	980	639	35	17				12,560
1972									20		24	1,901	3,011	3,644	1,011	295	62					9,968
1973										1,128	3,454	3,469	1,016	706								9,773
1974							142	76		589	1,001				214	91	8					2,121
1975								14	1,141		4,905	1,412	11,002	1,281	140	67	57					20,019
1976							1	30	27					12	253	132	41					496
1977										400	561	649	3,094	1,922	582	43				26		7,277
1978							578	402	1,688	45	195		44	365	51	14						3,382
1979								85	1	1,625	1,662	1,531	47							23		4,974
1980									1,275	507	304	193	222	65	128	266	65					3,025
1981							258		335	510	2,778					2	1					3,884
1982							727	1,014	2,146	7,316	21,430	3,042				187						35,862
1983										339	1,355	1,372	139	43	140	594						3,982
1984										1,046		14,130	3,499	3,964	853		86					23,578
1985										903	18,501	12,446	3,821	6,080								41,751
1986										1,020	3,073	641	2,681	3,343	5,706	1,226	277	24				17,991
1987										3,143	4,015	3,795	5,233	7,285	1,664							25,135
1988										8,496	3,168	486	12,454	3,587	979	308						29,478
1989										1,522	2,031	483	2,533	1,064		107						7,740
1990								628		1,093	10,272	3,014	10,578	4,887	57							30,529
1991										17,446	1,444	3,496	1,398	636	590							25,010
1992										3,041	1,464	8,755	8,450	1,679	1,346							24,735
1993										39	2,093	12,158	300	108								14,698
1994											1,077	9,527	1,556									12,160
1995									1,590	3,066	4,761	9,672	1,712	1,904								22,705
1996									244	110,917	67,587	3,855	4,319	716								187,638
1997										185	378	2,711		201								3,475
1998										27												27
1999																						
2000																						
2001										4,260	583	1,204	768									6,815
2002										528	508	829	1,035	1,278	699							4,877
2003										1,115		329	1,130	2,701	498							5,773
2004											91		110	654	1,576							2,432
2005																						
2006										202				195								397
2007										20		274	857	666	12							1,828
2008										292	410											702
2009																						
2010												191										191
<b>AVG 70-79</b>						25	229	192	746	1,025	1,750	1,919	3,339	1,674	441	165	49	22				8,826
<b>AVG 80-89</b>							493	1,014	1,252	2,480	6,295	4,065	3,823	3,179	1,578	384	107	24				19,243
<b>AVG 90-99</b>								628	917	16,977	11,135	6,649	4,045	1,447	664							35,664
<b>AVG 00-09</b>										1,070	398	659	780	1,099	696							3,261

1970-2009 catch from historic fishslip records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 114. Northern British Columbia total Area 5 commercial gillnet pink salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970				4		10,982	21,348	46,596	98,590	63,371	29,917	161,557	104,323	22,451	44,809	19,571	10,584	629	166			634,898
1971								1	10	665	1,644	2,456	4,525	6,658	11,486	3,509	9,001	1,723	160	518		42,356
1972							816	5,537	5,306	4,708	6,963	5,882	20,160	5,770	7,519	6,577	2,926	151				72,315
1973						1	28	86		340	4,064	2,986	5,019	7,514		176	48	31				20,293
1974							1,102	165	85	414	167				5,347	19,470	18,508					45,258
1975							726	1,113	867		9,472		102	315	941	15,159	6,566	16				35,277
1976							147	1,111	471	685	6,609	1,562	3,314	8,380	72,451	68,562	39,238	18,827	393			221,750
1977								408	5,561	12,998	17,533	43,561	34,375	17,712	19,472	3,535	2,047	7,913				165,115
1978							1,084	2,344	1,428	195	3,914	16,137	5,893	25,879	15,462	28,500	6,232	257				107,325
1979			25			49	3,219		1,760	7,135	2,589	5,813	2,064	24	71	2	1,908	239				24,898
1980									2,230	8,032	5,928	10,228	9,998	11,876	23,450	22,840	11,416					105,998
1981							405		3,993	1,798	655	2,983			28	12,339	4,176					26,377
1982							238	1,900		1,796	4,803	3,730	2,295		1,109	4,856	3,238					23,965
1983										1,159	723	6,078	3,009	4,599	11,005	6,890						33,463
1984										352	904	4,715	8,212	9,280	2,797		2,359					28,619
1985								607		258	497	944	1,498	8,223	1,633							13,660
1986									943	1,397	907	2,127	32,260	22,595	20,473	27,578	19,743	7,357				135,380
1987									646	1,299	4,729	1,959	5,224	4,604	537							18,998
1988									181	1,660	3,893	1,342	1,411	2,399	1,816	2,747						15,449
1989							4	246	1,087	3,459	175		6,182	11,391	1,582	2,189						26,315
1990							389	816	914	1,362	13,099	2,218		9,121	2,203							30,122
1991								10	258	3,189	4,692	4,547	3,949	1,272	702	495						19,114
1992								1,316	1,486	1,637	2,250	4,762	2,440	8,425	6,498							28,814
1993								984	690	998	962	1,941	406	1,031	116							7,128
1994								156	1,392	1,250	1,927	3,184	5,425									13,334
1995							177	950	641	581	11,480	1,653	348	2,975		107						18,912
1996							393	3,073	2,174	1,430	2,371	5,397	3,220	654								18,712
1997							48	258	1,190	1,232	2,339	1,915										6,982
1998								133	600	606												1,339
1999																						
2000																						
2001								2,175	4,421	2,831	903											10,330
2002																						
2003								722	1,133	915												2,770
2004									1,992	811	2,336											5,139
2005																						
2006									866	1,206	833	645										3,550
2007										393												393
2008				13			5	171														189
2009																						
2010										216		78										294
AVG 70-79			25	4		3,677	3,607	6,058	12,675	10,057	8,287	29,994	19,975	10,523	19,729	16,506	9,706	3,310	240	518		136,949
AVG 80-89							216	918	1,276	2,501	2,409	3,692	9,315	7,721	7,394	11,117	9,424	7,357				42,822
AVG 90-99							252	855	1,038	1,365	4,890	3,202	3,558	2,760	2,439	301						16,051
AVG 00-09				13			5	1,023	2,103	1,231	1,357	645										3,728

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 115. Northern British Columbia total Area 5 commercial seine pink salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						783	2,012	22,075	94,353	59,349	46,754	117,200	275,049	65,251	63,733	17,839	20,584	45				785,027
1971										112	344	4,926	13,828	58,318	34,809	62,871	24,021	2,614				201,843
1972									139		2,267	129,736	130,400	330,323	187,556	75,593	50,993					907,007
1973										738	34,149	26,845	23,960	39,337				2				125,031
1974							1	361		1,957	2,429			146	15,566	62,853	16,421					99,734
1975								9	199			33,963	33,575	106,313	42,947	34,939	48,626	13,712				314,283
1976															1,190	51,385	194,508	55,601	1,076	75		303,835
1977										2,395	6,264	13,999	63,535	43,448	30,667	3,490		4,795				168,593
1978						574	3,861	18,132	254	3,090			12,780	100,522	18,219	68,427	69				225,928	
1979							47	2	16,010	38,474		24,522	398				1,854					81,307
1980								2,341	11,903	3,230	6,696	7,131	3,511	86,102	169,300	79,845						370,059
1981						154		620	993	9,636						1,333	197					12,933
1982								255	1,265	7,286	18,885	6,414				24,297						58,402
1983									1,097	7,089	14,530	13,361	7,798	39,039	14,573							97,487
1984									3,572	7,115	133,078	192,334	126,183			16,070						548,352
1985									1,858	43,285	72,650	61,011	104,112									282,916
1986									8,229	35,854	15,097	155,811	280,610	358,932	240,635	244,568	16,032					1,355,768
1987									12,873	26,651	22,952	79,956	170,823	59,283								372,538
1988									7,169	12,999	18,891	89,465	83,681	71,651	37,842							321,698
1989									10,194	31,704	37,045	133,044	67,971		13,369							293,327
1990							20		6,265	39,424	105,835	397,232	165,092		3,132							717,000
1991									33,989	24,052	178,501	113,695	76,186	49,865								476,288
1992									13,422	2,445	23,254	118,895	13,380	14,592								185,988
1993									58	2,241	18,939	895	473									22,606
1994										3,088	15,499	9,608										28,195
1995								8,630	4,650	26,298	76,073	44,005	52,033									211,689
1996								1,285	32,654	104,137	35,568	59,150	36,092									268,886
1997									238	1,172	12,612		4,427									18,449
1998									75													75
1999													10,239	5,418								15,657
2000																						
2001									12,156	1,473	41,129	180,463										235,221
2002																						
2003									48,204		11,118	66,908	136,539	40,426								303,195
2004										850		6,555	55,941	89,806								153,153
2005													134,137	47,746	5,519							187,403
2006									24				12,248									12,273
2007									150		35,797	56,383	203,807	79,768								375,905
2008									353	64												416
2009													26,302	71,896	18,509							116,707
2010												384										384
<b>AVG 70-79</b>						783	862	5,271	22,565	11,545	18,637	50,115	78,283	75,720	54,609	66,776	22,907	1,706	75			321,259
<b>AVG 80-89</b>							154	255	1,409	6,517	21,037	30,154	84,107	113,855	123,532	71,621	85,170	16,032				371,348
<b>AVG 90-99</b>								20	4,958	11,419	25,357	58,285	106,211	44,740	18,252							194,483
<b>AVG 00-09</b>										12,178	796	29,348	77,577	94,829	65,928	12,014						173,034

1970-1995 catch from historic fishslip records

1996-2004 Coho, Pink, Chum catch from regionally finalised records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 116.** Northern British Columbia total Area 5 commercial gillnet chum salmon catch, 1970-2010.

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1970				30		2,249	1,927	3,896	5,552	4,556	4,097	13,295	4,490	4,604	4,270	4,731	4,708	3,101	692				62,198
1971								75	16	3,600	1,857	1,946	1,706	2,533	3,362	3,397	1,578	2,741	1,549	2,327			26,687
1972								578	2,769	5,022	6,379	8,841	5,589	14,470	4,596	4,000	2,516	1,455	34				56,249
1973								142	634	736	3,496	4,152	3,786	3,314		780	614	1,162					18,816
1974								950	273	241	851	170			946	5,080	4,925						13,436
1975								853	870	401	1,447		19	84	239	1,732	2,722	8					8,375
1976								185	357	184	87	742	74	175	223	1,534	1,734	2,173	4,317	699			12,484
1977								708	2,561	1,977	1,714	2,688	1,556	1,208	1,991	2,717	2,536	6,617					26,273
1978							1,953	3,409	1,655	114	2,300	4,291	1,322	3,917	3,668	6,087	3,871	1,167					33,754
1979			6			282		2,012	536	501	189	1,747	234	12	20		5,506	1,950	8				13,003
1980						1			3,664	9,118	5,096	4,870	1,309	1,531	2,562	3,235	2,363						33,749
1981							2,642		2,774	614	56	232			4	1,055	532						7,909
1982							105	1,588	770	938	1,222	1,053			335	4,209	2,577						12,797
1983										6,030	1,966	2,228	983	1,889	3,652	1,509							18,257
1984										873	1,493	1,978	4,879	3,065	1,695		114						14,097
1985									974	270	144	248	437	2,531	358								4,962
1986										619	744	359	900	6,153	3,495	1,653	864	836	434				16,057
1987										327	403	919	365	1,522	630	99							4,265
1988										1,621	5,105	2,567	1,707	877	1,295	646	1,296	36					15,150
1989							147	1,066	5,111	2,189	17	1,917	1,785	200	318								12,750
1990							1,062	1,454	876	687	1,061	271	717	100									6,228
1991								188	328	4,276	3,323	1,591	1,571	134	188	303							11,902
1992								892	546	644	550	857	1,039	1,799	585								6,912
1993								1,097	2,474	654	676	1,939	233	691	311								8,075
1994									2,971	2,714	5,175	4,313	4,464	1,699									21,336
1995							921	5,790	5,026	4,550	4,827	510	5	57	15								21,701
1996							1,115	2,973	1,679	524	752	760	518	113									8,434
1997							140	546	2,177	1,003	782	670											5,318
1998								460	626	513													1,599
1999																							
2000																							
2001																							
2002																							
2003									41	181	1,063												1,285
2004										1,456	1,135	996											3,587
2005																							
2006										1,447	1												1,448
2007																							
2008				1			3	39															43
2009																							
2010																							
<b>AVG 70-79</b>			6	30		1,266	941	1,500	1,796	2,089	2,485	4,223	3,084	2,277	2,226	3,197	3,009	2,344	737	2,327			27,128
<b>AVG 80-89</b>						1	965	1,209	1,781	2,678	1,383	1,530	2,521	1,598	1,636	1,551	776	434					13,999
<b>AVG 90-99</b>							810	1,819	1,827	2,003	2,036	1,383	826	482	361	159							10,167
<b>AVG 00-09</b>				1			3	40	1,028	733	996												1,591

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 117. Northern British Columbia total Area 5 commercial seine chum salmon catch, 1970-2010.**

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						21	254	806	2,727	1,573	1,606	2,561	2,166	2,267	1,288	186	902	728				17,085
1971											479	21	381	181	635	939	2,311	184	257			5,388
1972									3			158	4,673	1,672	3,709	2,175	335	728				13,453
1973											418	1,257	968	805	2,348				718			6,514
1974							37	22			350	509			58	117	2,269	189				3,551
1975							15	80				753	133	805	482	1,092	158	80				3,598
1976							5	1							20	162	459	281		6		934
1977											409	274	475	3,329	868	526	9		203			6,093
1978							180	795	3,215	41	286			130	993	199	209					6,048
1979								18	5	599	736	601	118					138				2,215
1980									2,129	912	217	443	249	22	746	1,033	1,031					6,782
1981							272		269	27	437					4	98					1,107
1982								59	372	919	2,299	699			2,571	767						7,686
1983										915	28	135	157	51	348	118						1,752
1984										1,747	2,209	3,820	3,327	2,261			616					13,980
1985										132	3,824	1,967	1,093	4,213								11,229
1986										1,728	2,249	619	4,131	7,394	4,952	1,800	612	112				23,597
1987										541	349	1,755	4,633	6,321	1,173							14,772
1988										6,261	3,109	1,447	3,209	3,133	5,310	1,670						24,139
1989										1,844	1,268	889	3,352	628		64						8,045
1990								32		1,023	2,849	909	6,511	2,181	23							13,528
1991										6,193	1,618	4,476	1,140	631	136							14,194
1992										1,227	118	853	1,965	205	820							5,188
1993										22	2,097	5,182	48	41								7,390
1994											1,153	4,440	470									6,063
1995									1,241	2,443	2,435	1,468	295	657								8,539
1996									331	4,094	5,064	1,156	1,220	300								12,165
1997										96	101	988		196								1,381
1998											31											31
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>						21	119	276	1,206	553	622	1,399	1,151	1,264	812	742	357	477	6			6,488
<b>AVG 80-89</b>							272	59	923	1,503	1,531	1,129	2,581	3,136	2,480	779	589	112				11,309
<b>AVG 90-99</b>								32	786	1,891	1,929	2,434	1,664	602	326							7,609
<b>AVG 00-09</b>																						

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 118.** Northern British Columbia total Area 5 commercial gillnet Chinook salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970	2	6	10	1		159	86	597	310	492	289	1,035	583	26	232	194	106	17	51			4,196
1971				2				5	28	566	167	149	62	168	38	49	51	51	2	20		1,358
1972					14	43	28	248	214	172	348	83	398	14	86	36	18					1,702
1973						26	1	29		29	476	52	201	1,882		3	1	63				2,763
1974								205	43	11	27	5			15	68	156					530
1975								34	55	41	62			2	6	76	42					318
1976			54	4	2			87	117	37	21	55	10	22	13	64	19	40	59	1	9	614
1977		14	30			5		35	19	36	16	19	121	42	67	93	32	63				592
1978						2	92	67	20	6	108	361	15	48	80	104	35	6		5		949
1979						39		266	38	50	7	18	11				54	20				503
1980	10					7			28	85	49	37	47	24	33	100	19					439
1981							110		119	45	1	11			1	12	13					312
1982							11	151	92	40	27	7		23	46	43						440
1983										52	70	55	11	16	29	30						263
1984									10	6	8	64	39	15			35					177
1985								63	11	21	7	5	17	6								130
1986									20	20	11	2	33	4	5	4						103
1987									29	46	41	13	21	19	5							174
1988									10	31	16	3	2	3		1						66
1989								24	51	137	74	7	14	41	3							351
1990							61	46	43	12	90	6	32	1								291
1991								23	28	55	83	13	3	3	4	11						223
1992								57	17	36	36	47	18	3								214
1993								22	68	38	13	33	8	3								185
1994									25	56	18	29	38	20								186
1995							43	105	44	11	58	1		1	6							269
1996							30	47	7	39	22	7	9									161
1997							13	42	44	38	12	7										156
1998								18	8	3												29
1999																						
2000																						
2001																						
2002																						
2003								4	3	2												
2004									13	2	6											22
2005																						
2006									19	7		2										28
2007																						
2008							1	5														6
2009																						
2010																						
<b>AVG 70-79</b>	2	10	31	2	8	46	76	146	80	155	153	216	177	274	74	71	54	40	18	11		1,353
<b>AVG 80-89</b>	10					7	48	88	51	42	25	16	26	19	17	32	18					246
<b>AVG 90-99</b>							37	43	35	28	43	19	16	6	3	9						190
<b>AVG 00-09</b>							1	5	12	4	6	2										19

1970-2009 catch from historic fishslip records

2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 119.** Northern British Columbia total Area 5 commercial seine Chinook salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						21	229	1,230	352	242	87	246	147	112	49	15	15	1				2,746
1971										1,856	125	386	153	448	106	42	4	2				3,122
1972									33	5		12	140	101	212	65	16	27				611
1973										777	206	102	42	137							8	1,272
1974	6						40	102		61	50			2	4	47	18			2	1	333
1975				36				21	183		686	91	412	72	92	8	15					1,616
1976							4	17	5					1	32	41	21		2			123
1977								9		22	64	11	114	206	50	20	1	23				520
1978							122	245	844	2	141		45	155	19	11						1,584
1979								41	13	180	135	130	21				20					540
1980									236	40	99	14	39	15	82	167	44					736
1981							260		127	5	29					2						423
1982								231	375	362	476	493				28						1,965
1983										19	37	20	20	24	137	32						289
1984										58	145	228	177	522		12						1,142
1985										106	579	4,368	80	285								5,418
1986										247	514	75	456	637	322	160	16	16				2,443
1987										240	150	95	272	154	65							976
1988										766	138	16	172	130	108	59						1,389
1989										223	51	26	187	120		20						627
1990										200	520	258	1,147	249								2,374
1991										830	346	237	184	44	49							1,690
1992										465	12	93	153	13	48							784
1993										10	89	456	2	9								566
1994											69	140	141									350
1995									71	116	217	41	8									453
1996									1	301	262	40	25	13								642
1997										9	9	45										63
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007																						
2008																						
2009																						
2010																						
<b>AVG 70-79</b>	6				36	21	99	212	234	449	167	158	129	149	52	25	15	9	2	2	5	1,247
<b>AVG 80-89</b>							260	231	246	207	230	584	182	193	206	67	24	16				1,541
<b>AVG 90-99</b>								36	276	191	164	237	66	49								865
<b>AVG 00-09</b>																						

1970-2009 catch from historic fishslip records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 120.** Northern British Columbia total Area 5 commercial gillnet coho salmon catch, 1970-2010.

Year	Statistical Week																				Total	
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40
1970						1,315	759	2,798	4,856	4,184	2,615	11,844	5,598	2,317	5,104	3,174	2,747	1,904	1,520			50,735
1971								3	31	1,280	565	426	781	2,626	1,057	1,498	1,336	792	177	820		11,392
1972							107	977	1,705	3,191	2,748	3,157	7,038	1,583	1,677	1,534	1,363	9				25,089
1973						8	41	86	115	1,553	803	1,812	5,838			394	238	156				11,044
1974							749	171	15	267	73				2,326	8,863	11,760					24,224
1975							110	197	60	999			13	57	399	5,283	6,200	12				13,330
1976							181	1,507	429	271	886	318	444	548	5,257	2,525	2,688	2,906	389	37		18,386
1977								47	115	128	471	347	1,240	970	2,497	2,830	3,275	7,741				19,661
1978						3	465	1,363	570	35	1,493	4,165	1,428	2,824	2,048	5,238	4,804	1,083		10		25,529
1979			37			22		630	404	661	287	1,139	395	6	50	9	7,163	1,982	100			12,885
1980						28			573	1,272	1,255	1,156	917	1,054	2,086	3,334	1,972					13,647
1981							1,159		330	32	12	234			15	1,934	2,093					5,809
1982							119	1,106	958	1,243	293	108		856	3,748	1,937						10,368
1983									763	291	1,503	607	733	2,544	1,761							8,202
1984									152	232	974	2,355	2,128	1,275		203						7,319
1985								161	101	121	79	195	1,272	154								2,083
1986									133	693	117	229	3,462	1,253	767	2,310	1,173	994				11,131
1987									155	221	181	368	457	238	25							1,645
1988									132	257	407	266	79	344	522	525						2,532
1989							14	495	766	3,081	452	868	1,483	376	675							8,210
1990							430	1,075	956	356	904	259	2,314	228								6,522
1991								109	56	2,690	2,092	1,338	795	305	321	785						8,491
1992								1,258	383	388	83	1,071	308	1,632	1,087							6,210
1993								991	665	152	1,034	701	89	289	80							4,001
1994								283	691	840	1,189	2,281	2,259									7,543
1995							79	684	573	577	2,013	147	3	52	415							4,543
1996							253	2,052	1,003	241	681	812	317	43								5,402
1997							41	107	862	328	167	103										1,608
1998																						
1999																						
2000																						
2001																						
2002																						
2003																						
2004																						
2005																						
2006																						
2007										35												35
2008																						
2009																						
2010																						
<b>AVG 70-79</b>			37			337	345	778	909	1,126	1,169	2,775	2,083	1,863	2,268	3,135	4,157	1,843	547	289		21,228
<b>AVG 80-89</b>						28	431	587	367	792	343	559	1,252	916	1,262	1,782	1,360	994				7,095
<b>AVG 90-99</b>							201	820	649	697	1,020	839	869	425	496	600						5,540
<b>AVG 00-09</b>										35												35

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 121. Northern British Columbia total Area 5 commercial seine coho salmon catch, 1970-2010.**

Year	Statistical Week																				Total		
	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39		40	
1970						113	593	452	1,246	631	638	1,770	2,956	2,746	1,799	587	990	102				14,623	
1971										82	55	219	894	1,345	1,568	3,777	260	163				8,363	
1972											23	1,060	1,198	2,604	1,221	677	1,099					7,882	
1973										206	356	422	340	923				3			13	2,263	
1974								44		29	58			1	336	1,151	544				19	60	2,242
1975								1	11		508	200	1,984	507	350	1,133	1,085						5,779
1976								3	1					45	580	1,164	1,979	4	26				3,802
1977										38	84	103	1,019	976	1,624	342		1,485					5,671
1978							156	192	615	6	223	193	1,126	255	280	77							3,123
1979								3	1	218	271	495	59			267							1,314
1980									759	201	193	99	111	80	717	1,078	1,059						4,297
1981							322		109	7	63					19	16						536
1982								121	990	1,464	1,107	399			55	1,247							5,383
1983										547	604	701	459	157	916	365							3,749
1984										337		1,244	4,829	3,293	2,807		162						12,672
1985										68	867	489	608	1,122									3,154
1986										456	1,152	251	2,499	3,132	3,692	2,650	2,398	568					16,798
1987										231	105	632	2,229	1,550	781								5,528
1988										732	336	64	267	563	704	661							3,327
1989										758	153	77	1,113	730		266							3,097
1990							60			528	1,088	1,329	8,749	2,378	15								14,147
1991										2,451	457	1,042	934	703	368								5,955
1992										415	21	1,623	1,444	162	969								4,634
1993										33	543	1,781	49	6									2,412
1994											559	1,056	1,406										3,021
1995									101	153	399	377	110	230									1,370
1996									165	935	1,798	729	543	342									4,512
1997												128		103									231
1998																							
1999																							
2000																							
2001																							
2002																							
2003																							
2004																							
2005																							
2006																							
2007										14		178	561	2,207	910								3,870
2008																							
2009																							
2010																							
<b>AVG 70-79</b>						113	375	116	375	173	246	610	1,080	1,141	967	1,139	788	351	26	19	37	5,506	
<b>AVG 80-89</b>							322	121	619	480	509	440	1,514	1,328	1,382	898	909	568					5,854
<b>AVG 90-99</b>								60	133	753	695	1,008	1,891	561	451								4,535
<b>AVG 00-09</b>										14		178	561	2,207	910								3,870

1970-1995 catch from historic fishslip records  
 1996-2004 Coho, Pink, Chum catch from regionally finalised records  
 2010 Catch from Fisheries Management In-Season Hail Estimates

**Appendix 122.** Department of Fisheries and Oceans commercial salmon harvest, troll annual catch, Area 5, 1970-2010.

YEAR	SOCKEYE	COHO	PINK	CHUM	CHINOOK
1970	344	47,764	84,541	838	32,023
1971	50	46,856	1,879	133	39,005
1972	183	154,404	90,435	593	62,707
1973	254	90,903	8,347	383	47,875
1974	47	45,999	6,334	61	44,261
1975	41	17,318	1,765	57	35,750
1976	101	31,896	901	43	19,270
1977	47	14,469	3,206	107	11,295
1978	174	14,189	4,843	206	4,638
1979	60	11,947	2,631	127	9,849
1980	38	19,351	9,477	95	9,866
1981	16	6,238	1,463	40	3,559
1982	6,376	23,831	4,534	79	4,794
1983	82	21,883	6,072	219	7,582
1984	65	9,546	2,251	150	2,204
1985	1,415	22,946	16,850	2,756	2,449
1986	733	59,071	12,502	668	5,032
1987	54	10,695	4,592	59	3,540
1988	386	13,531	15,034	1,587	6,587
1989	312	34,142	15,148	436	4,426
1990	63	23,102	12,992	112	4,872
1991	1,013	15,680	6,105	250	3,214
1992	464	35,187	15,853	847	8,279
1993	241	11,787	8,943	1,406	2,762
1994	374	22,616	6,731	627	1,057
1995	1,716	30,316	30,494	2,526	1,142
1996	398	27,979	11,916	544	
1997	230	4,140	2,579	2,479	3,343
1998					
1999					
2000					
2001					
2002		1,354	30		
2003		29,498	4,913	2	
2004	1	15,670	219	27	
2005		14,790	171		
2006		37	5		
2007		512	18		
2008		1,578	16		
2009		7,886	736		
2010		639	7		
<b>AVG 70-79</b>	130	47,575	20,488	255	30,667
<b>AVG 80-89</b>	948	22,123	8,792	609	5,004
<b>AVG 90-99</b>	562	21,351	11,952	1,099	3,524
<b>AVG 00-09</b>	1	8,916	763	15	

1970-95 catch from historic fishslip records

1996-2004 non-chinook catch from regionally finalised records

2005-10 non-chinook from Fish Management Hail Catch

Chinook 2000-10 from Technical Report summed in CTC Year (Oct.1 to Sept.30)

