

File: 71007

DRAFT AGENDA PSC Fraser River Panel Meeting

Via Zoom Webinar: https://psc-org.zoom.us/j/85284137826

FRP meeting: Tuesday, August 12, 2025 at 11 am

FRP	me	eting: Tuesday, August 12, 2025 at 11 am		
	1)	Roll Call (Panel and Tech members, others please email Angela Xu,	5 min	
	•	frontdesk@psc.org)		
	2)	Webinar Etiquette: mute phone & chat feature	2 min	
√	3)	Agenda	5 min	
	4)	Overview of run and catch status	5 min	PSC staff
V	4)	a) Accounted run to date relative to forecast and adopted run sizes	וווווו	r 3C Stail
✓		b) Catch-to-date by fishery		
☑		c) Release mortalities		
✓		d) TAC table		
	5)	Biological information	20 min	PSC staff
V	٠,	a) Test fishing catches and acoustics summary	20 111111	i se stan
✓		b) Comparison of predictions from Mission to Qualark		
		c) Species composition review		
✓		d) Stock Identification review		
		e) Management Adjustment (MA) considerations		
V		i) Environmental report		
V		ii) pDBE forecast and sensitivity analysis		
√		iii) Current temperatures in areas of the Fraser Watershed		
		iv) TNG Taskforce Update		
		v) Report on fish condition		DFO
		vi) Spawning ground reports		DFO
	6)	Assessment information		PSC staff
√		a) Daily migration graphs		
√		b) Predicted abundance en route to Mission		
√		c) Diversion rate		
		d) Technical assessment information		
√		e) Run size and timing estimates		
		f) Predicted allowable harvest based on run size and DBE scenarios		
V		g) Criteria for fishing decisions table		
✓	-\	h) Catch evaluation		
	7)	Recommendations on run size, migration timing and MA		
√		a) PSC recommendations		PSC staff
		b) Canadian and/or U.S. recommendations		Panel
	-01	c) Panel decision		
	8)	Fisheries recommendations		5 1
		a) Canadian and U.S. proposals		Panel PSC staff
		b) Staff evaluation		PSC staff
		c) Canadian and U.S. evaluation d) Panel decision		Panel
	٥١	Assessments from other areas	5 min	PSC staff
	9)			
√	-	Other business: Pay fish memo	5 min	Panel
√	11)	Next FRP meeting and agenda	2 min	PSC staff/Panel
	12)	Next TC meeting:		PSC staff
√	13)	Data acknowledgements		

Legend: ☑ Content included in the distribution

☐ Not included in the distribution due to not relevant for this meeting or no (new) information


Date: Aug. 12, 2025


2025 Run status of Fraser sockeye and pink salmon

The information presented in this distribution has been prepared by PSC Secretariat staff and should be considered preliminary until reviewed by the Fraser River Panel

Week of: Aug. 10 - Aug. 16, 2025			Sockeye			Pink
		Total				
	E.Stuart	E.Summer	Summer	Late	Fraser	Fraser
Mission passage (inclds Pitt, Alouette, Coquitlam)	731,900	274,100	1,328,200	39,500	2,373,700	17,900
Catch downstream of Mission	3,900	13,200	152,900	17,000	187,000	16,000
Accounted Run To Date	735,800	287,300	1,481,100	56,500	2,560,700	33,800
Run size adopted in-season ¹	725,000	390,000	4,800,000	na	na	na
Run size forecasted pre-season	116,000	221,000	2,136,000	468,000	2,941,000	26,965,000
Area 20 timing adopted in-season	6-Jul	1-Aug	11-Aug	na	na	na
Area 20 timing expected pre-season	8-Jul	3-Aug	15-Aug	20-Aug	14-Aug	21-Aug
Johnstone Str. Diversion Rate			In-season 5	-day average	14%	14%
		Preseaso	on forecast of	annual rate:	64%	36%

¹ Run sizes are usually not adopted until after the peak of the run has passed through marine test fishery areas in Juan de Fuca and Johnstone straits.





2025 Catch-to-date by fishery

2025 Ca	tch-to-date by fishery			Date: Aug.	12, 2025
Week of	f: Aug. 10 - Aug. 16, 2025	Sock	eye	Pin	k
		Total	Fraser	Total	Fraser
Canada		182,015	176,734	58,884	15,150
	Commercial	0	0	0	0
	B Purse Seine	0	0	0	0
	H Troll	0	0	0	0
	First Nations	177,007	171,726	58,588	15,150
	Food, Social & Ceremonial (FSC)	177,007	171,726	58,588	15,150
	Marine	169,599	164,318	58,588	15,150
	Fraser R.	7,408	7,408	0	0
	Economic Opportunity (EO) & Demonstration (Demo)	0	0	0	0
	Single Stock FSC (SS FSC)	0	0	0	0
	Recreational	0	0	296	0
	Charter (Albion & A12 Chum test fishery)	254	254	0	0
	Other***	4,754	4,754	0	0
United St	rates	0	0	0	0
	Comme <mark>rcial</mark>	0	0	0	0
	Treaty Tribes (TRB)	0	0	0	0
	All Citizen (AC)	0	0	0	0
	Treaty Tribes Ceremonial & Subsistence (C&S)	0	0	0	0
	All Citizen Recreational	0	0	0	0
	Other***	0	0		
	Alaska *	na	na	na	na
	proved Test Fisheries	20,271	19,536	3,233	802
	Panel Waters	14,918	14,667	-	591
	Canada	14,174	13,937	· -	289
	U.S.	744	730		302
	Non-Panel Waters**	5,353	4,869		210
Total		202,286	196,270		
	Catch Seaward of Mission ***	192,981	186,965	-	15,952
(Catch Upstream of Mission	9,305	9,305	0	0

^{*} Alaska data are processed post-season and so are unavailable in-season.

^{**} Includes Qualark

^{***} All catches in marine areas and in the Fraser River downstream of Mission.

^{****} May include unauthorized directed retention or unauthorized bycatch retention in fisheries directed at other species

2025 Release Mortalities-to-date by fishery

lease mortalites are excluded from catch				g. 12, 2025	
/eek of: Aug. 10 - Aug. 16, 2025	Sockeye		Release n	-	
	Total	Fraser	Total	Fraser	
ada	1,737	1,737	44	44	
Commercial	0	0	0	(
B Purse Seine	0	0	0	(
H Troll	0	0	0	(
First Nations ****	1,663	1,663	40	40	
Food, Social & Ceremonial (FSC)	1,663	1,663	40	40	
Marine	0	0	0	(
Fraser R.	1,663	1,663	40	40	
Economic Opportunity (EO) & Demon:	0	0	0	(
Single Stock FSC (SS FSC)	0	0	0	(
Recreational	0	0	0	(
Charter (Albion & A12 Chum test fishery)	0	0	0	(
Other**	74	74	5	5	
ted States	0	0	0	C	
Commercial	0	0	0	C	
Treaty Tribes (TRB)	0	0	0	C	
All Citizen (AC)	0	0	0	(
Treaty Tribes Ceremonial & Subsistence (C&S)	0	0	0	(
All Citizen Recreational	0	0	0	(
Other**	0	0	0	(
Alaska *	na	na	na	na	
el-approved Test Fisheries	129,560	119,328	12522	11,953	
Panel Waters	129,559	119,327	12522	11,952	
Canada	124,782	119,327	12498	11,952	
U.S.	4,777	0	24	(
Non-Panel Waters	1	1	1	:	
al	131,297	121,065	12566	11,99	
Catch Seaward of Mission ***	129,559	119,327	12525	11,956	
Catch Upstream of Mission	1,721	1,721	41	4:	

^{*} Alaska does not report release mortalities

^{**}May include releases and release mortalities unauthorized directed retention or unauthorized bycatch retention in fisheries directed at other species

^{***} All releases and release mortalities in marine areas and in the Fraser River downstream of Mission.

^{****} As of Aug 7, these releases include 1,597 dipnet/rod and reel releases in a sanctioned Chinook fishery

				F	raser Sockey	re		Fras	er Pinks
		_	Early	Early					
			Stuart	Summer	Summer	Lates	Total		Total
	APEMENT NEEDS & AVAILABLE SURPLUS								
	Adopted In-season Run Size		725,000	390,000	4,800,000	468,000			26,965,0
Adult Spawnir	ng Escapement Target (SET)		580,000	195,000	2,400,000	346,500	3,521,500		8,089,5
	%SET from TAM rules		80%	50%	50%	74%			30
Management I	Adjustment (MA)		1,078,800	105,300	960,000	540,540	2,684,640		_
	Proportional MA (pMA)		1.86	0.54	0.40	1.56			0
	Adjusted Spawning Escapement Target (SET) *		725,000	300,300	3,360,000	468,000			8,089,5
Test Fishing (T			5,500	3,400	29,350	5,530	43,780	_	90,0
	Surplus above Adjusted SET & Test fishing		0	86,300	1,410,650	0	1,496,950		18,785,5
JCTIONS & TA	C FOR INTERNATIONAL SHARING								
Aboriginal Fisi	nery Exemption (AFE)		0	23,887	376,113	0	400,000		
Total Deductio	ns (Adj. SET + TF + Available AFE)		730,500	327,587	3,765,463	473,530	5,297,080		8,179,5
	Available TAC for International Sharing		0	62,413	1,034,537	0	1,096,950		18,785,5
ED STATES (W	/ashington) TAC								
	Proportionally Distributed TAC **	16.5%	0	10,300	170,700	0	181,000	25.7%	4,827,8
	U.S. Payback **	-0.2%	0	-140	-2,250	0	-2,390		
Proportionally	Distributed TAC + Payback		0	10,160	168,450	0	178,610		4,827,8
	Treaty Tribes Share **	67.7%	0	6,830	113,310	0	120,140	50.0%	2,413,9
	All Citizen Share	32.3%	0	3,330	55,140	0	58,470	50.0%	2,413,9
ADA TAC									
	Aboriginal Fishery Exemption (AFE)		0	23,887	376.113	0	400,000		
Canadian TAC			0	76,140	1,242,200	0	,		13,957,6
CH-TO-DATE				<u> </u>			, ,		
Test			5,310	2,010	11,620	590	19,540		8
	Treaty Tribes (Wash.) / Ceremonial (TRB)		0	0	0	0	0		
	All Citizen (Wash.)		0	0	0	0	0		
	Other (Wash.)***		0	0	0	0	0		
Washington			0	0	0	0	0		
	First Nations Catch (including AFE)		790	11,560	142,970	16,400	171,730		15,1
	Planned Charter & Recreational Shares		60	30	160	7	254	0	
	Other***		2,650	720	1,380	0	4,750	0	
	Total Commercial (including FN EO/Demo****)		0	0	0	0	0	0	
Canada			3,500	12,310	144,510	16,410	176,730		15,1
Total Catch in	All Fisheries		8,810	14,320	156,130	17,000	196,270		15,9
	Exploitation Rate (catch-to-date / run size)		1.2%	3.7%	3.3%	3.6%	3.1%		0.
Fisheries induc	ced mortalities (Canada, U.S. & TF)		77	692	9,794	1,434	11,997		
	Exploit. Rate with fishery-induced mortality included		1.2%	3.8%	3.5%	3.9%	3.3%		
CH REMAINING	G (BALANCE)								
Washington			0	10,160	168,450	0	178,610		4,827,
Canada			-3,500	63,830	1,097,690	-16,410	1,141,610		13,942,
			2,000	,					,,_

 $^{^{\}star}$ The adjusted SET is the lesser of the run size or the sum of the MA + TAM - defined SET.

Sockeye: 16.5% of the TAC - payback (maximum of 5% of share).

Pink: 25.7% of the TAC - payback (maximum of 5% of share)

Maxine Forrest File code: 6600 PSC TAC 10:05 AM 2025-08-12 4/4

^{**} Washington sockeye and pink shares according to Annex IV of the Pacific Salmon Treaty.

^{***} May include unauthorized directed retention or unauthorized bycatch retention in fisheries directed at other species.

^{****} EO = FN Economic Opportunity fisheries; Demo = FN Demonstration fisheries.

5a_Test Fishing & Escapement Summary_Sockeye

2025 Fraser Sockeye Test Fishing & Escapement Summary

	Johnstone Strait	Juan de Fuca Strait						Fra	aser River			
Area/Gear Location From A20	A12 PS Blinkhorn (-1 day)	A20 PS Port Renfrew (0 days)	A7 RN ¹ San Juan Is (+3 days)	A29-17 GN Brownsville Bar (+5 days)	A29-16 GN Whonnock (+6 days)	Whon CPUE Estimate (+6 days)	GN Catch (+8 days)	Qualark Estimate ²	Method ³	Missio Estimate ⁴ (+6 days)	n Hydroacoustics Method ^S	Hells Gate Estimates ⁶ (+10 days)
22-Jul				17	17	1.56	57	16,765	RB + LB	22,200	A1+M2+A2	15,390
23-Jul				24	18	1.63	61	20,134	RB + LB	15,600	A1+M2+A2	11,990
24-Jul	850 (5 sets)			29	13	1.22	69	21,005	RB + LB	15,900	A1+M2+A2	16,040
25-Jul	35 (5 sets)	1,612		86	36	3.18	48	17,172	RB + LB	21,100	A1+M2+A2	9,180
26-Jul	1,180	1,624		105	71	5.81	34	14,801	RB + LB	29,800	A1+M2+A2	2,920
27-Jul	1,159	1,252		125	58	4.80	30	16,386	RB + LB	40,100	A1+M2+A2	430
28-Jul	8,530	142 (5 sets)		112	120	9.55	53	24,694	RB + LB	56,600	A1+M2+A2	570
29-Jul	7,240	791		157	14	1.27	48	35,144	RB + LB	68,400	A1+M2+A2	No Count
30-Jul	7,847	494		241	11	1.05	74	50,854	RB + LB	70,100	A1+M2+A2	5,030
31-Jul	15,310	1,592		218	8	0.75	83	62,386	RB + LB	78,400	A1+M2+A2	6,430
1-Aug	2,384	3,000		244	53	4.16	79	62,707	RB + LB	75,700	A1+M2+A2	No Count
2-Aug	5,140	1,214		435	78	6.25	64	58,059	RB + LB	65,100	A1+M2+A2	53,570
3-Aug	4519 (5 sets)	973		490	96	7.57	68	53,426	RB + LB	77,300	A1+M2+A2	60,260
4-Aug	2,530	961		289	214	17.12	100	72,384	RB + LB	132,600	A1+M2+A2	34,070
5-Aug	1 (2 sets)	1,377		147	210	16.80	54	55,497	RB + LB	149,900	A1+M2+A2	No Count
6-Aug	913	1,080		137	210	16.80	120	122,031	RB + LB	127,600	A1+M2+A2	No Count
7-Aug	1,312	5,420		167	397	31.76	165	134,398	RB + LB	226,700	A1+M2+A2	109,740
8-Aug	2,265	6,422	1,645	316	209	16.72	105	104,085	RB + LB	110,300	A1+M2+A2	78,090
9-Aug	8,274	8,195	1,097	106	114	9.12	116	113,425	RB + LB	102,200	A1+M2+A2	No Count
10-Aug	4782 (4 sets)	15,810	2,035	210	127	10.16	74	71,850	RB + LB	100,900	A1+M2+A2	45,300
11-Aug	8,176	15060 (5 sets)		212	200	16.00	54			93,200	A1+M2+A2	No Count
12-Aug												
13-Aug												

<sup>Qualark source:


RB + LB = Right-bank (RB) & Left-bank (LB)


Mission escapement estimate - does not include Pitt

Mission Source:

A1+S1+M+A2 = Left-bank ARIS (A1) + Mobile ARIS (M2) + Right-bank ARIS (A2)</sup>

 $^{^{\}rm 6}$ Daily Hells Gate abundance estimate; actual daily count has been expanded.






2025 Fraser Pink Test Fishing & Escapement Summary

	Johnstone Strait	Juan de Fuc	a Strait					Fraser	River			
Area/Gear	A12 PS	A20 PS	A7 RN ¹	A29-17 GN	A29-16 GN	Whon CPUE		Qualark		Mission H	ydroacoustics	Hell's Gate
Location	Blinkhorn	Port Renfrew	San Juan Is	Brownsville Bar	Whonnock	Estimate	GN Catch	Estimate	Method ²	Estimate	Method ³	Estimates ⁴
From A20	(- 2 days)	(0 days)										
22-Jul				0	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
23-Jul				0	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
24-Jul	2492 (5 sets)			0	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
25-Jul	92 (5 sets)	257		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
26-Jul	1,014	86		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
27-Jul	1,923	117		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	4,380
28-Jul	4,890	309		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	7,480
29-Jul	6,224	313		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	No Count
30-Jul	7,502	145		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	1,390
31-Jul	11,911	5,774		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	20,030
1-Aug	6,384	8,265		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	No Count
2-Aug	5,130	10,680		0	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
3-Aug	3642 (5 sets)	12,115		2	0	0.00	0	0	RB + LB	0	A1+M2+A2	0
4-Aug	3,201	4,681		0	1	0.08	0	0	RB + LB	2,020	A1+M2+A2	0
5-Aug	173 (2 sets)	10.427		1	0	0.00	0	0	RB + LB	2,020	A1+M2+A2	No Count
6-Aug		2,956		0	0	0.00	0	0	RB + LB	3,030	A1+M2+A2	No Count
7-Aug		25,344		1	0	0.00	0	0	RB + LB	1,010	A1+M2+A2	0
8-Aug	8,620	21,315	870	0	0	0.00	0	0	RB + LB	2,020	A1+M2+A2	0
9-Aug		6,655	411	0	0	0.00	0	0	RB + LB	1,010	A1+M2+A2	No Count
10-Aug	-,	17,420	658	0	1	0.08	0	0	RB + LB	1,010	A1+M2+A2	0
11-Aug		18100 (5 sets)	030	1	2	0.16	0	J		5,730	A1+M2+A2	No Count
12-Aug		10100 (2 26(2)		1	2	0.10	U			3,730	AT-IVIZTAZ	NO COUNT
13-Aug												

¹ Area 7 Reefnet test fishery is for observation of fish presence and species composition. No fish are retained. Vessels are operating at two observation sites.

 $^{^{\}rm 4}$ Daily Hells Gate abundance estimate; actual daily count has been expanded.



12/08/2025 9:58 AM Pink CPUE Summary

² Qualark source: RB + LB = Right-bank (RB) + Left-bank (LB)

³ Mission source: A1+M2+A2 = Left bank ARIS (A1) + Mobile ARIS (M2) + Right bank ARIS (A2)

2025


Year:


5b. Comparison of predictions from Mission to Qualark

Date: 12-Aug-25

Time: 9:45 AM

		`	
			*Common
		All Days	Days
Mission pr	ojection	2,297,882	2,009,946
Qualark e	stimate	1,660,993	1,651,349
		Difference	358,596
		%Difference	18%





5d. Fraser River Sockeye Salmon Stock identification Review

Recent stock composition estimates for sockeye salmon

	· · · · · · · · · · · · · · · · · · ·		· · ·							Fras	er-only St	tock Pro	portions	by Repo	orting Gr	oup ⁴ (%)					Age (%)
						Early Stuart		Ea	ırly Sumı	ner		Summer						Lat	e		Overall Stocks
								Pitt	Nadina Bowron Gates		Early	Harri-			Raft		Birken-				
	Fishing			Sample				Alouette	Nahat-	Early	Summer	son	Late	Chilko	North	Summer	head	Late		Late	
1	2		_ 3			Early	Chilli-	Coquit-	latch	Thomp-	sub-	Widg-	Stuart	Ques-	Thomp-		Big	Shuswap		sub-	
Area/Gear ¹	Sector ²	Date	Type ³	Size (n)	%Fraser	Stuart	wack	lam	Taseko	son	total	eon	Stellako	nel	son	total	Silver	Portage	Cultus	total	Age-4 ₂
Johnstone S				00	070/	00/			20/	F0/	7%	40/	F20/	200/		83%	60/	40/	3%	9%	NIA
A13 ps	fsc	Aug 1	DNA	89	97%	0%			2%	5%		1%	52%	30%	4.0/		6% 3%	1%	3%		NA 070/
A12 ps	tf	Aug 4	DNA	99	98%	0%		40/	3%	4%	7%	2%	57%	30%	1%	90%		40/	400/	3%	97%
A12 ps	tf	Aug 8	DNA	100	96%	0%		1%	3%	3%	7%		29%	43%	4%	76%	5%	1%	10%	16%	94%
A12 ps		Aug 13	Prediction	1	98%	0%			2%	2%	4%	1%	26%	55%	3%	84%	4%	1%	7%	12%	NA
Juan de Fuc	a Strait & W		& Other																		
A20 ps	tf	Aug 6	DNA	100	100%	0%			2%	4%	6%	2%	33%	51%		86%	5%	2%	1%	8%	97%
A20 ps	tf	Aug 8	DNA	93	100%	0%			2%	1%	3%		42%	34%	1%	77%	6%	8%	7%	20%	99%
A20 ps	tf	Aug 10	DNA	100	100%	0%			1%	1%	2%	3%	34%	56%	2%	96%	2%			2%	95%
																					L
A20 ps		Aug 13	Prediction	1	100%	0%			3%	2%	5%	2%	27%	53%	2%	83%	4%	4%	4%	12%	NA
In-river										101		101		1001			101			407	
AB gn	tf	Aug5-6	DNA	100	100%	0%			5%	4%	9%	1%	36%	49%	1%	87%	4%	40/	40/	4%	99%
AB gn	tf	Aug9-10	DNA	99	100%	0%			7%	4%	11%		31%	51%	1%	83%	4%	1%	1%	6%	NA
BB gn	tf	Aug 7	DNA	50	100%	0%			12%	10%	22%	1%	36%	40%		76%	2%			2%	NA
BB gn	tf	Aug8-9	DNA	100	100%	0%			4%	5%	9%		40%	49%	1%	91%				0%	98%

2025 Fraser River Pink Salmon Stock identification Review

Recent stock composition estimates for pink salmon

	Fishing			Sample	DNA	% Estimates by 0	Group
							Canada
Area/Gear ¹	Sector ²	Date	Type ³	Size (n)	Fraser River	Washington	South Coast
Johnstone S	trait						
A13 PS	fsc	Aug2	DNA	94	28%	4%	68%
A12 PS	tf	Aug5-6	DNA	97	11%	29%	60%
A12		Aug14	Prediction	1	52%	20%	28%
Juan de Fuc	a Strait						
A20 PS	tf	Jul31	DNA	94	18%	53%	28%
A20 PS	tf	Aug7	DNA	98	56%	26%	18%
A20		Aug14	Prediction	1	56%	33%	11%
Washington							
A7		Aug14	Prediction	1	51%	19%	30%
A7A		Aug14	Prediction	1	49%	15%	36%

Notes for sockeye and pink tables:

¹ BB GN=29_13 (Brownsville), AT = Alaska Twist, AB GN=29_16 (Whonnock), MA FW=Matsqui Fish Wheel, QU GN=Qualark

² TF=sample from test fishery catch, CM=sample from commercial catch, C&S=ceremonial & subsistence catch, FSC=food, social,

& ceremonial catch, rec= recreational catch

³ Predictions for sockeye are multinomial extrapolations of current year data to 5 days after the last observation; Predictions for pink salmon are projections of stock compositions based on historic and current data

⁴ Further information relating stock group descriptions to spawning ground locations and population definitions can be found at http://www.psc.org/FRPWeb/Escapement/PSC_Fraser_Sockeye_ Stock_Group_Definitions.pdf


Results in grey text have been presented to the Panel previously

Fraser River Environmental Report for August 11, 2025

Observed Fraser River Temperature at Qualark for 11-Aug	20.7°C
Average (1991-2020) Historical Temperature on this day	18.5°C
Deviation from Average	2.2°C
Forecast Temperature for 17-Aug-25	20.2°C
The forecast in Kamloops and Prince George is for variable temperature forecast period.	through the

Observed Fraser River Discharge	e at Hope for 11-Aug	2348 m ³ ·s ⁻¹					
Average (1991-2020) Historical	Discharge on this day	3491 m ³ ·s ⁻¹					
% above or below Historical Dis	charge	-33%					
Forecast Discharge for	17-Aug-25	2006 m ³ ·s ⁻¹					
The forecast in Kamloops and Prince George is for 6 mm and 30 mm precipitation,							

respectively.



Temperature Legend


- Mean Temp (1991-2020)
- Min Temp (1991-2020)
- Max Temp (1991-2020)
- Opt. T of stock group*
- Upper T range of stock group**


Discharge Legend

- Mean Dis (1991-2020)
- Min Dis (1991-2020)
- E.Stuart Threshold (m3 · s-1)i
- E.Summer Threshold (m³ · s⁻¹)ⁱⁱ

Run timing bars represent a 31 day spread of the run centered around the Hell's Gate date. Hell's gate timing is 5 days from Mission for Early Stuart and Late run; and 4 days from Mission for Early Summer and Summer run.'pMA is the proportional increase to spawning escapement targets to help ensure targets are achieved."%DBE is %difference between estimates of potential spawning escapement and spawning escapement.*This is the optimum temp for aerobic swimming - Toot (Eliason et al. (2011). Science 332: 109-112)**This is the upper range of the optimum temp for aerobic swimming - T_{peius}. Discharge threshold of 8000cms for Early Stuart from Macdonald (2000). Can. Tech. Rep. Fish. Aquat. Sci. 2315: 120p. "Discharge threshold of 6500cms for Early Summer run from Macdonald et al. (2010). Trans. Am. Fish. Soc. 139: 768-782. 19 days of T & Q data are required to calculate a pMA - 15 days before the Hell's Gate Date and 3 days after. MA estimates can be calculated 4 days after the Area 20 date.

Summer run pDBE Forecast and Sensitivity Analysis for August 12, 2025







- 1			d on the Retrospec	tive of the "In-		Best if Temp ≤	•		
	season pDBE	Method"			Current Adopted	19.4 °C Pre-season T&O Model	> 19.4 °C Median of high Temp (>19.4 °C) years	All-Years Median (1977-2024)	Current 19- day Model Predictions
		Hells Gate	Average	Average	7.000		Predicted	(2011 202 1)	Predicted
	Area 20 Date	Date	Temperature ^o C	Discharge m ³ /s	pDBE	Predicted pDBE	pDBE	Predicted pDBE	pDBE
	08-Aug	19-Aug	20.4	2255	-0.22	-0.22	-0.35	-0.08	-0.51
	09-Aug	20-Aug	20.3	2238	-0.22	-0.22	-0.35	-0.08	-0.49
Į	10-Aug	21-Aug	20.1	2218	-0.22	-0.22	-0.35	-0.08	-0.47
*	11-Aug	22-Aug	20.0	2197	-0.22	-0.22	-0.35	-0.08	-0.45
Ĩ	Implied pMA								
*	11-Aug	22-Aug	20.0	2197	0.28	0.28	0.54	0.09	0.82


^{*}Currently adopted timing with 5 day of observed, 9 days of forecasted and 5 days of the +1 std Temp data.








	Current Temperatures				
Map #	10-Aug	Daily Mean	Historic Mean	Deviation from Historical Mean	Historic Year Range
	Fraser River Mainstem				
1	Fraser River @ Qualark	20.4	18.6	1.8	1991-2020
2	Fraser River @ Texas Creek	na	18.6	na	2006-2024
3	Fraser River @ Marguerite	18.9	18.6	0.3	2015-2024
4	Upper Fraser @ Shelley	na	15.3	na	1994-2024
	Fraser River Tributaries				
5	Thompson R. @ Ashcroft	20.1	18.4	1.7	1995-2024
6	South Thompson @ Chase	22.1	19.4	2.7	1994-2024
7	North Thompson @ McLure	17.8	15.8	2.0	2006-2023
8	Quesnel R. @ Quesnel	18.2	17.1	1.1	2000-2024
9	Nechako R. @ Isle Pierre	18.9	19.0	-0.1	2006-2024
10	Stuart R. @ Ft. St. James	19.5	18.6	0.9	2000-2024




6a. 2025 Fraser River sockeye salmon daily migration




Date: 2025-08-12, Time: 09:56 DB

6a. 2025 Fraser River sockeye salmon daily migration



Date: 2025-08-12, Time: 09:56 DB

6a. 2025 Fraser River sockeye salmon daily migration




Current date: 12-Aug

6b. 2025 Fraser River sockeye abundance en-route to Mission

	Escapement		Project	ed abundan	ce en route	to Mission	based on m	arine test fis	hery data ^{1,2}		Escapement +
Area 20 date	past Mission	06-Aug	07-Aug	08-Aug	09-Aug	10-Aug	11-Aug	Total	80)% Pl ³	projections
Mission date	through 11-Aug	12-Aug	13-Aug	14-Aug	15-Aug	16-Aug	17-Aug	Total	10p	90p	through 17-Aug
Total Fraser	2,373,800	67,300	130,100	150,900	191,300	459,600	537,400	1,536,600	926,100	2,271,400	3,910,400
Early Stuart	731,900	0	0	0	0	0	0	0	0	0	731,900
Early Summer Run	274,200	4,300	9,900	7,000	9,100	18,100	44,700	93,100	45,600	192,700	367,300
Chilliwack	4,300	0	0	0	0	0	0	0	0	0	4,300
Pitt/Alouette/Coquitlam	12,600	100	0	0	200	0	0	300	100	600	12,900
Nadina group ⁴	150,100	1,600	4,700	5,600	5,800	8,800	26,300	52,800	25,900	109,300	202,900
Early Thompson ⁵	107,200	2,600	5,200	1,400	3,100	9,300	18,400	40,000	19,600	82,800	147,200
Summer Run	1,328,200	57,900	102,400	112,400	161,000	427,200	434,700	1,295,600	790,300	1,865,700	2,623,800
Harrison / Widgeon ²	22,600	1,100	1,100	0	3,200	14,100	7,500	27,000	16,500	38,900	49,600
Late Stuart / Stellako	640,000	25,600	47,100	61,800	70,900	154,500	159,400	519,300	316,800	747,800	1,159,300
Chilko	586,200	29,000	48,800	40,500	70,800	213,800	220,400	623,300	380,200	897,600	1,209,500
Quesnel	69,400	1,800	4,900	8,700	13,200	35,400	38,600	102,600	62,600	147,700	172,000
Raft / North Thompson	10,000	400	500	1,400	2,900	9,400	8,800	23,400	14,300	33,700	33,400
Late Run	39,500	5,100	17,800	31,500	21,200	14,300	58,000	147,900	90,200	213,000	187,400
Birkenhead / Big Silver	30,800	3,100	6,700	8,600	7,200	10,400	22,200	58,200	35,500	83,800	89,000
Late Shuswap / Portage ²	5,100	800	6,100	12,100	7,300	300	16,100	42,700	26,000	61,500	47,800
Weaver / Cultus ²	3,600	1,200	5,000	10,800	6,700	3,600	19,700	47,000	28,700	67,700	50,600

¹ En route catches are incomplete: catches from present and future fisheries must be deducted from projections and added to the catches removed

6c. 2025 Fraser River sockeye diversion rates through Johnstone Strait



² Projected abundances en route to Mission include Harrison and Late runs, an uncertain number of which are expected to delay


³ 80% Probabability Interval: there exists an 80% chance that the true abundance lies within this interval

⁴ Nadina / Bowron / Gates / Nahatlatch / Taseko

⁵ Early South Thompson / North Barriere

2025 Fraser River Pink salmon diversion rates through Johnstone Strait

	5-day-average
Fraser pink salmon	14%



6e Fraser River run size and timing estimates

The information presented on this page has been prepared by PSC Secretariat Staff. All in-season estimates of run size and timing should be considered draft preliminary estimates unless adopted by the Fraser River Panel.

Preseason forecasts, inseason estimates, and official estimates of run size and associated timing

				Ru	n Size				Run Size Co	omponents				Run	Γiming¹		
	Inseason Adopted	Preseason Forecast		nseason estimate	Inseason	80% PIs ²	Method	Catch + Escapement	6-day Projection ³	Seaward Abundance	Migration Delay	Inseason Adopted	Preseason Forecast	Inseason estimate	Inseason	80% PIs²	Method
	Adopted	Torecase		- stillate	10% PI	90% PI		Escapement	Trojection	Abdituance	Delay	Adopted	Torecase	estimate	10% PI	90% PI	
Total Fraser sockeye		2,941,000	\Q	5,818,000	3,813,000	10,042,000	Sum	2,560,000	1,205,000	1,995,000	58,000		14-Aug				
Early Stuart Run	725,000	116,000	~	736,000	736,000	736,000	Recon	736,000	0	0	0	06-Jul	08-Jul	06-Jul	06-Jul	06-Jul	50% Date
Early Summer Run	390,000	221,000		425,000	331,000	537,000	Sum	287,000	71,000	67,000	0	01-Aug	03-Aug	01-Aug	30-Jul	15-Aug	50% Date
Chilliwack		15,000	~	4,000	4,000	4,000	Recon	4,000	0	0	0		18-Jul	21-Jul	21-Jul	21-Jul	50% Date
Nadina Group⁴		80,000		210,000	176,000	244,000	Recon(2)	156,000	31,000	23,000	0		31-Jul	31-Jul	29-Jul	08-Aug	50% Date
Pitt/Alouette/Coquitlam		46,000		18,000	14,000	26,000	Recon(2)	13,000	3,000	2,000	0		04-Aug	31-Jul	30-Jul	31-Jul	50% Date
Early Thompson⁵		80,000		193,000	137,000	263,000	Recon(2)	114,000	37,000	42,000	0		07-Aug	02-Aug	01-Aug	10-Aug	50% Date
Summer Run	4,800,000	2,136,000	♦	4,053,000	2,518,000	6,695,000	Sum	1,481,000	985,000	1,587,000	0	11-Aug	15-Aug	10-Aug	07-Aug	24-Aug	50% Date
Harrison / Widgeon		46,000	♦	58,000	32,000	107,000	Model	25,000	27,000	6,000	0		09-Aug	06-Aug	02-Aug	12-Aug	Model
Late Stuart / Stellako		889,000	\Diamond	2,083,000	1,452,000	3,550,000	Model	716,000	519,000	848,000	0		14-Aug	12-Aug	08-Aug	16-Aug	Model
Chilko/Quesnel		1,188,000	\Diamond	1,880,000	1,025,000	2,927,000	Recon(2)	741,000	421,000	718,000	0		15-Aug	09-Aug	06-Aug	13-Aug	Model
Raft / North Thompson		14,000	\Diamond	32,000	14,000	111,000	p75 Forecast	14,000	18,000	0	0		23-Aug	23-Aug	16-Aug	30-Aug	p75 Forecast
Late Run	NA	468,000	♦	604,000	228,000	2,074,000	Sum	56,000	149,000	341,000	58,000	NA	20-Aug	18-Aug	12-Aug	27-Aug	Weight
Birkenhead Group		97,000	♦	233,000	131,000	573,000	Model	38,000	59,000	136,000	0		21-Aug	16-Aug	12-Aug	21-Aug	Model
L.Shuswap / Weaver Gr.		371,000	\Diamond	371,000	97,000	1,501,000	p50 Forecast	18,000	90,000	205,000	58,000		20-Aug	20-Aug	12-Aug	29-Aug	p50 Forecast

¹ Run timing refers to the date when 50% of the run migrated past the Area 20 reference point.

 2 80% Probability Interval: there exists an 80% chance that the true abundance lies within this interval

³ Normally based on test fishery data. Based on Model if Method = Recon(2).

⁴ Nadina / Bowron / Gates / Nahatlatch / Taseko.

⁵ Early South Thompson / North Barriere.

Methods for run size & timing estimation

p75 forecast Preseason forecast level

Model Run size assessment model (median)

Recon Catch + escapement + 6-day test fish projection + model seaward projection

Recon(2) Catch + escapement + model projections

50% Date Double the reconstructed abundance observed at the assumed 50% date

Sum Sum of individual groups
Weight Weighted average of individual groups

Run Size Uncertainty Legend[†]


≥ 95% of the run size has been accounted for in catch + escapement. The CV associated with the run size is < 5%. Clear indication of run size; minor run size updates still expected

≥ 70% of the run size has been accounted for in catch + escapement. The CV associated with the run size is < 20%. Good indication of run size; peak fo the run has been observed at Mission, uncertainty relates to 6 day projection and seaward abundance

≥ 50% of the run size has been accounted for in catch + escapement. The CV associated with the run size is < 35%. Decent indication of run size.

< 50% of the run size has been accounted for in catch + escapement. The CV associated with the run size can be as high as 80%. Uncertain or early indication of run size based on marine data</p>

† The **Run Size Uncertainty Indicator** is a categorical indication of the degree of uncertainty present in the run size estimate. Estimates are categorized quantitatively based on the proportion of the run that has been accounted for with high certainty in catch + escapement.



Dashed lines: Blue = All years, excl. 2024 cycle median of Aug-10 Black = 2024 cycle-line median of Aug-01 Red = Pre-season predicted timing of Aug-15


Summer run size based on timing

Catch+Escapement To Date: 6-day Projection:	1,481,000 985,000		
	Method	Run Size*	% Seaward of
			Mission
Based on timing of 08-Aug	50% Date	3,437,000	57%
Based on timing of 09-Aug	50% Date	3,805,000	61%
Based on timing of 10-Aug	50% Date	4,690,000	68%
Based on timing of 11-Aug	50% Date	5,559,000	73%
Based on timing of 12-Aug	% Seaward	6,442,000	77%

^{*}Based on % seaward in 2013, 2017 and 2021 if timing is later than 11-Aug *Equal to double the reconstructed abundance if timing is earlier than 12-Aug

Run size forecasts by management group

Run size foreca	Run size forecasts by management group									
Management Group p10 p25 p50 p75 p90										
Early Stuart Run	42,000	72,000	116,000	202,000	319,000					
Early Summer Run	55,000	103,000	221,000	448,000	820,000					
Summer Run	522,000	991,000	2,136,000	4,749,000	10,003,000					
Late Run	118,000	238,000	468,000	994,000	1,996,000					
Pink Salmon Run	12,585,000	17,738,000	26,965,000	39,168,000	57,854,000					



Blue = All years, excl. 2024 cycle median of Aug-16 Black = 2024 cycle-line median of Aug-07 Red = Pre-season predicted timing of Aug-20

6g. Comparisons for Fishing Decisions: Based on Information Available on Tuesday August 12, 2025

Based on the p75 planning model scenario

Compare observed reconstructions of abundance and stock ID to the modelled expectations up until the specified Area 20 dates to determine if observed values are consistent with pre-season conditions used for fisheries planning.


					onstructed dance	Reconstructe	ed Stock ID %	
		Assumed A20	Days offset from	Area 20	Mission	A20	A12	Int'l TAC
		50% Date	nre-season		Cumulative Through: 11-Aug		Last A20 Sample: 10-Aug	
	Pre-Season Model Expectations	03-Aug	0	352,822	266,222	6%	7%	75,732
Early Summer	Current Timing Assumption	01-Aug	-2	375,661	297,353	5%	5%	
Early Sulfiller		31-Jul	-3	385,669	312,239	5%	5%	
		02-Aug	-1	364,702	281,971	6%	6%	
	Reconstructions (compare to mod	el expectations)		380,350	280,477	2%	4%	62,400
	Pre-Season Model Expectations	15-Aug	0	1,799,989	866,719	80%	83%	1,304,136
Summer	Current Timing Assumption	11-Aug	-4	2,546,381	1,452,754	78%	82%	
Garriner		09-Aug	-6	2,916,603	1,799,989	78%	81%	
		12-Aug	-3	2,357,718	1,291,108	79%	83%	
	Reconstructions (compare to mod	el expectations)		2,776,429	1,397,711	96%	86%	1,034,500
	Pre-Season Model Expectations	20-Aug	0	181,811	61,486	14%	10%	
Lates	Current Timing Assumption	20-Aug	0	181,811	61,486	14%	10%	
Lates		18-Aug	-2	243,244	91,510	16%	12%	
		17-Aug	-3	277,873	110,118	17%	13%	
	Reconstructions (compare to mod	el expectations)		268,507		2%	11%	


Late

Black = 2024 cycle-line median of Aug-01

Red = Pre-season predicted timing of Aug-15

Historical 50% migration date (n = 42)





Dashed lines:

2024 cycle

All years, excl. 2024 cycle

Black = 2024 cycle-line median of Aug-07

Red = Pre-season predicted timing of Aug-20

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

		Total Fras	Total Fraser Sockeye Catch			Cate	ch by Manago	ement Gro	up
	Number of	Total Catch	Prediction Intervals			Early Stuart	Early Summer	Summer	Late
	Days		10%	90%					
Fisheries In-progress		79,336	34,437	160,547		0	4,631	68,781	5,923
Potential Additional Fisheries									
Area 4B, 5, 6C - Treaty Tribes - Gillnet	3	922	600	2,001		0	36	697	188
Area 6, 7, 7A - Treaty Tribes - Purse Seine	2	42,831	19,181	78,831		0	2,157	33,058	7,616
Area 6, 7, 7A - Treaty Tribes - Gillnet	2	59,307	26,432	108,050		0	2,988	45,783	10,536
Area 6, 7, 7A - All Citizen - Purse Seine	1	10,845	3,390	21,414		0	453	7,505	2,887
Area 6, 7, 7A - All Citizen - Gillnet	1	5,440	1,703	10,774		0	227	3,765	1,448
Area 7 - All Citizen - Reefnet	2	5,063	530	29,556		0	227	3,670	1,167
Total (excluding fisheries in-progress) ²	1	124,408	51,836	250,626		0	6,088	94,478	23,842
Total (including fisheries in-progress) ²		203,744	86,273	411,173		0	10,719	163,259	29,765

¹ The total prediction intervals in this table are calculated by adding together the prediction intervals from each fishery's catch estimate. However, this total should be interpreted very cautiously—adding prediction intervals in this way does not provide a statistically reliable measure of uncertainty.

6h. Fishery Catch Evaluation 12/08/2025

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

Fishery: Area 4B/5/6C - Treaty Tribes - Gillnet

Dates: Thursday August 14 to Saturday August 16

Effort: 5

Daily Catch Estimate

A total of 922 Fraser Sockeye are expected to be retained with an 80% prediction interval of 600 - 2,001.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 14	331	0	14	254	63
Aug 15	307	0	12	232	63
Aug 16	283	0	10	211	62
Total	922	0	36	697	188

Abundances in Fishing Area

The following table shows the estimated abundances as well as the management group proportions in the area during the potential fishery dates.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 14	57,433	0%	4.2%	77%	19%
Aug 15	53,321	0%	3.9%	76%	20%
Aug 16	49,070	0%	3.6%	74%	22%
Total	159,823	0%	3.9%	76%	20%

Estimated abundances may be based on test fishing or run size model projections. The method chosen is consistent with those used for run size estimation, so refer to the run size table (item 6e) for more information.

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

Fishery: Area 6/7/7A - All Citizen - Gillnet

Dates: Saturday August 16 to Saturday August 16

Effort: 15

Daily Catch Estimate

A total of 5,440 Fraser Sockeye are expected to be retained with an 80% prediction interval of 1,703 - 10,774.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 16	5,440	0	227	3,765	1,448
Total	5,440	0	227	3,765	1,448

Abundances in Fishing Area

The following table shows the estimated abundances as well as the management group proportions in the area during the potential fishery dates.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 16	354,575	0%	4%	70%	26%
Total	354,575	0%	4%	70%	26%

Estimated abundances may be based on test fishing or run size model projections. The method chosen is consistent with those used for run size estimation, so refer to the run size table (item 6e) for more information.

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

Fishery: Area 6/7/7A - Treaty Tribes - Gillnet

Dates: Thursday August 14 to Friday August 15

Effort: 70

Daily Catch Estimate

A total of 59,307 Fraser Sockeye are expected to be retained with an 80% prediction interval of 26,432 - 108,050.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 14	30,326	0	1,603	23,960	4,762
Aug 15	28,981	0	1,384	1,384 21,823	5,774
Total	59,307	0	2,988	45,783	10,536

Abundances in Fishing Area

The following table shows the estimated abundances as well as the management group proportions in the area during the potential fishery dates.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 14	437,213	0%	5.2%	79%	16%
Aug 15	398,747	0%	4.7%	75%	20%
Total	835,960	0%	5.0%	77%	$\overline{18\%}$

Estimated abundances may be based on test fishing or run size model projections. The method chosen is consistent with those used for run size estimation, so refer to the run size table (item 6e) for more information.

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

Fishery: Area 6/7/7A - All Citizen - Purse Seine

Dates: Saturday August 16 to Saturday August 16

Effort: 6

Daily Catch Estimate

A total of 10,845 Fraser Sockeye are expected to be retained with an 80% prediction interval of 3,390 - 21,414.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 16	10,845	0	453	7,505	2,887
Total	10,845	0	453	7,505	2,887

Abundances in Fishing Area

The following table shows the estimated abundances as well as the management group proportions in the area during the potential fishery dates.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 16	352,651	0%	4%	70%	26%
Total	352,651	0%	4%	70%	26%

Estimated abundances may be based on test fishing or run size model projections. The method chosen is consistent with those used for run size estimation, so refer to the run size table (item 6e) for more information.

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

Fishery: Area 6/7/7A - Treaty Tribes - Purse Seine

Dates: Thursday August 14 to Friday August 15

Effort: 10

Daily Catch Estimate

A total of 42,831 Fraser Sockeye are expected to be retained with an 80% prediction interval of 19,181 - 78,831.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 14	21,782	0	1,151	17,207	3,424
Aug 15	21,050	0	1,006	15,851	4,192
Total	42,831	0	2,157	33,058	7,616

Abundances in Fishing Area

The following table shows the estimated abundances as well as the management group proportions in the area during the potential fishery dates.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 14	441,275	0%	5.2%	79%	16%
Aug 15	410,484	0%	4.7%	75%	20%
Total	851,759	0%	5.0%	77%	18%

Estimated abundances may be based on test fishing or run size model projections. The method chosen is consistent with those used for run size estimation, so refer to the run size table (item 6e) for more information.

The following is not associated with an official fishery proposal. The information contained on these pages is for informational purposes only.

Fishery: Area 7 - All Citizen - Reefnet

Dates: Friday August 15 to Saturday August 16

Effort: 10

Daily Catch Estimate

A total of 5,063 Fraser Sockeye are expected to be retained with an 80% prediction interval of 530 - 29,556.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 15	2,849	0	133	2,117	599
Aug 16	2,214	0	93	1,553	568
Total	5,063	0	227	3,670	1,167

Abundances in Fishing Area

The following table shows the estimated abundances as well as the management group proportions in the area during the potential fishery dates.

Date	Fraser Sockeye	Early Stuart	Early Summer	Summer	Late
Aug 15	331,335	0%	4.7%	74%	21%
Aug 16	257,430	0%	4.2%	70%	26%
Total	588,766	0%	4.5%	72%	23%

Estimated abundances may be based on test fishing or run size model projections. The method chosen is consistent with those used for run size estimation, so refer to the run size table (item 6e) for more information.

7a Recommendations on Run Size, Timing, and MA

The following table presents the run size recommendations from PSC staff. These numbers may deviate from the model derived run size estimates as additional consideration is given to the potential strength of the tail of the run based on past observations. The Panel may either accept or reject the run size recommendations or propose alternative estimates. The run size estimates presented here may not reflect the final estimates adopted by the Fraser River Panel. The recommended timing estimates are dependent on the recommended run size estimates.

	PSC Staff	Run Size		Timing	
Management Group	Recommendation	Currently	PSC staff	Currently	PSC Staff
		Adopted	recommendation	Adopted	recommendation
Early Stuart Run	No recommendation	725,000	NA	06-Jul	NA
Early Summer Run	No recommendation	390,000	NA	01-Aug	NA
Summer Run	No recommendation	4,800,000	NA	11-Aug	NA
Late Run*	No recommendation	468,000 NA		20-Aug	NA
Pink Salmon Run*	No recommendation	27,000,000 NA		21-Aug	NA

^{*} Currently adopted estimates are based on preseason estimates

PSC staff recommend pDBE estimates (not MA estimates) for consideration by the Panel. The Panel may either accept or reject the MA estimates implied by the pDBE recommendations or propose alternative estimates, by incorporating additional information, e.g., natural, environmental or stock assessment factors, that are not accounted for in the current quantitative approach. The Management Adjustment estimates presented here may not reflect the final estimates adopted by the Fraser River Panel.

	PSC Staff		pDBE a	nd implied pMA estimate	
Management Group	Recommendation -	Currently Adopted		PSC recommendation	Implied pMA
	Recommendation	pDBE	рМА	pDBE	рМА
Early Stuart Run	No recommendation	-0.65	1.86	NA	NA
Early Summer Run	No recommendation	-0.35	0.54	NA	NA
Summer Run	No recommendation	-0.29	0.4	NA	NA
Late Run*	No recommendation	-0.61	1.56	NA	NA

^{*} Currently adopted pMA estimates are estimates agreed to by the Fraser River Panel in June, 2025



PACIFIC SALMON COMMISSION

ESTABLISHED BY TREATY BETWEEN CANADA AND THE UNITED STATES OF AMERICA MARCH 18, 1985 600 – 1155 ROBSON STREET VANCOUVER, B.C. V6E 1B5 TELEPHONE: (604) 684-8081 FAX: (604) 666-8707

August 7, 2025

MEMO

Mr. Adam Keizer, Chair, Fraser River Panel Mr. Jason Gobin, Vice Chair, Fraser River Panel

Mr. Marcel Shepert, Canadian Section First Nations Chair, Fraser River Panel

From:

Fiona Martens, Catherine Michielsens, Tosh Sutherland, Eric Taylor, PSC Staff

Re:

To:

2025 Pay Fish Retention Plan

In 2025, the sockeye run size was considered insufficient to retain sockeye pay fish in the test fisheries based on the median preseason forecast. In-season, returns of Fraser River sockeye salmon are exceeding the preseason forecast with the potential for the harvestable surplus to exceed First Nations food, social and ceremonial fisheries (FSC) and First Nations Treaty domestic allocations. If this happens, pay fish catches could potentially include sockeye salmon. It is anticipated that 20,000 sockeye are needed as pay fish in order to pay for the 2025 test fishing program and pay fish would need to focus on the retention of Summer run sockeye given the lack of harvestable surplus for Late run sockeye. Given the uncertainty associated with meeting domestic allocations the likelihood of retaining sockeye pay fish this season is still unlikely but with the increasing run sizes, staff wanted to highlight the potential opportunity should domestic allocations be met and the Panel deems the international TAC sufficient to retain pay fish.

While there is uncertainty associated with the retention of sockeye pay fish, retaining pink salmon pay fish could be considered at all pre-season forecast levels as discussed pre-season. As outlined at the June meeting, PSC Staff developed a proposal for taking pink salmon pay fish without additional sockeye mortality beyond what is required for sampling purposes. This proposal focused on pink salmon pay fish retention on the Area 20 purse seine test fishery given the lower proportion of sockeye versus pink salmon in this test fishery in comparison to the Area 12. To ensure the daily sockeye mortality does not exceed the daily sampling requirement of 100 sockeye, pay fish retention would occur in three stages:

First Stage (Starting August 21, 2025, the forecasted date of peak pink salmon migration):

- If one of the sets seems dominated by pink salmon with limited sockeye, brail the set for pink salmon, while keeping all sockeye caught within the brail for sampling purposes.
- Stop brailing once 40 sockeye have been landed, and release the remainder of the set by spilling across the cork line.
- Ensure the daily total sockeye mortality does not exceed the number of sockeye required for sampling purposes.

Second Stage (*When sockeye catches are below sampling requirement in individual sets*):

- If 1 of the 6 purse seine test fishing sets seems to contain limited sockeye (< 30 sockeye), land the full set of both pink salmon as well as sockeye.
- Adjust the sample requirements for subsequent sets to ensure the number of sockeye retained does not exceed the number of sockeye required for sampling purposes.
- Re-evaluate daily if there is a need to move to stage 1 or stage 3 depending on the number of sockeye in the catch.

Third Stage (When the total daily sockeye catch is less than biological sampling requirements):

- Proceed with full retention of all purse seine sets containing primarily pink salmon.
- Re-evaluate daily if there is a need to move back to stage 2.

In June 2025, the Fraser River Panel conditionally approved the PSC Secretariat's plan for taking pink salmon pay fish in 2025 with the caveat that final approval to proceed with the agreed plan would be provided in-season. Also, while there is uncertainty regarding sockeye run size, the panel should consider the option for sockeye pay fish should international TAC be sufficiently large.

Please see our website for further information on the <u>PSC Test Fishing Policy</u>. Additional information is available within the <u>PSC Bylaws</u> (Rule 25 Test Fishing Revolving Fund).





DRAFT AGENDA PSC Fraser River Panel Meeting

Via Zoom Webinar: https://psc-org.zoom.us/j/85284137826

FRP meeting: Friday, August 15, 2025 at 11 am

FKP	me	eting: Friday, August 15, 2025 at 11 am		
	1)	Roll Call (Panel and Tech members, others please email Angela Xu,	5 min	
		frontdesk@psc.org)		
	2)	Webinar Etiquette: mute phone & chat feature	2 min	
√	3)	Agenda	5 min	
	4)	Overview of run and catch status	5 min	PSC staff
✓	٦,	a) Accounted run to date relative to forecast and adopted run sizes	3 111111	1 SC Stail
☑		b) Catch-to-date by fishery		
☑		c) Release mortalities		
<u> </u>		d) TAC table		
	5)		20 min	PSC staff
V	•	a) Test fishing catches and acoustics summary		
V		b) Comparison of predictions from Mission to Qualark		
		c) Species composition review		
V		d) Stock Identification review		
		e) Management Adjustment (MA) considerations		
V		i) Environmental report		
✓		ii) pDBE forecast and sensitivity analysis		
V		iii) Current temperatures in areas of the Fraser Watershed		
V		iv) TNG Taskforce Update		
V		v) Report on fish condition		DFO
V		vi) Spawning ground reports		DFO
	6)	Assessment information		PSC staff
✓		a) Daily migration graphs		
✓		b) Predicted abundance en route to Mission		
✓		c) Diversion rate		
		d) Technical assessment information		
✓		e) Run size and timing estimates		
		f) Predicted allowable harvest based on run size and DBE scenarios		
		g) Criteria for fishing decisions table		
✓		h) Catch evaluation		
	7)	Recommendations on run size, migration timing and MA		
√		a) PSC recommendations		PSC staff
		b) Canadian and/or U.S. recommendations		Panel
		c) Panel decision		
	8)	Fisheries recommendations		
		a) Canadian and U.S. proposals		Panel
		b) Staff evaluation		PSC staff
		c) Canadian and U.S. evaluation		Panel
		d) Panel decision		
	9)	Assessments from other areas	5 min	PSC staff
√	10)	Other business: Weekly report	5 min	Panel
√	11)	Next FRP meeting and agenda	2 min	PSC staff/Panel
		Next TC meeting:		PSC staff
V		Data acknowledgements		1 50 50011
	10)	Data delitionicagements		

Legend: ☑ Content included in the distribution

☐ Not included in the distribution due to not relevant for this meeting or no (new) information

Data Acknowledgements

- 1. Fisheries & Oceans Canada (DFO)
 - Environmental Watch Program
 - DFO South Coast Test Fisheries & Namgis/A-Tlegay Fisheries Partnership
 - DFO Fraser Interior Area Stock Assessment Division
 - DFO Resource Management, Fraser and Interior Area
- 2. Tŝilhqot'in National Government (TNG) Task Force (comprised of BC, DFO and TNG's indigenous technical partner, the Upper Fraser Fisheries Conservation Alliance (UFFCA))
- 3. A-Tlegay Fisheries
- 4. Da'naxda'xw First Nation